

24% rabatt ska dras av på angivna priser



Statligt ramavtal - Möbler och inredning

Delområde: Arbetsstolar
Dnr.23.3.-8004-18:034
Produktlista nr: 4

Profim 2

2023



Kontaktuppgifter

Lokala kontor och utställningar:

Stockholm

Regeringsgatan 66
103 88 Stockholm

Peter Almgren
076-533 50 43
peter.almgren@senab.com

Göteborg

Fiskhamnsgatan 6C
414 58 Göteborg

Anna Wennberg
076-533 51 44
anna.wennberg@senab.com

Malmö

Fersens väg 3
211 42 Malmö

Magdalena Andersson
076-535 75 87
magdalena.andersson@senab.com

Uppsala

Stationsgatan 32 C
753 40 Uppsala

Linnéa Hempel
076-195 39 86
linnea.hempel@senab.com

Helsingborg

Järnvägsgatan 57
252 18 Helsingborg

Christopher Lundin
076-533 50 02
christopher.lundin@senab.com

Umeå

Storgatan 41
903 25 Umeå

Patrik Karlsson
070 654 0066
patrik.karlsson@senab.com

Gävle

Nygatan 28
803 11 Gävle

Cecilia Sjöblom
076-501 10 93
cecilia.sjoblom@senab.com

Hedemora

Åsgatan 68
776 30 Hedemora

Michael Andersson
076-501 10 95
michael.andersson@senab.com

Edsbyn

Karls väg 2
828 25 Edsbyn

Ronny Fagerhov
070-224 67 44
ronny.fagerhov@senab.com

Jönköping

Västra Storgatan 19A
553 15 Jönköping

Pia Heldt
076-533 51 57
pia.heldt@senab.com

Sundsvall

Storgatan 4
852 30 Sundsvall

Jonas Westerlund
076-502 02 04
jonas.westerlund@senab.com

24% rabatt ska dras av på angivna priser

Contents

Armchairs, swivel chairs and pouffes

Profim LIGHT UP

Profim MOTTO

Profim VERIS NET

Technical details

Terms of guarantee

Fabrics and finishings

Fabrics and finishings - Extended

Legend







24% rabatt ska dras av på angivna priser

Swivel chairs


24% rabatt ska dras av på angivna priser

Profim LIGHT UP

- The backrest comes in two variants: mesh and upholstered
- Two colours of the plastic finish and 3 colours of the base open up design possibilities
- Available as a hocker with footrest
- Option with jacket hanger
- Consists of a very small number of components and is 95% recyclable
- Blue Angel certificate - confirms that our chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

	Base model +	I	II	III	Ext I	Ext II	Ext III	Ext IV	Price
	Profim LIGHT UP 230S MLY300S000 • upholstered backrest • Synchro mechanism • base: black • non-arm version	3 062	3 354	3 543	3 543	4 032	4 698	5 867	
	Profim LIGHT UP 230SL MLY300SL00 • upholstered backrest • Synchro mechanism, sliding seat • base: black • non-arm version	3 296	3 588	3 776	3 776	4 267	4 933	6 090	
	Profim LIGHT UP 230SFL MLY300SF00 • upholstered backrest • Synchro mechanism, sliding seat • seat and backrest forward tilt • base: black • non-arm version	3 448	3 740	3 916	3 916	4 406	5 084	6 241	
	Profim LIGHT UP 250S MLY500S000 • mesh backrest • Synchro mechanism • base: black • non-arm version	2 981	3 144	3 285	3 285	3 530	3 776	4 511	
	Profim LIGHT UP 250SL MLY500SL00 • mesh backrest • Synchro mechanism • sliding seat • base: black • non-arm version	3 215	3 354	3 518	3 518	3 764	4 009	4 734	
	Profim LIGHT UP 250SFL MLY500SF00 • mesh backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version	3 354	3 518	3 670	3 670	3 904	4 150	4 886	

24% rabatt ska dras av på angivna priser

Base model +	I	II	III	Ext I	Ext II	Ext III	Ext IV	Price
 <p>Profim LIGHT UP 330S MLY330S000</p> <ul style="list-style-type: none"> • hocker with footrest • upholstered backrest • Synchro mechanism 	4 195	4 511	4 676	4 676	5 166	5 844	7 001	

 <p>Profim LIGHT UP 350S MLY350S000</p> <ul style="list-style-type: none"> • hocker with footrest • mesh backrest • Synchro mechanism 	4 103	4 254	4 395	4 395	4 640	4 886	5 622	
--	-------	-------	-------	-------	-------	-------	-------	--

Accessories/Options/Surcharges:

7BASC006	Base: lightgray (Only for: 230SL, 230SFL, 250SL, 250SFL)	643
7BASC003	Base: polished aluminum	643
7ARMR014	Armrests P61PU - black (set)	526
7ARMR015	Armrests P61PU - lightgrey (set) (Only for: 230SL, 230SFL, 250SL, 250SFL)	655
7ARMR003	Armrests P59PU (set) (Only for: 230S, 230SFL, 230SL, 250S, 250SFL, 250SL)	760
7LUSU004	Lumbar support TYPE A - height adjustable	105
7LUSU003	Lumbar support TYPE B - height and depth adjustable	199
7TGAS005	Gas lift with shock absorber - black or lightgrey, gas lift cover always in base colour (Only for: 230S, 230SL, 230SFL, 250S, 250SL, 250SFL)	328
7HANG002	Clothes hanger (HA), black or light grey, maximum load 4 kg.	316
7SEQU004	Quilting - front side of the seat (Q1)	432

I price group: Evo, Next

II price group: Cura, Medley, Softline*, Sprint, Valencia*, Xtreme

III price group: Oceanic, Runner, Rhythm, Select, Step, Synergy

Castors/glides:

- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

When ordering please clearly indicate the chosen option.

While ordering LightUp 230SL / 230SFL with lightgrey base all plastic elements (seat cover, backrest frame, lumbar support, armrests, hanger) will be lightgrey as well.

Armrest P61PU black version - height adjustable armrest (range 80 mm), polyurethane pad.

Armrest P61PU lightgrey version - height adjustable armrest (range 80 mm), polyurethane pad.

Armrest P59PU - only in black version - height adjustable armrest (range 80 mm), sliding pad (+/- 50 mm) with span option (+/- 30 mm), polyurethane pad.

In LightUp 330S /350S castors are equipped with reverse brake, which enable chair from moving away while seated.

Types of mesh: Runner, String. When ordering please clearly indicate the chosen option.

Quilting - extra charge to all price groups, lead time 30-40 working days.

* only models with mesh backrest

24% rabatt ska dras av på angivna priser








www.blauer-engel.de/uz117


24% rabatt ska dras av på angivna priser

Profim MOTTO

- Wide range of colours and finishing fabrics
- Backrests tilting in any direction
- Adjustable armrests and headrest
- Collection is completed with two versions of conference chairs (with low and high backrest)
- Blue Angel certificate - confirms that our chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

	Base model +	I	II	III	Ext I	Ext II	Ext III	Ext IV	Price
	Profim MOTTO 10S MMO100S000 • fully upholstered backrest • Synchro mechanism • base: black • non-arm version	3 412	3 798	4 045	4 045	4 594	5 389	6 732	
	Profim MOTTO 10SL MMO100SL00 • fully upholstered backrest • Synchro mechanism • sliding seat • base: black • non-arm version	3 635	4 021	4 278	4 278	4 827	5 622	6 966	
	Profim MOTTO 10SFL MMO100SF00 • fully upholstered backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version	3 798	4 173	4 418	4 418	4 967	5 763	7 107	
	Profim MOTTO 11S MMO110S000 • high backrest • Synchro mechanism • base: black • non-arm version • headrest	4 418	4 804	5 050	5 050	5 775	6 697	8 345	
	Profim MOTTO 11SL MMO110SL00 • high backrest • Synchro mechanism • sliding seat • base: black • non-arm version • headrest	4 652	5 038	5 271	5 271	6 008	6 931	8 580	

24% rabatt ska dras av på angivna priser

Base model +	I	II	III	Ext I	Ext II	Ext III	Ext IV	Price
 <p>Profim MOTTO 11SFL MMO110SF00</p> <ul style="list-style-type: none"> • high backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version • headrest 	4 804	5 178	5 423	5 423	6 160	7 071	8 720	

Accessories/Options/Surcharges:

7BASC003	Base: polished aluminum (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	725
7ARMR006	Armrests P61PU - black (set) (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	619
7ARMR003	Armrests P59PU (set) (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	888
7LUSU002	Lumbar support - depth adjustable - depth adjustment (schukra) (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	316
7TGAS005	Gas lift with shock absorber (Only for: 10S, 10SL, 10SFL, 11S, 11SL, 11SFL)	233
7TGAS003	Gas lift with memory (Only for: 10F, 20F)	619
7SBQU005	Quilting - front side of the seat (Q1)	432
7SBQU006	Quilting - front of the backrest (Q2)	491

I price group: Alba, Evo, Next

II price group: Cura, Medley, Softline, Sprint, Valencia, Xtreme

III price group: Oceanic, Select, Step, Synergy

Castors/glides:

- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

Glides in Motto 10V3/20V3/10F/20F:

- standard - teflon glides (universal),
- option - felt glides (for hard floors).

When ordering please clearly indicate the chosen option.

Armrest P61PU - height adjustable armrest (range 80 mm), polyurethane pad.

Armrest P59PU - height adjustable armrest (range 80 mm), sliding pad (+/- 50 mm) with span option (+/- 30 mm), polyurethane pad.

In swivel versions, armrest P59PU and P61PU are always black, irrespective of the colour of base.

24% rabatt ska dras av på angivna priser

The connector of the backrest with the seat is always black, irrespective of the colour of base.

Option of mixing two colours of the same fabric according to below scheme:

A - front of seat and backrest, B - sides of seat, rear part and sides of backrest

In case of order of such option, following example should be specified: SC-67097/SC-60132 (gdzie SC-67097 - A, SC-60132 - B). Option is available at no extra charge.





Quilting - extra charge to all price groups, lead time 30-40 working days.



24% rabatt ska dras av på angivna priser

Profim VERIS NET

- Ergonomically shaped backrest with additional tilt and lumbar support depth adjustment
- Additional inclination of the front of the seat to prevent pressure on the back of the thighs
- Two versions: basic and extended with headrest
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

	Base model +	I	II	III	IV	V	Ext I	Ext II	Ext III	Ext IV	Price
	Profim VERIS NET 100SFL MMY000SF00 • synchro mechanism • sliding seat • seat and backrest forward tilt • mesh backrest • base: black • non-arm version	4 431	4 652	4 886	5 458	5 844	4 886	5 072	5 190	5 494	
	Profim VERIS NET 101SFL MMY010SF00 • synchro mechanism • sliding seat • seat and backrest forward tilt • lumbar support • mesh backrest • base: black • non-arm version	4 722	4 945	5 178	5 751	6 136	5 178	5 365	5 481	5 785	
	Profim VERIS NET 110SFL MMY100SF00 • synchro mechanism • sliding seat • seat and backrest forward tilt • mesh backrest • base: black • non-arm version • headrest	5 330	5 541	5 775	6 347	6 732	5 775	5 961	6 078	6 394	
	Profim VERIS NET 111SFL MMY110SF00 • synchro mechanism • sliding seat • seat and backrest forward tilt • lumbar support • mesh backrest • base: black • non-arm version • headrest	5 599	5 797	6 030	6 605	6 990	6 030	6 219	6 336	6 639	
Accessories/Options/Surcharges:											
7BASC007	Base: metallic										292
7BASC003	Base: polished aluminum										631
7ARMR008	Armrests P54PU (set)										444
7ARMR009	Armrests P48PU (set)										1 485
7SEQU004	Quilting - front side of the seat (Q1)										303

24% rabatt ska dras av på angivna priser

I price group: Alba, Evo, Next

II price group: Cura, Medley, Softline, Sprint, Valencia, Xtreme

III price group: Oceanic, Select, Step, Synergy

IV price group: Leather

V price group: Leather Premium

Castors/glides:

- hard castors - for soft floors (set),

- soft castors - for hard floors (set),

- teflon glides - universal (set).

When ordering please clearly indicate the chosen option.

Armrest P54PU - height adjustable armrest (range 80 mm). Colour of armrest frame: black. Polyurethane pad.

Armrest P48PU - Height adjustable armrest (range 100 mm) with span adjustment (range 35 mm on each side), sliding pad (range +/- 30 mm) with pivot option (+/- 30°).

Polyurethane pad.

Armrests P48PU and P54PU are always black, irrespective of the colour of base.

Type of mesh: Runner.

When ordering please clearly indicate the chosen option.

Quilting - extra charge to all price groups, lead time 30-40 working days.

24% rabatt ska dras av på angivna priser

Technical details

S 440 (460)
SL / SFL 440-500 (460)

230S / 230SL / 230SFL

ST 450 (460)
STL 430-490 (460)

230ST / 230 STL

330ST

kg 20,0
kg 17,0

0,40 m³

kg 19,5
kg 16,5

0,40 m³

kg 21,5
kg 18,5

0,40 m³

S 440 (460)
SL / SFL 440-500 (460)

250S / 250SL / 250SFL

ST 450 (460)
STL 430-490 (460)

250ST / 250STL

350ST

kg 19,0
kg 16,0

0,40 m³

kg 18,5
kg 15,5


0,40 m³

kg 20,5
kg 17,5




0,40 m³

24% rabatt ska dras av på angivna priser




Motto






10S / 10SL / 10SFL






10ST / 10STL






11S / 11SL / 11SFL





11ST / 11STL






10V3





10F



20V3




20F



24% rabatt ska dras av på angivna priser


Veris Net




100SFL / 101SFL

kg 19,5

kg 16,5




0,40 m³



110SFL / 111SFL

kg 20,5

kg 17,5







0,40 m³

24% rabatt ska dras av på angivna priser

Additional information

24% rabatt ska dras av på angivna priser

Castors / glides








Castors / glides	Models	Type	Castors / glides	Models	Type
	Accis ^{Pro} , Action, Arca, Ellie ^{Pro} , LightUp, Motto, MyTurn, Playa, Raya, Trillo ^{Pro} , Veris, Veris Net, Violle, Xenon, Xenon Net	soft / hard (ø 65 mm)			
	Accis ^{Pro} , Action, Arca, LightUp, Motto, Playa, Raya, Veris, Veris Net, Violle, Xenon, Xenon Net	teflon (ø 50 mm)		MyTurn 10FZ, MyTurn 20FZ, Viole 130F, Violle 150F, Motto 10F, Motto 20F	hard / felt / teflon
	LightUp 330ST/350ST Trillo ^{Pro} 30ST/31ST	soft / hard (ø 65 mm)			

24% rabatt ska dras av på angivna priser

Bases


Base	Applied to the models	Colour	Type of material	Diameter (mm)
	Accis ^{Pro} , Arca, Fan, LightUp, Motto, Playa, Raya, Veris, Veris Net, Violle, Xenon, Xenon Net	black	plastic - polyamide	720
	Accis ^{Pro} , LightUp, Violle	light grey	plastic - polyamide	720
	Arca, Fan, Playa, Raya, Veris, Veris Net	metallic	powder coated aluminum	720
	Accis ^{Pro} , Violle	white	powder coated aluminum	720
	Accis ^{Pro} , Violle	graphite	powder coated aluminum	720
	Accis ^{Pro} , Arca, Action, Fan, LightUp, Motto, Playa, Raya, Veris, Veris Net, Violle, Xenon, Xenon Net	polished aluminum	aluminum	720
	MyTurn 10S, MyTurn 20S, MyTurn 10Z, MyTurn 20Z	polished aluminum	aluminium	740
	Sorriso 10F	polished aluminum	aluminium	760
	MyTurn 10FZ, MyTurn 20FZ	polished aluminum	aluminium	790
	Fan 10F, Nu 20F, Stolik SF	polished aluminum	aluminium	700

24% rabatt ska dras av på angivna priser

Base	Applied to the models	Colour	Type of material	Diameter (mm)
	Chic Lounge A10F, Chic Lounge A20F	polished aluminum	aluminium	820
	Ellie ^{Pro} 10HST, Ellie ^{Pro} 20HST, Trillo ^{Pro} 20HST, Trillo ^{Pro} 21HST, Nu HC	black	powder coated aluminum	770
	Ellie ^{Pro} 10HST, Ellie ^{Pro} 20HST, Trillo ^{Pro} 20HST, Trillo ^{Pro} 21HST, Nu HC	white	powder coated aluminum	770
	Ellie ^{Pro} 10HST, Ellie ^{Pro} 20HST, Trillo ^{Pro} 20HST, Trillo ^{Pro} 21HST, Nu HC	graphite	powder coated aluminum	770
	Ellie ^{Pro} 10HST, Ellie ^{Pro} 20HST, Trillo ^{Pro} 20HST, Trillo ^{Pro} 21HST, Nu HC	polished aluminum	aluminium	770
	Ellie ^{Pro} 10ST, Ellie ^{Pro} 20ST, Trillo ^{Pro} 20ST, Trillo ^{Pro} 10ST, Trillo ^{Pro} 30ST, Trillo ^{Pro} 31ST	black	plastic - polyamide	710
	Ellie ^{Pro} 10ST, Ellie ^{Pro} 20ST, Trillo ^{Pro} 20ST, Trillo ^{Pro} 10ST, Trillo ^{Pro} 30ST, Trillo ^{Pro} 31ST	light grey	plastic - polyamide	710

24% rabatt ska dras av på angivna priser


Mechanisms



Synchro*

Accis^{Pro}

- A - Seat height
- B - Value of the backrest reclining force
- C - Seat side-movement function
- D - Tilt angle of the backrest and the seat / additional backrest and seat angle
- E - Seat depth



Synchro*

Action

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force
- D - Seat depth
- E - Additional backrest and seat angle



Synchro*

Veris / Veris Net

- A - Seat height
- B - Tilt angle of the backrest and the seat / additional backrest and seat angle
- C - Value of the backrest reclining force
- D - Seat depth
- E - Inclination of the front part of the seat



Synchro*

Viole

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force
- D - Seat depth
- E - Additional seat angle



Synchro Self*

LightUp / Motto / Xenon / Xenon Net


- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force
- D - Seat depth (only in STL models)



Synchro*

LightUp / Motto / Xenon / Xenon Net

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force
- D - Seat depth (only in SL and SFL models)
- E - Additional backrest and seat angle (only in SFL models)



Synchro*

MyTurn 10S, 20S

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force



Synchro Self*

Trillo^{Pro}, Ellie^{Pro}

- A - Seat height
- B - Tilt angle of the backrest and the seat




Synchro Self*

Trillo^{Pro}, Ellie^{Pro}

- A - Tilt angle of the backrest and the seat

24% rabatt ska dras av på angivna priser



Rocker

MyTurn 10Z, 10FZ, 20Z, 20FZ

- A - Seat height (only in Z models)
- B - Tilt angle of the backrest and the seat



Rocker

Fan 10Z

- A - Seat height
- B - Tilt angle of the backrest and the seat



Economic

Fan 10E

- A - Seat height



Synchro*

Arca 21SL, Playa, Raya 21SL, Raya 23SL

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force
- D - Seat depth



Synchro*


Raya 21S, Raya 23S

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force

The Synchro mechanisms used in Profim products are equipped with Anti-Shock system after releasing the mechanism, the back does not hit the sitting person, but remains in the previous position. The Synchro mechanism is activated only when the person leans on the backrest again.

24% rabatt ska dras av på angivna priser

Armrests



P45

Playa / Raya


Height adjustable armrest (range 70 mm).
Colour of armrest frame: black.
Armpad type: PP/PU (polypropylene/polyurethane).



P48

Action / Veris / Veris Net


Height adjustable armrest (range 100 mm) with span adjustment (range 35 mm on each side - only in Veris and Veris Net), sliding pad (range +/- 30 mm) with pivot option (+/- 30°).
Colour of armrest frame: black.
Armpad type: PU (polyurethane pad)



P52

Raya


Fixed armrest.
Colour of armrest: black.
Armpad type: PA (polyamide).



P54

Veris / Veris Net


Height adjustable armrest (range 80 mm).
Colour of armrest frame: black.
Armpad type: PU (polyurethane pad)



P59

LightUp / Motto / Xenon / Xenon Net


Height adjustable armrest (range 80 mm), sliding pad (+/- 50 mm) with span option (+/- 30 mm).
Colour of armrest frame: black.
Armpad type: PU (polyurethane pad)



P61

LightUp / Motto / Xenon / Xenon Net

Height adjustable armrest (range 80 mm).
Colour of armrest frame: black, light grey (only LightUp).
Armpad type: PU (polyurethane pad)



P62

Violle

Height adjustable armrest (range 90 mm), sliding pad (range +/- 50 mm) with span option (+/- 28 mm).
Colour of armrest frame: black, light grey, white, graphite, polished aluminum.
Armpad type: PU (polyurethane pad)



P63

Accis^{Pro}

Height adjustable armrest (range 100 mm), sliding pad (range +/- 50 mm), span option (+/- 27 mm), with pivot option (+/- 27°).
Colour of armrest frame: black, light grey.
Armpad type: PU (polyurethane pad)


24% rabatt ska dras av på angivna priser

Linking parts




Linking part Ariz

Price - no extra charge.




Universal FIXED 1 Linking part

Price - 1 EUR/pc.
Available in models without armrests: Bit.




Universal ADJUSTABLE Linking part

Price - 3 EUR/set.
Available in models with armrests: Sun.
Available in models without armrests: Bit, Xenon, Xenon Net.
Available in Com and Zoo cantilever.



Universal FIXED 2 Linking part

Price - 1,5 EUR/pc.
Available in models: Acos^{Pro}, MyTurn, Sun.



Linking part Com, Zoo

Price - 14 EUR/pc.
Available in 4-legged Com and Zoo.

24% rabatt ska dras av på angivna priser

Stacking

	Maximum quantity in stack (pc.)	Maximum quantity in stack on trolley (pc.)
Acos^{Pro}		
30V	2	-
Ariz		
550V, 555V	15	45
550V 2P, 555V 2P	10	45
560V, 560V 2P	5	20
570V, 570V 2P	5	20
575V, 575V 2P	5	20
550CV	2	-
555CV	2	-
560CV	2	-
570CV	2	-
575CV	2	-
Bit		
550H, 550H 2P	5	-
555H, 555H 2P	5	-
560H, 560H 2P	3	-
570H, 570H 2P	3	-
575H, 575H 2P	3	-
550V, 550V 2P	3	-
555V, 555V 2P	3	-
560V, 560V 2P	3	-
570V, 570V 2P	3	-
575V, 575V 2P	3	-
Com		
12H (+2P)	15	15
12H 2PB	5	5
12V1 (+2P)	5	5
12V2	5	5
12V	15	15
22H (+2P)	12	12
22H 2PB	5	5
22V1 (+2P)	5	5
22V2	5	5
22V	12	12
32H (+2P)	12	12
32H 2PB	5	5

	Maximum quantity in stack (pc.)	Maximum quantity in stack on trolley (pc.)
32V1(+2P)	5	5
32V2	5	5
32V	12	12
42H (+2P)	10	10
42H 2PB	5	5
42V1 (+2P)	5	5
42V2	5	5
42V	10	10
Normo		
H, H LP, H SP	4	-
V, V SP	4	-
Sun		
H	5	-
H 2P	2	-
V 2P	2	-
Xenon		
20H	4	-
20H 2P	4	-
20V	4	-
20V 2P	4	-
Xenon Net		
20H	4	-
20H 2P	4	-
20V	4	-
20V 2P	4	-
Zoo		
522H	10	12
522H 2P	10	10
522H 2PB	5	5
522V, 522V 2P	8	8
522V 2PB	5	5
502H, 502H 2P, 502H 2PB	5*	5*
502V, 502V 2P, 502V 2PB	5*	5*
500H, 500H 2P, 500H 2PB	5*	5*
500V, 500V 2P, 500V 2PB	5*	5*

* Chairs upholstered in Valencia - 3 pcs.

24% rabatt ska dras av på angivna priser

Glides, table tops, joining in rows

	Joining in rows	Felt glides (for hard surfaces)	Teflon glides (universal)	Left-sided table top	Right-sided table top
Accis ^{Pro}			•		
Acos ^{Pro}	•	•	•		
Action			•		
Arca		•			
Ariz	•	•	•	•	•
Bit	•	•	•		
Chic		•	•		
Chic Air		•	•		
Chic Lounge		•	•		
Chic Tables		•	•		
Com	•	•	•	•	
Ellie ^{Pro}		•	•		
Fan		•	•		
LightUp			•		
Mickey			•		
Motto		•	•		
MyTurn		•	•		
MyTurn Sofa		•			
Nine					
Normo		•	•		
Nu		•	•		
October		•			
Playa			•		
Raya			•		
Revo Tables		•			
Seven					
SoftBox	•	•			
Sorriso		•	•		
Sun		•	•		
Tables SF/SH/SR/SV/SW		•	•		
Trillo ^{Pro}			•		
Vancouver Lite		•			
Vancouver Oto	•	•			
Veris			•		
Veris Net			•		
Violle		•	•		
Wall In	•	•			
Xenon	•	•	•		
Xenon Net	•	•	•		
Zoo	•	•	•	•	

Details in additional information on specific models.

24% rabatt ska dras av på angivna priser

Consumption of fabric and leather

The quantities below are only estimated. The real quantity of fabric- or leather-consumption may vary in accordance to the quantity of pieces on order. Please notice that before we accept any order in customer's own material we need to make sample trials. Please be aware that not every type of fabric/leather is suitable for upholstery. Volume of customer's own material must be agreed each time with Profim sales organization

Column A - Estimated consumption of fabric (roll width: 1,40 m)

Column B - Estimated consumption of leather (m²)

	A	B		A	B		A	B
Accis^{Pro}			Cushion			MyTurn Sofa		
150	0,7	0,8	CU30	0,4	-	10	3,8	7,4
Acos^{Pro}			CU40	0,5	-	20	6,0	10,0
30H, 30HC, 30V	1,2	1,8	Com			30	8,7	13,0
Action			22	0,5	0,3	Normo		
100, 110	1,5	2,0	32	1,0	0,7	500	1,0	-
105, 115	0,6	0,8	42	1,1	1,1	Nu		
Arca			22CV	0,5	0,3	20	1,6	-
21	1,3	-	42CV	0,7	0,8	Nu Spin		
Ariz			Ellie^{Pro}			20	2,0	3,2
560, 575	0,6	-	10	2,5	-	October		
570	1,6	-	20	2,4	-	10	2,0	2,1
Bit			Fan			20	3,5	4,0
560, 575	0,6	-	10	1,4	1,9	11	3,6	5,7
570	1,0	-	20	2,4	3,3	21	5,5	9,2
580	1,2	-	cushion	0,5	0,5	31	7,7	12,2
Chic			LightUp			12	6,5	8,5
10	2,2	3,5	230, 330	1,2	-	22	8,0	12,5
20	1,2	1,4	250, 350	0,5	-	32	10,5	18,5
21	1,0	1,1	Mickey			Playa		
Chic Air			seating	0,7	-	11	1,6	-
C21	1,5	2,3	side of the base	0,25	-	12	1,9	-
C20	2,0	3,5	Motto			Raya		
B20	3,7	7,5	10	1,4	-	21	1,3	-
A20	2,8	4,8	11	1,8	-	23	1,3	-
A10	3,1	5,5	20	1,3	-	MyTurn		
A11	3,6	6,6	10	1,7	2,3	10	1,7	2,3
Chic Lounge			20	1,6	2,1	20	1,6	2,1
A10	2,2	4,0	21	1,4	1,7	21	1,4	1,7
A20	2,1	3,3						
PV3	1,2	1,6						
CU	0,4	0,3						

24% rabatt ska dras av på angivna priser

	A	B
SoftBox		
10, S2	2,2	2,4
1C	2,5	4,0
11	3,2	5,5
20	3,0	4,0
2B	4,4	6,0
2R, 2L	4,8	6,5
21	4,5	7,2
3B	6,6	8,7
3R, 3L	5,8	8,9
31	5,9	9,6
1CW*	1,6	-
11W*	1,8	-
2BW*	1,7	-
2RW*, 2LW*	2,1	-
21W*	2,6	-
3BW*	2,4	-
3RW*, 3LW*	2,9	-
31W*	3,3	-

*refers only to screens

Sorriso		
10	2,1	2,6
Sun		
V	0,7	-
H	0,7	-

Trillo^{Pro}		
20, 30	0,6	-
21, 31	1,2	-

Vancouver Lite		
1 H/V	2,6	4,1
2 H/V	3,6	5,9
2,5 H/V	4,0	6,7
3 H/V	5,1	8,4
1 HW/VW	1,9	3,2
2 HW/VW	2,6	4,8
2,5 HV/VW	2,9	5,5
3 HV/VW	3,5	6,5
W1	6,7	-
W2	6,7	-
W2,5	8,9	-
W3	8,9	-
SW	5,5	-

	A	B
Vancouver Oto		
R1, R1B	1,2	1,6
R2, R2B	1,0	1,1
S1, S1B	1,8	2,6
S2, S2B	1,1	1,3
Veris		
10, 101	1,5	1,2
11, 111	1,8	1,2
Veris Net		
100, 101, 110, 111	0,7	0,6
Violle		
130SFL	1,8	1,5
131SFL	2,1	1,7
150SFL	0,6	0,6
151SFL	0,9	0,8
130F	1,8	1,5
150F	0,6	0,6

Wall In		
10, 11, 12, 13, B	1,5	2,0
20, 21	1,8	2,7
22, 23	1,8	2,7
30, 31, 32	2,3	3,2
C1, B1	1,6	1,4
C2, B2, P1	1,6	1,7
P3, P4	1,2	1,7
W	1,7	-

Xenon		
10	1,5	1,5
11	1,9	1,7
20, 30	1,4	1,3
20H	1,4	1,2
20V	1,4	1,2

Xenon Net		
100, 101	0,7	0,7
110, 111	1,1	0,9
20H	0,7	0,6
20V	0,7	0,6

Zoo		
502	0,7	-
500	1,1	-

24% rabatt ska dras av på angivna priser

Quilting




LightUp / Motto / MyTurn / Veris / Veris Net / Xenon / Xenon Net

Q1 - quilting on the front side of the seat, without sides, without headrest
Q2 - quilting on the front of the backrest, without sides



Bit / Com

Q1 - quilting on the seat pad
Q2 - quilting on the backrest pad




Acos^{Pro} / Com

Q3 - quilting on the whole front part
Q4 - quilting on the whole rear part




Nu / Sorriso

Q5 - quilting on the seat cushion




MyTurn Sofa / Vancouver Lite

Q7 - quilting on the outer part of the sides and the back




Vancouver Lite

Q6 - quilting on the inner part of the wall
Q7 - quilting on the outer part of the wall



Vancouver Oto

Q7 - quilting on all of the sides




Wall In

Q6 - quilting on the seat and backrest

24% rabatt ska dras av på angivna priser

Measuring methodology

Swivel armchairs and chairs are measured with a mechanism adjusted in such a way that the seat is as much as it is possible positioned levelly, while the backrest vertically. Swivel armchairs and chairs are measured on their castors, whereas visitor and reception chairs on hard glides. The measurements are approximate and can differ depending on the product configuration.



A - Total height

For products fitted with a gas lift - it is measured with gas lift's minimum and maximum extension. For products fitted with an additional backrest and headrest height adjustment - it is measured in both minimum and maximum positions of the backrest, headrest and gas lift.

B - Seat height


Measured at the highest point of the seat. For products fitted with a gas lift - it is measured with absorber's minimum and maximum extension.

C - Seat height with the burden

Seat measured according to EN standards (with seat burden). For products fitted with a gas lift - it is measured with gas lift's minimum and maximum extension.

D - Backrest height

Measured from the seat to the backrest upper edge. For products with adjustable backrest height - it is measured in the minimum and maximum position.




E - Headrest height

Measured from the backrest upper edge to the headrest upper edge. The headrest adjusted in maximum vertical position in relation to the upper and lower edge of the headrest. Measured in the headrest's minimum and maximum position.


F - Base, frame width

Measured at the uttermost points of the base according to the following figures.



G - Base diameter

Measured according to the figure underneath.



H - Seat width

Measured at the uttermost points of the seat.

I - Backrest width

Measured at the uttermost points of the backrest.


J - Total width

Measured at the uttermost points. For products fitted with adjustable armrests - it is measured with the armrests slid apart to maximum. For products fitted with armrests with adjustable pads - it is measured with the pads slid apart to maximum.

24% rabatt ska dras av på angivna priser

K - Seat depth

Measuring the distance between the uttermost point on the seat and the point it touches the backrest (the contact point is determined with a level positioned vertically to the backrest by projecting the S point from the backrest onto the seat) (1). For some shell chairs, where there is no distinct border-line between the seat and the backrest, the depth is measured on the bend halfway between the seat and the backrest (2). For products with additional adjustable seat depth - it is measured with minimum and maximum slide.





L - Seat (element) length


Measured at the uttermost points of the seat.

M - Total depth

Measured at the uttermost points. Swivel armchairs and chairs are measured according to the drawing underneath. For products with adjustable seat depth - it is measured with minimum and maximum slide.



In models with gas lift with memory.



In models with gas lift without memory.

N - Backrest (element) length

Measured at the uttermost points of the backrest.

O - Armrest height

For swivel armchairs and chairs – it is measured from the seat surface to the armrest upper edge. For armrests with adjustable height – it is measured in the minimum and maximum position. For visitor chairs – it is measured from the floor to the armrest upper edge.

P - Table top length

Measured at the uttermost points of the table top.

R - Table top width

Measured at the uttermost points of the table top.

S - Table frame length

Measured at the uttermost points of the table frame.

T - Table frame width

Measured at the uttermost points of the table frame.

U - Table top thickness

Table top (element) thickness is measured.

24% rabatt ska dras av på angivna priser

Terms of guarantee

applies to products manufactured after January 15th, 2019

1. Profim (the Guarantor) guarantees the efficient operation of its products.
2. Claims must be submitted at the purchase location, on a claims form (which can be downloaded from www.profim.eu), together with a purchase document (invoice or guarantee) and the guarantee certificate, if the certificate in question was issued to the Purchaser.
3. Claimed products will be accepted only if cleaned, packaged, and secured against damage in shipping.
4. The claimed product should be delivered, along with the documents listed in point 2, to the purchase location. If the claim is rejected, the product is sent back to the purchase location at the cost of the Purchaser.
5. The Guarantor shall determine whether the claim is justified within 14 days from the claimed products' delivery to manufacturer (together with claim application). A claims department employee will contact the Purchaser by phone or e-mail in order to determine the date and manner of product repair/replacement. Any doubts related to the claims procedure may be clarified at the phone number + 48 63 289 88 40 from Monday to Friday, 9-15, or at the e-mail address export@profim.pl. Submitting a claim does not entitle the Purchaser to withhold payment for the product.
6. In order to enable the manufacturer to identify the product, the claim notice should include information from the product's LABEL, i.e. the date of manufacture, order number, product number, and configuration. Any tampering with the LABEL will cause the guarantee to become null and void.
7. Guarantee period.
Refers to the products listed in the current price list and on the website www.profim.eu.

Guarantee period	Offer	Operating mode
5 years not longer however than 7 years from production date	Standard Classic - selected products	5 days a week, 8 hours per day (single shift work)
3 years not longer however than 4 years from production date	Classic	5 days a week, 8 hours per day (single shift work)

8. If the product is used for more than 8 hours per day, the guarantee period is reduced to three years.
9. Chair parts (e.g. castors, mechanisms, plastic parts) sold to the Purchaser are covered by a 2 years warranty.
10. If the product is replaced with another product free of defects or repaired by having one of its parts replaced, the course of the guarantee for such product or element is restarted. The guarantee period is extended by the period in which the Purchaser could not make use of the product.
11. If a defect cannot be removed or the removal involves excessive costs, the Guarantor may replace the product with another product free of defects. Any replaced defective products or parts thereof become the property of the Guarantor.
12. In case where an identical product is not available, the Guarantor may replace it with another product free of defects and with identical/similar parameters.

13. Claims concerning mechanical damage (scratches, dents, abrasions, upholstery soiling, missing parts etc.) will be accepted only if submitted within 7 days from the date of handing the product over to the Purchaser. By the above deadline, the Purchaser should unpack the product and remove the wrapping and protective elements in order to rule out mechanical damage. If reservations are made upon delivery with respect to the delivered product, a damage protocol must be drawn up in the presence of the courier or carrier and sent to the Guarantor together with the claims notice.
14. The refusal to hand the product (or any part thereof) over for repair in factory conditions, or preventing repair at the site of the Purchaser, causes the Guarantor to be released from its guarantee obligations and any guarantee claims to be waived.
15. The date of product repair at the site of the Purchaser is scheduled by the Guarantor.
16. Customized products i.e. chairs covered with fabric provided by the Purchaser and manufactured using technology that is not standard for a given product (such as using another base, armrests, covered by a fabric that is not part of standard offer etc.) are covered by one year guarantee.
17. The guarantee covers solely products located on the territory of the Republic of Poland or the country of the Distributor.
18. The Guarantor reserves the right to make innovations in the products that do not alter their durability and usability.
19. Repairs conducted by unauthorized persons or using unauthorized parts will cause the guarantee to become null and void.
20. The Purchaser's rights hereunder do not include the right to pursue lost profits and be indemnified for any potential damage caused by product failure.
21. The Guarantor's liability covers solely defects inherent in the product sold.
22. If the product is damaged after the expiry of the guarantee, the Guarantor may send, if possible, the Purchaser the required element or cure the defect using its factory service. In both cases the Purchaser will be charged accordingly.

24% rabatt ska dras av på angivna priser

THE GUARANTEE DOES NOT COVER:

- a) defects caused by assembling the product in a manner not compliant with the manual and using it in a manner not compliant with its purpose,
- b) damage caused during transport and transloading (does not apply to transport provided by the Guarantor),
- c) failure to observe the recommendations contained in the user's manual, damage to castors, glides or floor caused by the inappropriate choice of available options (e.g. using hard castors on hard surfaces); the proper choice of options does not rule out damages that may be caused by using the chairs on carpets, panels, parquet floors etc. of inappropriate quality or on soiled surfaces (e.g. by sand),
- d) damage resulting from extreme climate conditions or environmental factors (e.g. acids, humidity etc.),
- e) damage caused by departing from standard specifications at the customer's request,
- f) operational wear and tear of wheels or upholstery materials,
- g) wear and tear of felt glides, which can be replaced under warranty, only in case the felt come away,
- h) differences in the fabrics shade, if the products come from different manufacturing series of the fabric manufacturer, and differences in individual products purchased by the Purchaser successively are claimed,
- i) discoloration of upholstery caused by some of the clothing colourants and additional colourants (such as those used in denim) which may transfer onto lighter upholstery (the effect can be intensified due to humidity and temperature and is irreversible),
- j) soiling and permanent discolouring of upholstery caused by external factors,
- k) leather upholstery products, where the natural features of the material, such as smell, difference in the structure, texture and shade differences, scars and insects pricks are claimed; during use (e.g. on the seat) the leather takes on shine and becomes looser; the Guarantor does not accept claims motivated by the above features,
- l) foam deformations,
- m) differences in the hardness of polyurethane cold-moulded foam resulting from parameter variations, which according to the DIN 53576/ISO 2439 norm are acceptable if within the range of +/- 10%,
- n) damaging the surface of wooden elements as a result of contact with the edges of desks or other office furniture; mechanical damage of wooden surfaces is not considered to be a product defect,
- o) wooden components used in products, if the slight differences occurring in individual elements are claimed; the character of the raw material makes it impossible to precisely determine the final aesthetic effects, defined by the wood colour, shade, and figure,
- p) differences in geometry of plywood shells, which, because of their natural properties, may differ in tolerance of +/- 1.5 degrees,
- r) small variations in HPL colours, in accordance with PN-EN 438 norm.
- s) differences in colour, gloss, tone or pattern in ceramic table tops. It is natural material and above features are characteristic of this type of surface.

GENERAL REMARKS CONCERNING PRODUCT USE:

- 23. The products should be protected against the direct influence of sunrays.
- 24. Leather products should not be placed next to a heater or another heat source. Please observe a minimum distance of 30 cm from the heat source.
- 25. Leather should be maintained using special care products that create a protective layer resistant to water and oil substances.
- 26. Products should be protected against becoming wet.
- 27. The upholstery fabric should be protected against soiling by grease, sweat, lubricants etc. In case of soiling, apply appropriate cleaning agents.
- 28. Avoid exposing upholstery to extensive, focused tension (for example standing on a chair) that can result in splitting or a rip of stitching as well as mechanical damage to upholstery.
- 29. Upholstered furniture is supposed to be used to sit evenly on the seat surface to avoid natural tendency of fabrics and leather to creasing and wrinkling due to ongoing pressure, temperature and the moist of the body (wrinkling and creasing is not a product fault but a natural effect; the bigger the upholstered surface the higher tendency for this effect to occur).
- 30. Products should be dusted at least once a week.
- 31. Hard castors are used with soft carpeting and carpets.
- 32. Soft castors are used with hard floors (e.g. PVC, parquet floors, floor panels).
- 33. Remarks concerning the use of products containing plywood elements:
 - temperature range from +15 °C to +30 °C,
 - humidity range from 40% to 65%.
- 34. Ceramic tops meet the frost resistance requirements per EN 10545-12.
- 35. Table Chic RH and RR with metal and ceramic table top (apply only when frame/column is made of EPO1, EPO2, EPO3, with hard or teflon glides) can be for outdoor use according to EN 12944-2 cat. C3.
- 36. Plastic elements of the products like bases, armrests cover (especially light grey colours) require regular cleaning adequate to density of usage.

24% rabatt ska dras av på angivna priser

Fabrics and finishings

Evo

I price group

Composition


100% polyester

Weight


320 g/m²

Certificates

- abrasion resistance - 180000 Martindale cycles (BS EN ISO 12947-2)
- pilling resistance - 5 (PN-EN ISO 12945-2)
- flammability - cigarette (BS EN 1021-1)
- flammability - match (BS EN 1021-2)
- light fastness - 5-6 (EN ISO 105-B02)
- determination of formaldehyde (PN-EN ISO 14184-1)
- colour fastness to organic solvents - 5 (PN-EN ISO 105-X-05)
- colour fastness to perspiration - 5 (PN-EN ISO 105-E04)
- determination of azo dyes (PN-EN 14362-1)
- colour fastness to rubbing - 4-5 (PN-EN ISO 105-X12)
- slippage resistance - 3 mm, kat. A (PN-EN ISO 13936-2)
- colour fastness to water spotting - 5 (BS EN ISO 105 E16)




EV-14




EV-1




EV-11




EV-25




EV-10



EV-2



EV-24



EV-5

Next

I price group

Composition


100% polyester

Weight


340 g/m²

Certificates

- abrasion resistance - 100000 Martindale cycles (PN-EN ISO 12947-2)
- pilling resistance - 5 (PN-EN ISO 12945-2)
- flammability - cigarette (PN-EN 1021-1)
- flammability - match (PN-EN 1021-2)
- light fastness - 5 (PN-EN ISO 105-B02)



NX-10




NX-12




NX-14




NX-16



NX-15



NX-11



NX-1



NX-7

24% rabatt ska dras av på angivna priser

Cura

II price group

Composition


98% post-consumer recycled polyester / 2% polyester

Weight


300 g/m²

Certificates

- abrasion resistance - 100,000 Martindale cycles (EN ISO 12947-2)
- pilling resistance - 4-5 (EN ISO 12945-2)
- flammability - cigarette (BS EN 1021-1)
- flammability - match (BS EN 1021-2)
- light fastness - 5-8 (BS EN ISO 105-B02)




61168



60110




60999




66170



66167



68182



68186



62083

Medley

II price group

Composition

100% polyester

Weight

364 g/m²

Certificates


- abrasion resistance - 75000 Martindale cycles (EN ISO 12947-2)
- pilling resistance - 4 (EN ISO 12945-2)
- flammability - cigarette (EN 1021-1)
- flammability - match (EN 1021-2)
- flammability (BS 5852 0&1)
- light fastness - 5-7 (EN ISO 105-B02)




60003




60999



67006




66007




67054



62054



63064



63063

24% rabatt ska dras av på angivna priser

Softline

II price group

Composition

Surface - 100% PU

Basic material - 100% cotton/EPS

Weight

≥220 g/m²

Certificates

- abrasion resistance - 50000 Martindale cycles (PN-EN ISO 5470-2)
- flammability - cigarette (PN-EN 1021-1)




SL-28



SL-16



SL-18



SL-27



SL-21



SL-10



SL-19

Sprint

II price group

Composition


100% polyester

Weight


325 g/m²

Certificates

- abrasion resistance - 170000 Martindale cycles (BS EN ISO 12947-2)
- pilling resistance - 4 (BS EN ISO 12945-2)
- flammability - cigarette (BS EN 1021-1)
- flammability - match (BS EN 1021-2)
- light fastness - 5 (BS EN ISO 105-B02)



PS030




PS004




PS039




PS040



PS041



PS033



PS028



PS010

24% rabatt ska dras av på angivna priser

Valencia™

II price group

Composition

Surface - 100% vinyl

Basic material - 100% polyester Hi-Loft 2™

Weight

650 g/m²


Certificates

- abrasion resistance - >300000 Martindale cycles (UNE-EN ISO 12947-2)
- flammability - cigarette (EN 1021-1)
- flammability - match (EN 1021-2)
- flammability (DIN 4102 B2)
- flammability (NF P 92-503/M2)
- light fastness - >5 (DIN EN ISO 105-B02)
- bacterial resistance (AATCC 147)
- mildew resistance (ASTM G21-02)
- urine resistance
- antistatic (ASTM D-257)


PERMABLOK3® is a proven vinyl protective coating that's engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments – germs, abrasion, and stains. You can't see it or feel it, yet the protection it offers results in extended performance and lasting beauty with a minimum of care.

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible.

The producer will not assume responsibility for dye transfer caused by external contaminants and possible permanent staining caused by this phenomenon.




107-4045




107-4003



107-9035




107-4042



107-2116



107-0002



107-2107



107-0034

Velvet

II price group

Composition

Surface - 100% polyester

Basic material - 90% polyester, 10% cotton

Weight

305 g/m²

Certificates

- abrasion resistance - >100000 Martindale cycles (EN ISO 12947-2)
- pilling resistance - 4-5 (EN ISO 12945-2)
- trudnozapalność BS 5852 cigarette test
- light fastness - 4-5 (EN ISO 105-B02)



Lavender 71




Niagara 158



Navy 49



Eucalyptus 193




Emerald 184



Ocre 23



Copper 126



Winered 39

24% rabatt ska dras av på angivna priser

Xtreme

II price group

Composition


100% Recycled Flame Retardant Polyester

Weight


310 g/m²

Certificates

- abrasion resistance - 100000 Martindale cycles (EN ISO 12947-2)
- pilling resistance - 5 (EN ISO 12945-2)
- flammability - cigarette (EN 1021-1)
- flammability - match (EN 1021-2)
- flammability - DIN 4102 B1, BS 5852 Section 4 (Ignition source 5)
- light fastness - 6 (EN ISO 105-B02)



YS094




YS081




YS009




YS079




YS136



YS026



YS047



YS096

Oceanic

III price group

Composition


100% post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight

497 g/m²

Certificates

- abrasion resistance - \geq 100,000 Martindale cycles (EN ISO 12947-2)
- piling resistance - 4 (EN ISO 12945-2)
- flammability - cigarette (BS EN 1021-1)
- flammability - match (BS EN 1021-2)
- light fastness - 5 (BS EN ISO 105-B02)




OOC13




OOC08




OOC01




OOC11




OOC06



OOC04



OOC16



OOC12

24% rabatt ska dras av på angivna priser

Select

III price group

Composition


85% wool
15 % polyamide

Weight

365 g/m²

Certificates


- abrasion resistance - 200000 Martindale cycles (EN ISO 12947-2)
- pilling resistance - 4 (EN ISO 12945-2)
- flammability - cigarette (EN 1021-1)
- flammability - match (EN 1021-2)
- flammability BS 5852 Crib 5
- light fastness - 5-8 (EN ISO 105-B02)




60132



60999




67098




67097




68210



62097



65117



61186

Step

III price group

Composition


100% Trevira CS

Weight


336 g/m²

Certificates


- abrasion resistance - 100000 Martindale cycles (BS EN ISO 12947-2)
- pilling resistance - 5 (BS EN ISO 12945-2)
- flammability - cigarette (DIN EN 1021-1)
- flammability - match (DIN EN 1021-2)
- flammability (BS 5852, Crib 5)
- flammability (DIN 4102:B1)
- light fastness - 7 (EN ISO 105-B02)




60091




60999




62057



67004



66152



68161



60090



63075

24% rabatt ska dras av på angivna priser

Synergy

III price group

Composition

95% wool
5% polyamide


Weight

400 g/m²


Certificates

- abrasion resistance - 100000 Martindale cycles (BS-EN ISO 12947-2)
- pilling resistance - 4 (BS-EN ISO 12945-2)
- flammability - cigarette (BS-EN 1021-1)
- flammability - match (BS-EN 1021-2)
- flammability (UNI 9175 Class 11M)
- light fastness - 5 (ISO 105-B02)


Because of the fact that the fabric Synergy is composed of 95% natural fiber, each of the batches shows variations in shade, which may be visible in products of follow-up orders. Additionally, an inherent feature of all natural fibers is the tendency to delicate fabric pilling.




LDS08




LDS16



LDS17



LDS62



LDS56



LDS49



LDS74



LDS73

Leather

IV price group

Thickness


0,8-1,0 mm (+/- 15%)

Certificates


- colour fastness to rubbing (wet, dry) - 4-5 (PN-EN ISO 11640)
- flammability - cigarette (UNI EN 1021-1)
- flammability - match (UNI EN 1021-2)
- light fastness - 5 (BS EN ISO 105-B02)




S-28



S-16



S-18




S-27



S-10



S-21



S-19

24% rabatt ska dras av på angivna priser

Leather Premium

V price group

Thickness


1,0-1,2 mm

Certificates

- tear strength >20 N/mm (DIN 53329)
- rubbing strength >4 (DIN EN ISO 11640)
- adhesion of finish - 1,5 N/cm (IUF 470)
- light fastness - 5 (DIN EN ISO 105-B02)
- flexing endurance 20 000 (DIN 53351)
- flame resistance (DIN EN 1021 Part I + II)



2875



2760




2900



2180



2840




2845

24% rabatt ska dras av på angivna priser

Plastics

Accis^{Pro} / Ellie^{Pro} / Light^{Up} / Trillo^{Pro} / Violle



Light grey (RAL 7047)




Black

Mesh

Light^{Up} / Xenon Net / Zoo




Runner 60061




Runner 60011



Runner 60999



String 60118



String 60999

24% rabatt ska dras av på angivna priser

Fabrics - Extended

Lead time 30-40 working days

- Legend:
- Possibility of making the product in the given upholstery
 - Possibility of making only the seat in the given upholstery
 - ▣ No possibility of making the walls in the given upholstery
 - ◇ Handle always in fabric Next
 - Impossibility of making a product in a given upholstery

	Camira										Crevin			Gabriel							
	Blazer (II PG Ext.)	Era (I PG Ext.)	Halcyon (II PG Ext.)	Main Line Flax (II PG Ext.)	Palina (II PG Ext.)	Rivet (I PG Ext.)	Urban (II PG Ext.)	X2 (II PG Ext.)	Xtreme CS (I PG Ext.)	Arc (II PG Ext.)	Galaxy (II PG Ext.)	Chili (III PG Ext.)	Comfort+ (IV PG Ext.)	Fame (II PG Ext.)	Go_Check (III PG Ext.)	Go_Couture (III PG Ext.)	Go_Uni (III PG Ext.)	Just (II PG Ext.)	Mica (II PG Ext.)		
Accis ^{Pro}	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Acos ^{Pro}	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Action	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Ariz	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Bit	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Chic	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Chic Air	●	●	●*	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Chic Lounge	●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Com	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Ellie ^{Pro}	●	●	●	●	●	●	●	●	●	-	●	●	-	●	●	●	●	●	●		
Fan	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LightUp	●	●	●	●	●	●	●	●	●	○	○	●	●	●	●	●	●	●	●		
Mickey	●	●	●	●	●	●	●	●	●	◇	◇	●	●	●	●	●	●	●	●		
Motto	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
MyTurn	●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
MyTurn Sofa	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Normo	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Nu	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
October	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
SoftBox	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Soriso	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Trillo ^{Pro}	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Vancouver Lite	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Vancouver Oto	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Veris	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Veris Net	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Violle	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Wall In	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Xenon	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Xenon Net	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Zoo	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Cushions	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

* Possibility of upholstering only inner part of shell.

24% rabatt ska dras av på angivna priser

Step Melange (I PG Ext.)	Tonal (II PG Ext.)	Kvadrat	Atlas (II PG Ext.)	Canvas (III PG Ext.)	Coda (IV PG Ext.)	Divina Melange (IV PG Ext.)	Divina (IV PG Ext.)	Melange Nap (II PG Ext.)	Pro 3 (IV PG Ext.)	Remix (II PG Ext.)	Revive (I PG Ext.)	Re-wool (II PG Ext.)	Rime (III PG Ext.)	San (II PG Ext.)	Steelcut (II PG Ext.)	Steelcut Trio (III PG Ext.)	Twill Weave (III PG Ext.)	
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Accis ^{Pno}
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Acos ^{Pno}
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Action
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	-	Ariz
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Bit
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Chic
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Chic Air
●	●		●	●	●	-	-	●	●	●	-	●	●	●	●	●	●	Chic Lounge
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Com
●	●		●	-	-	●	●	●	●	●	●	●	●	●	●	●	●	Ellie ^{Pno}
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Fan
●	●		●	●	○	○	○	●	●	●	●	○	●	●	●	●	○	LightUp
●	●		●	-	◇	◇	◇	●	●	●	●	●	●	●	●	●	●	Mickey
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Motto
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	MyTurn
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	MyTurn Sofa
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Normo
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Nu
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	October
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	SoftBox
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Sorisso
●	●		●	-	-	●	●	●	●	●	●	●	●	●	●	●	●	Trillo ^{Pno}
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Vancouver Lite
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Vancouver Oto
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Veris
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Veris Net
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Violle
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Wall In
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Xenon
●	●		●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Xenon Net
●	●		●	●	-	●	●	●	●	●	●	●	●	-	●	●	●	Zoo
●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Cushions

24% rabatt ska dras av på angivna priser

- Legend: ● Possibility of making the product in the given upholstery
 ○ Possibility of making only the seat in the given upholstery
 ☐ No possibility of making the walls in the given upholstery
- ◇ Handle always in fabric Next
 - Impossibility of making a product in a given upholstery

	Skai				Spradling					Svensson
	Palena (I PG Ext.)	Palma (II PG Ext.)	Parolega (II PG Ext.)	Sotega (I PG Ext.)		Chronos (I PG Ext.)	Silvertex (I PG Ext.)	Silvertex B1 (II PG Ext.)	Valencia B1 (II PG Ext.)	
Accis ^{Pro}	●	●	●	●		●	●	●	●	●
Acos ^{Pro}	●	●	●	●		●	●	●	●	●
Action	●	●	●	●		●	●	●	●	●
Ariz	●	●	●	●		●	●	●	●	●
Bit	●	●	●	●		●	●	●	●	●
Chic	●	●	●	●		●	●	●	●	●
Chic Air	-	-	-	-		-	-	-	-	●
Chic Lounge	-	-	-	-		-	-	-	-	●
Com	●	●	●	●		●	●	●	●	●
Ellie ^{Pro}	-	-	-	-		-	-	-	-	●
Fan	●	●	●	●		●	●	●	●	●
LightUp	●	●	○	●		●	○	●	●	●
Mickey	-	-	●	-		-	◇	●	●	●
Motto	●	●	●	●		●	●	●	●	●
MyTurn	-	-	-	-		-	-	-	-	●
MyTurn Sofa	●	●	●	●		●	●	●	●	-
Normo	-	-	-	-		-	-	-	-	●
Nu	●	●	-	●		●	●	●	●	●
October	●	●	●	●		●	●	●	●	●
SoftBox	☐	☐	☐	☐		☐	☐	☐	☐	●
Sorriso	●	●	-	●		●	●	●	●	●
Trillo ^{Pro}	●	●	●	●		●	●	●	●	●
Vancouver Lite	●	●	●	●		●	●	●	●	●
Vancouver Oto	●	●	●	●		●	●	●	●	●
Veris	●	●	●	●		●	●	●	●	●
Veris Net	●	●	●	●		●	●	●	●	●
Violle	●	●	●	●		●	●	●	●	●
Wall In	☐	☐	☐	☐		☐	☐	☐	☐	●
Xenon	●	●	●	●		●	●	●	●	●
Xenon Net	●	●	●	●		●	●	●	●	●
Zoo	●	●	●	●		●	●	●	●	●
Cushions	●	●	●	●		●	●	●	●	●



























* Possibility of upholstering only inner part of shell.

24% rabatt ska dras av på angivna priser

	Accis ^{Pro}
	Acos ^{Pro}
	Action
	Ariz
	Bit
	Chic
	Chic Air
	Chic Lounge
	Com
	Ellie ^{Pro}
	Fan
	LightUp
	Mickey
	Motto
	MyTurn
	MyTurn Sofa
	Normo
	Nu
	October
	SoftBox
	Sorriso
	Trillo ^{Pro}
	Vancouver Lite
	Vancouver Oto
	Veris
	Veris Net
	Violle
	Wall In
	Xenon
	Xenon Net
	Zoo
	Cushions

24% rabatt ska dras av på angivna priser

Legend

 20,0	net weight		Ergonomie geprüft
 22,5	gross weight		GS (geprüfte Sicherheit)
 10	stacking (max. quantity)		Quality Office
 15	stacking on trolley for transportation (max. quantity)		Möbelfakta
	right-sided table top		The Blue Angel
	left-sided table top	www.blauer-engel.de/uz117	
	joining in rows		GREENGUARD
	two-colour upholstery		epd-norge
	teflon glides		Forest Stewardship Council®
	felt glides		
	special threads		
	clothes hanger		
	Mediaport		
	guarantee period		
	ISO 9001		
	ISO 14001		
	CHROMIUM (III) Eco-Friendly Technology CHROM (III) Umweltfreundliche Technologie		Chrom (III)
	The mark of responsible forestry. Concerns only products indicated as FSC® certified.		

Stockholm
Gävle

Göteborg
Hedemora

Malmö
Edsbyn

Uppsala
Jönköping

Helsingborg
Sundsvall

Umeå

SENAB
space for big ideas