

7% rabatt ska dras av på angivna priser



H - Inredningsarmaturer

Luceplan

7%



7% rabatt ska dras av på angivna priser



Våra kontor

Borlänge

Borganäsvägen 16
784 33 Borlänge
+46 (0)243 882 70
borlange@inputinterior.se

Borås

Olovsholmsgatan 25
506 34 Borås
+46 (0)33 21 11 00
boras@inputinterior.se

Göteborg

Fältpatsgatan 2
421 30 Västra Frölunda
+46 (0)31 799 89 00
goteborg@inputinterior.se

Halmstad

Svartalundsvägen 6
302 35 Halmstad
+46 (0)35 295 85 00
halmstad@inputinterior.se

Helsingborg

Muskötgatan 4B
254 66 Helsingborg
+46 (0)42 444 96 30
helsingborg@inputinterior.se

Jönköping

Huskvarnavägen 64
554 54 Jönköping
+46 (0)36 585 95 30
jonkoping@inputinterior.se

Kalmar

Engelska vägen 5
392 39 Kalmar
+46 (0)480 578 00
kalmar@inputinterior.se

Karlskrona

Blekingegatan 6A
371 34 Karlskrona
+46 (0)455 68 88 20
karlskrona@inputinterior.se

Karlstad

Blockgatan 10
653 41 Karlstad
+46 (0)54 775 66 60
karlstad@inputinterior.se

Kinna

Boråsvägen 17
511 56 Kinna
+46 (0)320 20 90 30
kinna@inputinterior.se

Kristianstad

Västra Storgatan 51K
291 31 Kristianstad
+46 (0)44 785 08 40
kristianstad@inputinterior.se

Linköping

Gottorpsgatan 57
581 19 Linköping
+46 (0)13 36 44 50
linkoping@inputinterior.se

Luleå

Bangårdsgatan 14
972 75 Luleå
+46 (0)920 46 64 30
lulea@inputinterior.se

Malmö

Flygplansgatan 9
212 39 Malmö
+46 (0)40 20 66 00
malmo@inputinterior.se

Norrköping

Västgötegatan 13B
602 21 Norrköping
+46 (0)11 440 94 00
norrkoping@inputinterior.se

Skellefteå

Brogatan 3
931 62 Skellefteå
+46 (0)910 48 84 60
skelleftea@inputinterior.se

Skövde

Gustav Adolfs gata 31
541 45 Skövde
+46 (0)500 77 93 80
skovde@inputinterior.se

Stockholm

Sveavägen 145
113 46 Stockholm
+46 (0)8 517 112 00
stockholm@inputinterior.se

Sundsvall

Strandgatan 14
852 31 Sundsvall
+46 (0)60 52 50 10
sundsvall@inputinterior.se

Uppsala

Sjukhusvägen 3
753 09 Uppsala
+46 (0)18 430 53 04
upsala@inputinterior.se

Umeå

Björnvägen 19
906 40 Umeå
+46 (0)90 34 00 160
umea@inputinterior.se

Västerås

Metallverksgatan 4B
721 30 Västerås
+46 (0)21 80 30 30
vasteras@inputinterior.se

Växjö

Södra Vallviksvägen 10
352 51 Växjö
+46 (0)470 79 37 00
vaxjo@inputinterior.se

Örebro






Radiatorvägen 2
702 27 Örebro
+46 (0)19 767 35 80
orebro@inputinterior.se

Norden

Se inputinterior.se för
våra kontor i Danmark,
Finland och Norge.

7% rabatt ska dras av på angivna priser

Legenda

□	Light source included
h	Height
L	Lenght
d	Depth
∅	Diameter
EEL	Energy Efficiency Label
	Fixture fit for direct assembly on normally inflammable surfaces.
IP40	Appliance protected against ingress of solid objects greater than 1.0 mm.
IP65	Dust-tight. Protected against water jets.
	Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
	Device in wich the protection against electric shock is based not only on basic insulation but also on additional security measures such as double insulation or strengthened insulation.
	Device in wich the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
(*)	LED module is not replaceable
	The product FSC® certified is made in certified wood FSC® (Forest Stewardship Council®), from forests managed in a correct, responsible way. Look for our FSC® certified products.




D49 AGAVE 7% rabatt ska dras av på angivna priser




diego rossi, raffaele tedesco




set of color filters included (red, yellow, blue and cream), superposable, generate the lamp's hue.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

20% reduction on already discounted price


	D49/17s suspension H 100 - 300 Ø 17 ceiling rose: Ø 14 x h 4 220-240V~ 50/60Hz CE □ ▽	1D4917S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	2.487
---	--	--------------	-----------------------------	--	----------------	-------

	D49/26s suspension D49/26 s. H 100 - 300 Ø 26 ceiling rose: Ø 14 x h 4 220-240V~ 50/60Hz CE □ ▽	1D4926S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	2.963
---	---	--------------	-----------------------------	--	----------------	-------






	D49/70s suspension H 100 - 300 Ø 70 ceiling rose: Ø 14 x h 4 220-240V~ 50/60Hz CE □ ▽	1D4970S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	3.178
--	--	--------------	-----------------------------	---	----------------	-------

accessories

20% reduction on already discounted price




	D49/01 off-center rose Ø 14	1D49/0100002	white			548
---	--	--------------	-------	--	--	-----

D50 AIRCON 7% rabatt ska dras av på angivna priser Willems van der Sluis, hugo timmermans

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
40% reduction on already discounted price						
	D50 suspension electronic ballast EEI A2 230V~ 50Hz H 50-200 Ø 100 ceiling rose: Ø 14 x 4 CE   	1D5000000000	neutral		A	3.366

D91 AMISOL

daniel rybakken






+

=


structure reflector/diffuser complete lamp


Calculate the price of the lamp adding the structure to the reflector/diffuser disk.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

structure


	D91S suspension dimmable push/DALI cable l 3 m ceiling rose: Ø 18 x h 4 CE   	1D910S000002	light grey	LED 53W 3000K CRI90 <input type="checkbox"/>	A++ (*)	5.882
---	--	--------------	------------	--	------------	-------

reflector disk/diffuser

		1D910/100002	opal			4.972
	D91/1 disk Ø 75	1D910/100020	silver			5.193
		1D910/100030	gold			5.193

		1D910/200002	opal			6.092
	D91/2 disk Ø 110	1D910/200020	silver			6.489
		1D910/200030	gold			6.489


7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
accessory						
	D91/OAAR anti-rotation accessory	1D91/OAAR000				576

D68 ARCHETYPE

goodmorning technology

Lamp body and suspension cable are the same colour







Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D68C suspension Ø 31, h 23 cable l 3 m CE ⚡	1D680C000002	white	LED 15W 2700K CRI90 <input type="checkbox"/>	A (*)	3.588
		1D680C000023	sky blue			3.588
		1D680C000001	black			3.588
		1D680C000007	red			3.588


ceiling rose

	D68/1T ceiling rose dimnable phase cut Ø 19 x 6 220-240V~ 50/60Hz CE ⚡	1D680/1T0002	white		A	2.208
	D68/1D ceiling rose dimnable push/DALI Ø 19 x 6 220-240V~ 50/60Hz CE ⚡	1D680/1D0002	white			2.820





D78 ASCENT 7% rabatt ska dras av på angivna priser

daniel rybakken



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D78 table dimmer on board h max 65 base 17 x 17 testa Ø 8,5 CE  	1D780=000001	black	LED 11W 2700K CRI90 <input type="checkbox"/>	A (*)	4.925
	D78pt fixing pin dimmer on board H max 64 fixing pin (H max 5,7) head Ø 8,5 CE  	1D780PT00001	black	LED 11W 2700K CRI90 <input type="checkbox"/>	A (*)	4.704









Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D28 ceiling dimnable push dim remote control h 40 Ø 24 220-240V~ 50/60Hz CE ⊕ ▼	1D2800000002	opal	  	A+ A++ A B D	5.322

accessories

	D28/1 methacrylate blades set Ø 140	1D280P000000	transparent			1.032
		1D280P000088	multicolour (blue, green, orange)			1.032
	D28/2 methacrylate screenprinted blades set Ø 140	1D280P200000	transparent			1.140
	D28 r infrared remote control	1D280R000000				732

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D95A3 wall dimmbable phase cut 220-240V~ 50/60 Hz 37 x 31 depth 7 CE □ ▽	1D950A300002	white	LED 17W 2700K CRI90 □	A++ (*)	4.272
	D95A3D wall dimmbable push/DALI 220-240V~ 50/60 Hz 37 x 31 depht 7 CE □ ▽	1D950A3D0002	white	LED 16W 2700K CRI90 □	A++ (*)	4.344
	D95A5 wall dimmbable phase cut 220-240V~ 50/60 Hz 62 x 37 depth 7 CE □ ▽	1D950A500002	white	LED 27W 2700K CRI90 □	A++ (*)	6.384
	D95A5D wall dimmbable push/DALI 220-240V~ 50/60 Hz 62 x 37 spessore 7 CE □ ▽	1D950A5D0002	white	LED 26W 2700K CRI90 □	A++ (*)	6.456
connection kit						
	D95/3 mechanical connection kit + template only for D95A5 / D95A5D	1D950/030002				1.800



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

40% reduction on already discounted price

	D88W table dimmer on board h 57 base Ø 20 CE	1D880=DW0004	glacier light grey	LED 12W 2700K CRI 90 <input type="checkbox"/>	A (*)	2.403
--	--	--------------	-----------------------	---	----------	-------

	D88TW floor foot dimmer h 150 base Ø 30 CE	1D880TDW0004	glacier light grey	LED 12W 2700K CRI 90 <input type="checkbox"/>	A (*)	3.137
--	--	--------------	-----------------------	---	----------	-------




	D88SW suspension dimmer trailing edge 220-240V~ 50/60Hz H 60 - 350 ceiling rose: Ø 19 x 6 CE	1D880SW00004	glacier light grey	LED 15W 2700K CRI 90 <input type="checkbox"/>	A (*)	2.068
--	---	--------------	-----------------------	---	----------	-------

shades + accessories

40% reduction on already discounted price



	D88/1 small shade tissue coupled with polycarbonate (for table and suspension version) Ø 36 h 20	1D8801000003	cream			1.010
		1D8801000028	brown/pluie			1.010
		1D8801000011	green/cochenille			1.010

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D88/2 large shade tissue coupled with polycarbonate (only for floor and suspension version) Ø 45 h 22,5	1D8802000003	cream			1.199
		1D8802000028	brown/pluie			1.199
		1D8802000011	green/cochenille			1.199
	D88/3 anti fall accessory for D88/1	1D8803000000				257
	D88/4 anti fall accessory for D88/2	1D8804000000				391




D38 CARRARA

alfredo häberli

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D38L floor foot dimmer 220-240V~ 50/60Hz H 185 base Ø 20,5	1D380DL00002	white		A++ (*)	15.330
		1D380DL00001	matt black			15.330


D37 CHICHIBIO

amedeo g. cavalcini, domenico perrucci



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D37 floor foot dimmer H 220/330 base Ø 29 220-240V~ 50/60Hz	1D370D000004	white diffuser alu stem	 LED E27 dimmable  205W HSGST E27 energy saver	A+ A++ A D	2.018

45% reduction on already discounted price


light source included




Calculate the price of the lamp adding the structure to the base to the floor version or the ceiling rose at the suspension version.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81NT floor extruded aluminium foot dimmer 3000K h 164 CE V	1D81NT000001	black	LED 43W 3000K CRI 90 <input type="checkbox"/>	A (*)	5.602
		1D81NT000020	alu			5.602
		1D81NT000030	brass			5.602
	D81NTW floor extruded aluminium foot dimmer 2700K h 164 CE V	1D81NTW00001	black	LED 43W 2700K CRI 90 <input type="checkbox"/>	A (*)	5.602
		1D81NTW000020	alu			5.602
		1D81NTW000030	brass			5.602




base for floor version

	D81/1N base foot dimmer 220-240V~ 50/60Hz h 16,8 Ø 14 CE □ V	1D81N/100001	black			2.988
---	---	--------------	-------	--	--	-------





suspension structure





	D81B suspension extruded aluminium 3000K l 162,5 H 15 - 300 CE V	1D810B000020	alu	LED 29W 3000K with D81/7T <input type="checkbox"/>	A (*)	5.485	
		1D810B000001	black			LED 43W 3000K with D81/7D	5.485
		1D810B000030	brass			CRI 90	5.485

7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81BW suspension extruded aluminium 2700K l 162,5 H 15 - 300 CE 	1D810BW00020	alu	LED 29W 2700K with D81/7T	 A (*)	5.485
		1D810BW00001	black	LED 43W 2700K with D81/7D		5.485
		1D810BW00030	brass	CRI 90		5.485


ceiling rose

	D81/7D dimable push/DALI 220-240V~ 50/60Hz 18 x13 x 4 CE   	1D810/7D0000	white			2.556
---	---	--------------	-------	--	--	-------

	D81/7T dimable phase cut 18 x13 x 4 CE   	1D810/7T0000	white			1.548
---	---	--------------	-------	--	--	-------

accessoires

	D81/2 accessory for mechanical joining 180°	1D810/200001				240
--	---	--------------	--	--	--	-----


	D81/3 Accessory Kit for mechanical joining T or 90°	1D810/300001				564
--	---	--------------	--	--	--	-----


D81SH COMPENDIUM FRIENDS OF HUE

daniel rybakken

7% rabatt ska dras av på angivna priser

Bridge and Hue dimmer switches are not included. Find your local retailer at www2.meethue.com

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81SH suspension extruded aluminium tunable white (HUE bridge/dimmer switch excluded) l 162,5 H 15 - 300 ceiling rose: 18 x13 x 4 CE ⊕ ▼	1D810S0H0020	alu	LED 43W 2200-6500K <input type="checkbox"/> CRI 80	A+ (*)	9.175
		1D810S0H0001	black			9.175
		1D810S0H0030	brass			9.175



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------





3000K versions

	D81C07 aluminium suspension Ø 72 H 15 - 500 CE	1D810C070020	alu	LED 52W 3000K CRI 90	A (*)	13.318
		1D810C070001	black			13.318
		1D810C070030	brass			13.318
	D81C11 aluminium suspension Ø 110 H 15 - 500 CE	1D810C110020	alu	LED 75W 3000K CRI 90	A (*)	14.475
		1D810C110001	black			14.475
		1D810C110030	brass			14.475
	D81C20 aluminium suspension Ø 200 H 15 - 500 CE	1D810C200020	alu	LED 125W 3000K CRI 90	A (*)	23.151
		1D810C200001	black			23.151
		1D810C200030	brass			23.151

7% rabatt ska dras av på angivna priser



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.	
2700K versions							
	D81C07W aluminum suspension Ø 72 H 15 - 500 CE Ⓢ ⚠	1D810C07W020	alu			15.024	
		1D810C07W001	black	LED 52W 2700K CRI 90	<input type="checkbox"/>	A (*)	15.024
		1D810C07W030	brass				15.024
	D81C11W aluminium suspension Ø 110 H 15 - 500 CE Ⓢ ⚠	1D810C11W020	alu			17.304	
		1D810C11W001	black	LED 75W 2700K CRI 90	<input type="checkbox"/>	A (*)	17.304
		1D810C11W030	brass				17.304
	D81C20W aluminium suspension Ø 200 H 15 - 500 CE Ⓢ ⚠	1D810C20W020	alu			28.656	
		1D810C20W001	black	LED 125W 2700K CRI 90	<input type="checkbox"/>	A (*)	28.656
		1D810C20W030	brass				28.656
ceiling rose							
	D81/4 ceiling rose dimmable push/DALI 60W 220-240V~ 50/60 Hz for D81C07 Ø 24 x 5 CE Ⓢ ⚠	1D810/400000	white			3.165	
	D81/5 ceiling rose dimmable push/DALI 100W 220-240V~ 50/60 Hz for D81C11 Ø 33 x 6 CE Ⓢ ⚠	1D810/500000	white			3.606	
	D81/6 ceiling rose dimmable push/DALI 150W for D81C20 Ø 33 x 6 CE Ⓢ ⚠	1D810/600000	white			4.027	

7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81/10 remote driver dimnable push/DALI 60W for D81C07 220-240V~ 50/60 Hz	1D810/100000				1.752
	D81/11 remote driver dimnable push/DALI 100W for D81C11 220-240V~ 50/60 Hz	1D810/110000				2.052
	D81/12 remote driver dimnable push/DALI 150W for D81C20 220-240V~ 50/60 Hz	1D810/120000				2.036
	D81/8 optional remote drivers cover for multiple configurations (up to 3) Ø 40 x 6	1D810/800002				1.968

D81P COMPENDIUM PLATE

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.	
	D81P aluminium wall/ceiling dimnable phase cut push/DALI Ø 56 h 7	1D810P000020	alu			10.014	
		1D810P000001	black	LED 75W 2700K CRI 90	<input type="checkbox"/>	A+ (*)	10.014
		1D810P000030	brass				10.014
	D81PS suspension aluminium dimnable phase cut push dim/DALI Ø 56 H max 300 ceiling rose Ø 27 x 5	1D810POS0020	alu			10.285	
		1D810POS0001	black	LED 75W 2700K CRI 90	<input type="checkbox"/>	A+ (*)	10.285
		1D810POS0030	brass				10.285

light source included







Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
LED Bulbs included in the complete version LED.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


30% reduction on already discounted price of the structure finish off white

	D13pic. LED table on/off switch h 51 base 14x14 CE □ ▼	1D13=NPLC020	complete version alu body white shade	LED 7W E14 □	A+ A++ A D	2.400
	D13pi table on/off switch h 51 base 14x14 CE □ ▼	1D13=NP00003 1D13=NP00020 1D13=NP00017 1D13=NP00030	off white alu black brass	LED E14 12W FB E14 energy saver 42W H5G5A E14	A+ A++ A D	1.305 1.812 1.812 2.640
	D13pipt table on/off switch with fixing pin (H table max 5,7) h 51 CE □ ▼	1D13PNP00020	alu	LED E14 12W FB E14 energy saver 42W H5G5A E14	A+ A++ A D	1.632
	D13api wall on/off switch h 54 d 28 CE □ ▼	1D13ANP00020 1D13ANP00017	alu black	LED E14 12W FB E14 energy saver 42W H5G5A E14	A+ A++ A D	1.788 1.788


7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13spi suspension up and down on/off switch H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▽	1D13SNP00002	white counterweight	 LED E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	1.716


shade

	D13pi/1/4 shade ø 26 packing: 4 items the price refers to the single article	1D13=1P11N02	white			456
---	--	--------------	-------	--	--	-----


shades for Mezzo Tono collection


	D13 pi/1/2 shade ø 26 packing: 1 item	9D1331437734	mistic white			540
		9D1331437738	soft skin			540
		9D1331437739	shaded stone			540
		9D1331437724	edgy pink			540
		9D1331437737	comfort green			540

shades for Radieuse collection

	D13pi/1/2 shade ø 26 packing: 1 item	9D1331437736	petroleum blue			540
		9D1331437706	smart yellow			540
		9D1331437708	primary red			540
		9D1331437705	concrete grey			612
		9D1331437701	liquorice black			612

accessories

	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white			444
	D13/50 wall mount accessory for D13 a.pi	9D1350620720	alu			612
		9D1350620701	black			612



























Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------












30% reduction on already discounted price of the structure finish off white

	D13 c table telescopic sensor dimmer on board H 76/110 base 18x18 220-240V~ 50/60Hz CE □ ▼	1D13N=00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable 105W HSGSA E27 energy saver	A+ A++ A D	4.560
	D13 table telescopic sensor dimmer on board 220-240V~ 50Hz H 76/110 base 18x18 CE □ ▼	1D13N=000003 1D13N=000020 1D13N=000017 1D13N=000030	off white alu black brass	 LED E27 dimmable 105W HSGSA E27 energy saver	A+ A++ A D	2.176 3.420 3.420 4.596
	D13i table telescopic on/off switch base 18x18 H 76/110 CE □ ▼	1D13N=010003 1D13N=010020	off white alu	 LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	1.831 2.820
	D13if table fixed on/off switch H 80 base 18x18 CE □ ▼	1D13N=01F020 1D13N=01F003	alu off white	 LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	2.640 2.736


7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13pt table telescopic sensor dimmer on board 220-240V~ 50Hz with fixing pin (H table max 5,7) H 76/110 CE □ ▽	1D13NPT00020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	2.928
	D13pti table telescopic on/off switch with fixing pin (h table max 57 mm) H 76/110 CE □ ▽	1D13NPT10020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	2.376
	D13 tc floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18 CE □ ▽	1D13NT00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	4.680
	D13 t floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18 CE □ ▽	1D13NT000003	off white	 LED E27 dimmable  105W HSGSA E27 energy saver	A+	2.294
		1D13NT000020	alu		A++	3.552
		1D13NT000017	black		A	3.552
		1D13NT000030	brass		D	4.680
	D13ti floor telescopic on/off switch h 120/160 base 18x18 H 120/160 base 18x18 CE □ ▽	1D13NT010003	off white	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++	1.956
		1D13NT010020	alu		A D	3.036
	D13tif floor fixed on/off switch h 153 base 18x18 CE □ ▽	1D13NT01F003	off white	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++	1.854
		1D13NT01F020	alu		A D	2.868
	D13a wall telescopic sensor dimmer on board H 76/110, d 44/57 220-240V~ 50Hz CE □ ▽	1D13NA000020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	2.976

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13aif wall fixed on/off switch H 80 S 46 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NA01F020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	2.304
	D13s suspension telescopic H 100/150 ceiling rose: Ø 7 x 4 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NS000020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	2.472
	D13sas suspension up and down H 100/250 ceiling rose: Ø 12 x 3 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NSA20020	counterweight steel mat chrome	 LED filament E27  105W HSGSA E27 energy saver	A+ A++ A D	1.836


shade

	D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002	white			816
---	--	--------------	-------	--	--	-----




shades for Mezzo Tono collection


	D13/1/2 shade Ø 40 packing: 1 item	9D1301511734	mistic white			1.212
		9D1301511738	soft skin			1.212
		9D1301511739	shaded stone			1.212
		9D1301511724	edgy pink			1.212
		9D1301511737	comfort green			1.212

shades for Radieuse collection




	D13/1/2 shade Ø 40 packing: 1 item	9D1301511736	petroleum blue			1.212
		9D1301511706	smart yellow			1.212
		9D1301511708	primary red			1.212
		9D1301511705	concrete grey			1.452
		9D1301511701	liquorice black			1.452

7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
accessories						
	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white			444
	D13/50 wall mount accessory for D13a - D13aif	9D1350620720	alu			612
		9D1350620701	black			612
	D13/91 diffuser accessory lamping not included packing: 4 items the price refers to the single article only with halogen bulbs	1D13N/910000	white			216



Calculate the price of the lamp adding the cost of the body to the shade.
Luminous flux data in combination with the lampshade finish are available on data sheets. www.luceplan.com

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13iL table telescopic on/off switch H76/110 base 18x18 220-240V~ 50/60Hz CE □ ▽	1D13L=010020	alu	LED 23W 2700K <input type="checkbox"/>	A (*)	5.040
	D13tL floor telescopic on/off switch H 120/160 base 18x18 220-240V~ 50/60Hz CE □ ▽	1D13LT010020	alu	LED 23W 2700K <input type="checkbox"/>	A (*)	4.983
	D13sasL suspension up and down dimmer trailing edge wall control H 100/250 220-240V~ 50/60Hz ceiling rose: Ø 20 x 6 CE ⊕ ▽	1D13LSA00020	counterweight steel mat chrome	LED 23W 2700K <input type="checkbox"/>	A (*)	3.948

shades

	D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002	white			816
---	--	--------------	-------	--	--	-----


7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


shades for Mezzo Tono collection


	D13/1/2 shade Ø 40 packing 1 item	9D1301511734	mistic white			1.212
		9D1301511738	soft skin			1.212
		9D1301511739	shaded stone			1.212
		9D1301511724	edgy pink			1.212
		9D1301511737	comfort green			1.212

shades for Radieuse collection

	D13/1/2 shade Ø 40 packing 1 item	9D1301511736	petroleum blue			1.212
		9D1301511706	smart yellow			1.212
		9D1301511708	primary red			1.212
		9D1301511705	concrete grey			1.452
		9D1301511701	liquorice black			1.452




accessories

	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white			444
--	---	--------------	-------	--	--	-----













Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13E d. floor telescopic dimmer on board dimmer Hh 217 - 250 H min 130 - 140 base 36 x 36 220-240V~ 50Hz CE □ ▼	1D13GED00020	alu	LED E27 dimmable	A+	10.582
		1D13GED00017	black	105W HSGSA E27 energy saver	A++ A D	10.639
	D13E i. floor telescopic on/off switch H 217 - 250 H min 130 - 140 base 36 X 36 220-240V~ 50Hz CE □ ▼	1D13GEI00020	alu	LED E27 dimmable	A+	10.269
		1D13GEI00017	black	105W HSGSA E27 energy saver	A++ A D	10.269
	D13Ea d. wall version telescopic dimmer on board H 215 - 248 220-240V~ 50Hz CE □ ▼	1D13GEDA0020	alu	LED E27 dimmable	A+	9.281
				105W HSGSA E27 energy saver	A++ A D	
	D13Ea i. wall version telescopic on/off switch H 215 - 248 CE □ ▼	1D13GEIA0020	alu	LED E27 dimmable	A+	7.690
				105W HSGSA E27 energy saver	A++ A D	
	D13E sas suspension H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▼	1D13GESA0020	alu	LED E27 dimmable	A+	2.052
				105W HSGSA E27 energy saver	A++ A D	

7% rabatt ska dras av på angivna priser





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13E/1 D13E/1 shade Ø 50, h 35	1D13GE/01002	white			1.752
		1D13GE/01039	shaded stone			2.052
		1D13GE/01008	primary red			2.652
		1D13GE/01001	black			2.880
	D13/25 off-center ceiling rose	9D1325476800	white			444
	D13/91 diffuser accessory lamping not included packing: 4 items the price refers to the single article only with halogen bulb	1D13N/910000	white			216

D13G. GRANDE COSTANZA

paolo rizzato





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13Gt floor telescopic sensor dimmer 220-240V~ 50Hz Ø 70, H 175 - 235 base 36x36 CE □ ▼	1D13GTDH0020	alu stem white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	A+ A++ A D	11.740
	D13Gti floor telescopic on/off switch Ø 70, H 175 - 235 base 36x36 CE □ ▼	1D13GTIH0020	alu stem white shade	 3xLED E27  3x20W FB E27  3x70W HSGSA E27 energy saver	A+ A++ A D	11.635
	D13Gs suspension sensor dimmer 220-240V~ 50Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3 CE □ ▼	1D13GSDH0020	white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	A+ A++ A D	6.407

7% rabatt ska dras av på angivna priser





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13Gsi suspension 220-240V~ 50Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3	1D13GSIH0020	white shade	 3x LED E27  3x 20W FB E27  3x 70W HSGSA E27 energy saver	A+ A++ A D	6.022

D13G GRANDE COSTANZA OPEN AIR

paolo rizzato

			
body	shade	base stake fixed base	complete lamp



Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13G.air floor outdoor on/off switch Ø 2,1, h 221	1D13GT/00020	alu	 LED E27  23W FBT E27  205W HSGST E27 energy saver	A+ A++ A D	8.029 8.029
		1D13GT/00013	rust			

shade and accessories


	D13G/1 shade Ø 70, h 49	1D13GP/01002	white (indoor only)			2.772
		1D13GP/01028	off-white			3.768
		1D13GP/01013	rust			3.768
		1D13GP/01011	green			3.768
	D13G.air/2 base l 36x36, h 2	1D13GT/02020	alu			3.876
		1D13GT/02013	rust			3.876

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13G.air/3 stake for inserting into the soil Ø base 6 Ø 2,1, h 50,7	1D13GT/03020	alu			1.188
	D13G.air/4 fixed base for dowels Ø 12, h 1,25	1D13GT/04020	alu			1.188
		1D13GT/04013	rust			1.188


D73 COUNTERBALANCE

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D73N wall step dimmer (0%/50%/100%) 220-240V~ 50/60Hz l 191,6 head Ø 8,5	1D73N0000003	white	LED 16W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	8.283
		1D73N0000001	black			8.283

D73a COUNTERBALANCE SPOT

daniel rybakken





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D73NA ceiling/wall dimmable trailing edge l 27,9 head Ø 8,5 220-240V~ 50/60Hz	1D73NA000003	white	LED 13W 2700K CRI 90 <input type="checkbox"/>	A (*)	4.524
		1D73NA000001	black			4.524

D73t COUNTERBALANCE FLOOR

7% rabatt ska dras av på angivna priser




daniel rybakken


Calculate the price of the lamp adding the cost of the structure to the base.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D73NT floor step dimmer (0%/50%/100%) 220-240V~ 50/60Hz h 170 CE  	1D73NT000001	black	LED 16W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	5.052
	D73/1 base h 24 Ø 14,5 CE	1D730/100001	black			2.208

D76 CURL

sebastian bergne

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D76N1 table dimmer on board l 21 h 26 CE  	1D760N100003	white	LED 8W 3000K CRI 80 <input type="checkbox"/>	A (*)	3.252
		1D760N100018	mirror			3.252



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------







optics 120 cm

	D93SDDC direct optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ⊕ ▼	1D930SDDC020	alu	LED 54W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	9.713
	D93SDIC direct/indirect optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ⊕ ▼	1D930SDIC020	alu	LED 54W + LED 29W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	11.650
	D93SFIC direct/indirect optic 3000K with anti-glare dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ⊕ ▼	1D930SFIC020	alu	LED 54W + LED 29W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	11.431



sound-absorbing panels 120 cm

		1D93010000A1	white/black			11.784
	D93/1 Pair of panels 120 x 60	1D93010000A2	white/blue			11.784
		1D93010000A4	white/beige			11.784

7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
support kit						
	D93/5 Kit 4 supports positioning vertical panels recommended for D93SDDC	1D9305000020	alu			1.380
	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu			2.400
optics 180 cm						
	D93SDDL direct optic 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ⊕ ▽	1D930SDDL020	alu	LED 80W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	12.093
	D93SDIL direct/indirect optic 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz	1D930SDIL020	alu	LED 80W + LED 46W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	12.546
	D93SFIL direct/indirect optic with anti-glare 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ⊕ ▽	1D930SFIL020	alu	LED 80W + LED 46W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	11.608
sound-absorbing panels 180 cm						
		1D93030000A1	white/black			18.762
	D93/3 Pair of panels 180 x 60	1D93030000A2	white/blue			18.762
		1D93030000A4	white/beige			18.762



7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
Support kit						
	D93/7 Kit 6 supports positioning vertical panels recommended for D93SDDL	1D9307000020	alu			2.040
	D93/8 Kit 6 supports positioning horizontal panels	1D9308000020	alu			3.468



D93T DIADE FLOOR

monica armani




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
base						
	D93/11 base 60 x 50 x 1	1D9311000020	alu			3.264
stem						
	D93/10 stem 220-240V~ 50/60 Hz L 215 CE Ⓢ ⚡	1D9310000020	alu			5.835


7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
optic						
	D93TFIC anti glare 3000K optic dimmer on board 220-240V~ 50/60 Hz CE  	1D930TFIC020	alu	LED 54W + LED 29W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	8.546



sound-absorbing panels

	D93/1 Pair of panels 120 x 60 CE	1D93010000A1	white/black			11.784
		1D93010000A2	white/blue			11.784
		1D93010000A4	white/beige			11.784

support kit

	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu			2.400
--	---	--------------	-----	--	--	-------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04200 ceiling h 27,9 Ø 7 direct light CE	1E0400200001	matt black			1.260
		1E0400200002	matt white			1.260
		1E0400200020	matt alu			1.260
		1E0400200030	matt brass			1.260
	E04220 ceiling h 37,2 Ø 13,4 direct light CE	1E0400220001	matt black			1.716
		1E0400220002	matt white			1.716
		1E0400220020	matt alu			1.716
		1E0400220030	matt brass			1.716

E04240



2 x LED optic
or



2 x RETROFIT optic



body

complete lamp

E04250 (with LED optic)



2 x LED optic



body

complete lamp

E04250 (with RETROFIT optic)



1 x RETROFIT optic



top cover




body

complete lamp

calculate the price of the lamp adding the structure to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04240 wall direct/indirect light h 46,5 Ø 7 CE	1E0400240001	matt black			1.932
		1E0400240002	matt white			1.932
		1E0400240020	matt alu			1.932
		1E0400240030	matt brass			1.932
	E04250 wall direct and direct/indirect light h 46,5 Ø 13,4 CE	1E0400250001	matt black			2.316
		1E0400250002	matt white			2.316
		1E0400250020	matt alu			2.316
		1E0400250030	matt brass			2.316


7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E0401 top cover	1E040/010001	black			252

e04 SUSPENSION


habits studio

E04270-E04290




body + 1 x LED optic or 1 x RETROFIT optic + 5-pole ceiling rose kit = complete lamp

E04280





body + 2 x LED optic or 2 x RETROFIT optic + 5-pole ceiling rose kit = complete lamp


Calculate the price of the lamp adding the structure to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04270 suspension direct light h 27,9 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400270001	matt black			2.136
		1E0400270002	matt white			2.136
		1E0400270020	matt alu			2.136
		1E0400270030	matt brass			2.136




7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04280 suspension direct/indirect light h 46,5 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400280001	matt black			2.112
		1E0400280002	matt white			2.112
		1E0400280020	matt alu			2.112
		1E0400280030	matt brass			2.112
	E04290 suspension direct light h 37,2 Ø 13,4 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400290001	matt black			2.472
		1E0400290002	matt white			2.472
		1E0400290020	matt alu			2.472
		1E0400290030	matt brass			2.472

accessories


	EA1096 5-pole ceiling rose kit ceiling rose: Ø 12 x 3 CE	1EA100096000	white			204
---	--	--------------	-------	--	--	-----

optics for E04 ceiling, wall e suspension.

	E041M medium beam optic 45° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE ⊕	1E040/1M0000		COB LED module 12W 2700K CRI 90 <input type="checkbox"/>	A++	2.100
	E041W large beam optic 60° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE ⊕	1E040/1W0000		COB LED module 12W 2700K CRI 90 <input type="checkbox"/>	A++	2.100
	E042M medium beam optic 45° dimmable push/DALI for body Ø 13.4 220-240V~ 50/60Hz CE ⊕	1E040/2M0000		COB LED module 19W 2700K CRI 90 <input type="checkbox"/>	A++	2.652

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E042W large beam optic 56° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/2W0000		COB LED module 19W 2700K <input type="checkbox"/> CRI 90	A++	2.652
	E043M medium beam optic 30° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz	1E040/3M0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.220
	E043W large beam optic 42° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz	1E040/3W0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.220
	E044M medium beam optic 20° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/4M0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.904
	E044W large beam optic 46° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/4W0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.904
	E041R optic retrofit dimmable phase cut for bodies Ø 7 220-240V~ 50/60Hz	1E040/1R0000		 LED retrofit GU10	A+ A++ A	852
	E042R optic retrofit dimmable phase cut for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/2R0000		 LED retrofit G53	A+ A++ A	1.788



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

bodies for LED optics

	E06100 ceiling fixture h 40 Ø 7 CE	1E0600100001	matt black			3.324
		1E0600100002	matt white			3.324
		1E0600100020	matt alu			3.324
		1E0600100030	matt brass			3.324


	E06150 electrified track fixture h 40 Ø 7 CE	1E0600150001	matt black			3.756
		1E0600150002	matt white			3.756
		1E0600150020	matt alu			3.756
		1E0600150030	matt brass			3.756


LED optics

	E061M medium beam optic 45° 220-240V~ 50/60Hz CE	1E060/1M0000			LED module COB 11W 2700K CRI 90 <input type="checkbox"/>	A++	1.332
--	--	--------------	--	--	---	-----	-------


	E061W large beam optic 60° 220-240V~ 50/60Hz CE	1E060/1W0000			LED module COB 11W 2700K CRI 90 <input type="checkbox"/>	A++	1.332
--	---	--------------	--	--	---	-----	-------


7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E062M medium beam optic 45° 220-240V~ 50/60Hz	1E060/2M0000		LED module 11W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	1.512
	CE ⊕					



	E062W large beam optic 60° 220-240V~ 50Hz	1E060/2W0000		LED module dim to warm <input type="checkbox"/> 11W 1800K - 3000K CRI 90	A++	1.512
	CE ⊕					

bodies for retrofit optics

	E06200 ceiling fixture h 40 Ø 7	1E0600200001	matt black			3.048
		1E0600200002	matt white			3.048
		1E0600200020	matt alu			3.048
		1E0600200030	matt brass			3.048
	CE					

	E06250 electrified track fixture h 40 Ø 7	1E0600250001	matt black			3.516
		1E0600250002	matt white			3.516
		1E0600250020	matt alu			3.516
		1E0600250030	matt brass			3.516
	CE					

retrofit optic

	E041R optic retrofit for bodies Ø 7 220-240V~ 50/60Hz	1E040/1R0000		 LED retrofit GU10	A+ A++ A	852
	CE ⊕					

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D67PLN1 wall/outdoor 220-240V~ 50Hz Ø 18,5 D 14,5 CE IP65	1D670PN10002	opal white	LED 8W 3000K CRI 80	A (*)	2.196
		1D670PN10034	sand			2.196

D96 FAREL

diego sferrazza

optics + suspension cables
+ finishing rings

+

sound-absorbing body

=

complete lamp

Calculate the price of the lamp adding the cost of the optic and to the sound-absorbing body.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

optics

	D96/1D1 optic dimmable push/DALI optics + suspension cables + finishing rings 220-240V~ 50Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE	1D960/1D0020	alu	COB LED module 23W 2700K CRI 90	A++ (*)	6.162
		1D960/1D0001	black			6.162
		1D960/1D0030	brass			6.162

	D96/1D3 optic dimmable push/DALI optics + suspension cables + finishing rings 220-240V~ 50Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE	1D960/3D0020	alu	COB LED module 23W 3000K CRI 90	A++ (*)	7.056
		1D960/3D0001	black			7.056
		1D960/3D0030	brass			7.056

	D96/1DW optic dimmable phase cut dim-to-warm optics + suspension cables + finishing rings 220-240V~ 50Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE	1D960/1DW020	alu	LED module 25W dim to warm 3000K → 1800K CRI 97	A++ (*)	6.974
		1D960/1DW001	black			6.974
		1D960/1DW030	brass			6.974




7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
sound-absorbing body						
	D96C acoustic material and flame-retarded fabric Ø 80 h 40 cm CE	1D960C0000A3	dark grey/ raw white			7.780
		1D960C0000E2	aquamarine/ raw white			7.780
		1D960C0000A2	light grey/ dark grey			7.780
		1D960C0000B2	rust			7.780

7% rabatt ska dras av på angivna priser

D84a FLY-TOO

consuline

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D84a wall dimmable with wall control 220-240V~ 50/60Hz Ø 20,5 l 27,4 CE Ⓢ V	1D840A000002	aged white/ aged white			4.728
		1D840A000038	aged white/ tanned skin	LED 26W 3000K CRI 80 <input type="checkbox"/>	A (*)	4.728
		1D840A000001	ultramatt black/ aged white			4.728
	D84a/01 wall remote driver version Ø 20,5 h 13,7 CE Ⓢ V	1D840A010002	aged white/ aged white			4.056
		1D840A010038	aged white/ tanned skin	LED 26W 3000K CRI 80 <input type="checkbox"/>	A (*)	4.056
		1D840A010001	ultramatt black/ aged white			4.056
	D84/1 remote independent driver for D84a/01	1D840/100000				576





accessory


light source included

7% rabatt ska dras av på angivna priser

D90 GARBÌ

david dolcini

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D90NW wall dimmer trailing edge 220-240V~ 50/60Hz 20 x 14 x 16   	1D90NAW00002	white	LED 34W 2700K CRI 90 <input type="checkbox"/>	A (*)	3.108
	D90NC wall dimmer trailing edge 220-240V~ 50/60Hz 20 x 14 x 16   	1D90NAC00002	white	LED 34W 3000K CRI 90 <input type="checkbox"/>	A (*)	3.108



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

D31G structure, 40% reduction on already discounted price

	D31P suspension H max 124 ceiling rose: Ø 13 x 19 220-240V~ 50/60Hz CE Ⓢ ⚠	1D31PH000020	alu	 LED E27 105/140W HSG5A E27 energy saver 23W FBT E27 205W HSGST E27 energy saver	A+ A++ A D	2.820
--	--	--------------	-----	--	---------------------	-------

	D31G suspension H max 124 ceiling rose: Ø 13 x 19 220-240V~ 50/60Hz CE Ⓢ ⚠	1D31GH000020	alu	 LED E27 105/140W HSG5A E27 energy saver 23W FBT E27 205W HSGST E27 energy saver	A+ A++ A D	1.650
--	--	--------------	-----	--	---------------------	-------





glass and accessories

D31G/2 glass, 40% reduction on already discounted price

	D31P/1 H 27 Ø 33	1D31P/010002	opal			2.724
--	----------------------------	--------------	------	--	--	-------





	D31P/2 H 33 Ø 39	1D31P/020002	opal			4.272
--	----------------------------	--------------	------	--	--	-------

7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	1D31P/5 H 43 Ø 40	1D31P/050002	opal			4.608
	D31P/9 H 30,6 Ø 22,5	1D31P/090002	opal			1.680
	D31G/2 H25 Ø29	1D31G/020000	transparent sand-blasted			1.610
	D31/1 extra cable 4 m	1D31/0100020				1.380

D52 GOGGLE

ross lovegrove

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D52 ceiling 220-240V~ 50/60Hz h 32, l 18, s 14 CE □ ▽ IP40	1D5200000031	iridescent	 LED 6W E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	808

20% reduction on already discounted price




Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the suspension kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D70K/3N1 suspension dimnable trailing edge 220-240V~ 50/60Hz H 60 - 250 ceiling rose: Ø 15 x 5	1D701K300002	complete version 3 bodies glossy white + 1 module LED + suspension kit	LED 25W 3000K CRI 80 <input type="checkbox"/>	A (*)	6.185
	D70K/4N1 suspension dimnable trailing edge 220-240V~ 50/60Hz H 60 - 250 ceiling rose: Ø 15 x 5	1D701K400002	complete version 4 bodies glossy white + 2 modules LED + suspension kit	LED 50W 3000K CRI 80 <input type="checkbox"/>	A (*)	9.453
	D70C/1 3 bodies + attachments h module 8, l 30,5, d 24	1D7001000002	glossy white			816
	D70C/3 3 bodies + attachments h module 8, l 30,5, d 24	1D7003000002	glossy white			2.328


optics


	D70L/1N1 LED version dimnable trailing edge structure 3 modules 220-240V~ 50/60Hz	1D701L100000	satin finish aluminium ceiling rose white	LED 25W 3000K CRI 80 <input type="checkbox"/>	A (*)	3.504
--	--	--------------	---	---	-----------	-------

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D70L/2N1 LED version dimmable trailing edge structure 6 modules 220-240V~ 50/60Hz CE ⊕ ▽	1D701L200000	satin finish aluminium ceiling rose white	LED 50W 3000K CRI 80 <input type="checkbox"/>	A (*)	5.765





accessories





	D70S suspension kit 4 steel cables	1D7002000002	white			1.020
--	---	--------------	-------	--	--	-------





	D70A kit 5 hooks	1D7005000002	white			444
---	----------------------------	--------------	-------	--	--	-----

D66 HOPE





francisco gomez paz, paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D66/12 suspension 220-240V~ 50/60Hz H max 270 Ø 61 ceiling rose: Ø 12 x 3 CE □ ▽	1D6612S00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	9.756




	D66/18 suspension 220-240V~ 50/60Hz H max 270 Ø 72 ceiling rose: Ø 12 x 3 CE □ ▽	1D6618S00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	12.965
---	---	--------------	-----------------------------	---	---------------------	--------

	D66/42 suspension 220-240V~ 50/60Hz H 50 - 410 Ø 110 ceiling rose: Ø 16 x 4 CE ⊕ ▽	1D6642S00000	transparent methacrylate	 3x LED E27  3x 23W FB E27  3x 105W HSGSA E27 energy saver	A+ A++ A D	39.091
---	---	--------------	-----------------------------	--	---------------------	--------




7% rabatt ska dras av på angivna priser





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D66/105 suspension 220-240V~ 50/60Hz H 60 - 930 Ø 200 ceiling rose: Ø 16 x 4	1D66105S0000	transparent methacrylate	 5x LED E27  5x 23W FB E27  5x 105W H5G5A E27 energy saver	A+ A++ A D	113.239





for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).

	D66/18td body foot dimmer 220-240V~ 50/60Hz Ø 72	1D6618TD0000	transparent methacrylate	 LED E27 dimmable  105W H5G5A E27 energy saver	A+ A++ A D	13.211
---	---	--------------	-----------------------------	---	---------------------	--------





	D66/18T.1 ground rod h 164	1D6618T01019	stainless steel			5.602
--	---	--------------	-----------------	--	--	-------

	D66/3a wall dimmable 220-240V~ 50/60Hz l 43 d 28,5 Ø 48	1D6603A00000	transparent methacrylate	 LED dimmable R7s Ømax: 22 mm (L=78 mm)  120W HDG R7s (L=78 mm)	A+ A++ A C	3.504
---	--	--------------	-----------------------------	---	---------------------	-------


	D66/8a wall 220-240V~ 50/60Hz l 49 d 45,6 Ø 61	1D6608A00000	transparent methacrylate	 LED E27  23W FB E27  105W H5G5A E27 energy saver	A+ A++ A D	7.527
---	--	--------------	-----------------------------	---	---------------------	-------

	D66/12p ceiling 220-240V~ 50/60Hz Ø 69 h 41,5	1D6612P00000	transparent methacrylate	 3 x LED E14  3 x 12W FB E14  3 x 42W H5G5A E14 energy saver	A+ A++ A D	10.946
---	--	--------------	-----------------------------	--	---------------------	--------

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D66/30p ceiling 220-240V~ 50/60Hz Ø 109 h 64	1D6630P00000	transparent methacrylate	 3xLED E27  3x 23W FB E27  3x105W HSGSA E27 energy saver	A+ A++ A D	27.073

kit for special composition





	D66/KT kit for special composition	9D6600000000				3.288
---	---	--------------	--	--	--	-------

D82 ILLAN









The mark of
responsible forestry
FSC® C151310

Zsuzsanna Horvath




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D82S1 suspension dimmmable phase cut 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS100099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	A+	8.640
	D82S1D suspension dimmmablepush/DALI 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS1D0099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	A+	9.144
	D82S2 suspension dimmmable phase cut 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS200099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	A+	11.004
	D82S2D suspension dimmmablepush/DALI 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS2D0099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	A+	11.544


7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D82S3 suspension dimnable phase cut 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE  	1D82YS300099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	A+	12.996
	D82S3D suspension dimnablepush/DALI 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE  	1D82YS3D0099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	A+	13.536

D80 ILLUSION

francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D80 wall/ceiling dimnable trailing edge 23 x 23 x 4 220-240V~ 50/60 Hz CE   IP40	1D800A000002	structure white transparent polycarbonate screen	LED 17W main power 3000K CRI 80 <input type="checkbox"/>	A (*)	3.384



Calculate the price of the lamp by adding the cost of the structure to the cost of the remote driver.






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D94P3 wall recessed dimmable push/DALI 18 x 18 d 15 cm CE	1D940P300002	white	LED 26W 2700K CRI 90 <input type="checkbox"/>	A	5.272

accessories

	D94/1 independent remote driver 1 body 220-240V~ 50/60Hz CE	1D940/100000				1.080
	D94/2 independent remote driver 3 bodies 220-240V~ 50/60Hz CE	1D940/200000				1.572
	D94/3 independent remote driver 5 bodies 220-240V~ 50/60Hz CE	1D940/300000				2.016













D64 LANE 7% rabatt ska dras av på angivna priser

alfredo häberli


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D64 ceiling/wall dimmable 220-240V~ 50/60Hz h 8, l 22, s 9 CE  	1D6400000002	white	 LED dimmable R7s Ømax: 22 mm  120W HD6 R7S	A+ A++ C	2.352

D41 LIGHTDISC


alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
40% reduction on already discounted price						
	D41/32.22 ceiling/wall transparent diffuser electronic ballast EEI A2 220-240V~ 50/60Hz Ø 32, h 5,5 CE   IP65	1D41PI220002	white	 22W FSC T5 2GX13	A	1.327
	D41B/32.22 ceiling/wall opal diffuser electronic ballast EEI A2 220-240V~ 50/60Hz Ø 32, h 5,5 CE   IP65	1D41PI22B000	transparent	 32W FSC T9 G10q	A	1.327
	D41/40.55 D ceiling/wall push dim/DALI transparent diffuser electronic ballast EEI A2 220-240V~ 50/60Hz Ø 40, h 6,7 CE   IP65	1D410055D002	white	 55W FSC T5 2GX13	A	2.573
		1D410055D000	transparent			2.573


Lita floor



Lita table



Lita multiple suspension







Calculate the price of the lampadding the structure (for the floor version also the base weight)or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.

















The mark of responsible forestry
FSC® C151310






















7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92V14 Table version complete on/off switch 220-240V~ 50/60 Hz H 13 Ø 14	1D920V140000	opal	 LED G9 dimmable	A+ A++ A	1.956
	D92=18 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 28 base Ø 12	1D920=180002 1D92Z=180099	white painted aluminum ash wood	 LED G9 dimmable	A+ A++ A	2.316 2.316
	D92V18 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 16 base Ø 10	1D920V180000	white painted aluminum	 LED G9 dimmable	A+ A++ A	1.296
	D92=30 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 46 base Ø 20	1D920=300002 1D92Z=300099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	2.844 2.940
	D92V30 Table/support dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 27 base Ø 15	1D920V300000	white painted aluminum	 LED E27 dimmable	A+ A++ A	1.416
	D92T30 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 160 base Ø 28	1D920T300002 1D92ZT300099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	4.728 7.185




7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92/5 Base weight only for floor version D92T30	1D920/500000				1.452
	D92T42 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/4 diffuser H 160 base Ø 40	1D920T420002 1D92ZT420099	white painted aluminum ash wood		A+ A++ A	5.028 8.135
	D92/6 Base weight only for floor version D92T42	1D920/600000				1.584
	D92P14 Wall/ceiling complete version 220-240V~ 50/60 Hz Ø 14 h 12	1D920P140000	white		A+ A++ A	1.236
	D92P18 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 h 15	1D920P180000	white		A+ A++ A	528
	D92P30 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 h 26	1D920P300000	white		A+ A++ A	564
	D92S14 Suspension structure complete version dimmable 220-240V~ 50/60 Hz Ø 14 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S140002 1D92ZS140099	white painted aluminum ash wood		A+ A++ A	1.944 2.088





7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92S18 Suspension structure dimmbable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S180002	white painted aluminum	 LED G9 dimmbable	A+	1.524
	CE  	1D92ZS180099	ash wood		A++ A	1.680
	D92S30 Suspension structure dimmbable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S300002	white painted aluminum	 LED E27 dimmbable	A+	2.148
	CE  	1D92ZS300099	ash wood		A++ A	2.304
	D92S42 Suspension structure dimmbable 220-240V~ 50/60 Hz only for D92/4 diffuser Ø 42 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S420002	white painted aluminum	 LED E27 dimmbable	A+	2.172
	CE  	1D92ZS420099	ash wood		A++ A	2.544
multiple suspension version						
	D92/7 multiple ceiling rose for diffusers Ø 14 or 18 cm L cable 5 m ceiling rose: Ø 30 x 5,6	1D920/700002	white	 3 x LED G9 dimmbable	A A+	2.820
	CE  				A++	
	D92/8 multiple ceiling rose for diffusers Ø 30 or 42 cm L cable 5 m ceiling rose: Ø 30 x 5,6	1D920/800002	white	 3 x LED E27 dimmbable	A A+	4.548
	CE  				A++	
diffuser covers						
	D92R/01 cover for diffuser Ø 14 cm	9D9201703202	white painted aluminum			276
		9D92Z1709599	ash wood			312







7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92R/02 cover for diffuser Ø 18 cm	9D9202703302	white painted aluminum			312
		9D92Z2705999	ash wood			384
	D92R/03 cover for diffuser Ø 30 cm	9D9203703402	white painted aluminum			372
		9D92Z3706099	ash wood			540
	D92R/04 cover for diffuser Ø 42 cm	9D9204707102	white painted aluminum			396
		9D92Z4702499	ash wood			612

Diffusers

	D92/1 Diffuser opal glass Ø 14 H 11,2	1D920/100002	opal			636
	D92/2 Diffuser opal glass Ø 18 H 15	1D920/200002	opal			948
	D92/3 Diffuser opal glass Ø 30 H 25	1D920/300002	opal			1.560
	D92/4 Diffuser opal glass Ø 42 H 36	1D920/400002	opal			2.628


D15 LOLA **7% rabatt ska dras av på angivna priser** alberto meda, paolo rizzato


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D15ND floor foot dimmer 220-240V~ 50/60Hz H 160/200 base Ø 48 CE □ ▽	1D15=1ND0020	alu	 LED dimmable R7s Ømax: 22 mm	A+	4.932
		1D15=1ND0017	black	 240W HDG R7s energy saver	A C	4.932
	D15NA1 wall dimmable 220-240V~ 50/60Hz h 25 l 18 s 25 CE □ ▽	1D15A1N00020	alu	 LED dimmable R7s Ømax: 22 mm	A+	1.812
		1D15A1N00017	black	 240W HDG R7s energy saver	A C	1.812


For wireless versions only, determine the price of the lamp by adding the body to the kit.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


complete versions phase cut Ø 80 cm

	D86KT081 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT081001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	29.448
---	---	--------------	-------	---	---	--------


	D86KT082 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT082001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
---	---	--------------	-------	---	---	--------

	D86KT083 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT083001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
--	---	--------------	-------	---	---	--------

	D86KT084 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7 ⊕ ▽	1D86KT084001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
---	--	--------------	-------	---	---	--------

	D86KT085 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT085001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
---	---	--------------	-------	---	---	--------

Ø 80 cm versions compatible with wireless kit

	D86KW081 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW081001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	A	30.281
---	---	--------------	-------	---	---	--------






7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D86KW082 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7	1D86KW082001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	A	31.879
	D86KW083 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7	1D86KW083001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	A	31.879
	D86KW084 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7	1D86KW084001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	A	31.879
	D86KW085 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7	1D86KW085001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	A	31.879
complete versions phase cut Ø 100 cm						
	D86KT101 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7	1D86KT101001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	A	37.912
	D86KT102 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7	1D86KT102001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	A	38.869

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D86KT103 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7	1D86KT103001	black	LED 64W 2700K CRI 90	<input type="checkbox"/> A	38.869
	D86KT104 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7	1D86KT104001	black	LED 64W 2700K CRI 90	<input type="checkbox"/> A	38.869
	D86KT105 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7	1D86KT105001	black	LED 64W 2700K CRI 90	<input type="checkbox"/> A	38.869
Ø 100 cm versions compatible with wireless kit						
	D86KW101 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7	1D86KW101001	black	LED 61W 2700K CRI 90	<input type="checkbox"/> A	38.047
	D86KW102 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7	1D86KW102001	black	LED 61W 2700K CRI 90	<input type="checkbox"/> A	39.644
	D86KW103 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7	1D86KW103001	black	LED 61W 2700K CRI 90	<input type="checkbox"/> A	39.644

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D86KW104 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7	1D86KW104001	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	A	39.644
	D86KW105 suspension wireless compatible 220-240V~ 50/60 Hz h 90 Ø 100 L cable 5 m ceiling rose: Ø 30 x 7	1D86KW105001	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	A	39.644
accessory						
	D86/1 wireless Kit Wi-Fi 2.4GHz to be used exclusively with LUCEPLAN APP	1D860/100000				1.260
complete versions						
	D86C551 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 cm L cable 100 ceiling rose: Ø 26 x 5	1D860C551001	black	LED 40W 2700K CRI 90 <input type="checkbox"/>	A	16.406
	D86C555 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 cm H max 500 ceiling rose: Ø 26 x 5	1D860C555001	black	LED 40W 2700K CRI 90 <input type="checkbox"/>	A	17.671
	D86PLN ceiling dimnable phase cut 220-240V~ 50/60 Hz Ø 72, h 32 cm	1D860PLN0001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	A	24.830






Calculate the price of the lamp adding the cost of the body to the prismatic glass or polycarbonate diffuser and to the respective optical system.
 For the outdoor use only the alu painted version with polycarbonate diffuser and the relative kit accessory for IP65.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D20/17P polycarbonate diffuser H 8 Ø 17 CE	1D2017P00020	painting alu			1.860
		1D2017P00019	polished			2.148
		1D2017P00040	bronze			3.564
	D20/17V prismatic glass diffuser H 8 Ø 17 CE	1D2017V00020	painting alu			1.920
		1D2017V00019	polished			2.244
		1D2017V00040	bronze			3.756
	D20/17.1 optic for D20/17V 220-240V~ 50/60Hz CE ⊕ ▽	1D2017010000		 LED 2700K E14 28W HSGSA E14 energy saver	A+ A++ A D	516
	D20/17.7 optic for D20/17P dimmable phase cut 220-240V~ 50/60Hz CE ⊕ ▽	1D2017070000		 LED 8W 3000K main power CRI 80	A (*)	1.488
	D20/27P polycarbonate diffuser H 10 Ø 27 CE	1D2027P00020	painting alu			2.316
		1D2027P00019	polished			2.712
		1D2027P00040	bronze			4.080

7% rabatt ska dras av på angivna priser




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D20/27V prismatized glass diffuser H 10 Ø 27 CE	1D2027V00020	painting alu			2.472
		1D2027V00019	polished			2.904
		1D2027V00040	bronze			4.260
	D20/27.1 optic for D20/27V 220-240V~ 50/60Hz CE ⊕ ▼	1D2027010000		 LED E27  15W FBT E27  70W HSGSA E27 energy saver	A+ A++ A D	576
	D20/27.9 optic for D20/27P dimmable trailing edge 220-240V~ 50Hz CE ⊕ ▼	1D2027090000		LED 17W 3000K main power CRI 80 <input type="checkbox"/>	A (*)	2.544
	D20/38 P polycarbonate diffuser H 12 Ø 38 CE	1D2038P00020	painting alu			3.000
		1D2038P00019	polished			3.588
	D20/38V prismatized glass diffuser H 12 Ø 38 CE	1D2038V00020	painting alu			3.180
		1D2038V00019	polished			3.780
	D20/38.1 optic 220-240V~ 50/60Hz CE ⊕ ▼	1D2038010000		 LED E27  20/23W FBT E27  105/140W HSGSA E27 energy saver	A+ A++ A D	708
	D20/38.2 optic 220-240V~ 50/60Hz CE ⊕ ▼	1D2038020000		 2 x LED E27  2x20/23W FBT E27  2x70W HSGSA E27 energy saver	A+ A++ A D	816

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D20/17.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20170A0000				252
	D20/27.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20270A0000				288
	D20/38.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20380A0000				300

e08 MINI MINI

habits studio

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.	
	E08110 suspension complete version 220-240V~ 50/60Hz l 66,4 Ø 2,5 L cable max 2,7 m ceiling rose: 11 x 3 x 7 CE ⚡ ⚠ IP20	1E080M110002	white			3.312	
		1E080M110001	black			A (*)	3.312
		1E0800110019	polished				3.540

D60 MIRANDA 7% rabatt ska dras av på angivna priser

paolo rizzato



body



opal glass






complete lamp

Calculate the price of the lamp adding the cost of the body to the glass diffuser.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

40% reduction on already discounted price

	D60 table dimmer on board h 77,6 base 25x25 220-240V~ 50/60Hz CE □ ▽	1D600=D00020	alu structure	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	1.670
---	---	--------------	---------------	---	---------------------	-------

diffuser


40% reduction on already discounted price

	D60/1 table/floor diffuser	1D600V/01002	opal glass			882
---	--------------------------------------	--------------	------------	--	--	-----







7% rabatt ska dras av på angivna priser

D71 PETALE

odile decq





Calculate the price of the lamp adding the cost of the structure to the corresponding optical system.




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D71PV suspension + LED strip 136 x 83 x 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE  	1D710P0V0002	white	LED strip 17W 3000K CRI90 <input type="checkbox"/>	A (*)	20.341
	D71PIV suspension + LED strip 154,5 x 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE  	1D710P1V0002	white	LED strip 21W 3000K CRI90 <input type="checkbox"/>	A (*)	24.413

light source included


7% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D71CV suspension + LED strip Ø 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE 	1D710C0V0002	white	LED strip 18W 3000K CRI90 <input type="checkbox"/>	A (*)	20.341


optics

	D71/6DV optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz CE 	1D71/6DV0002		 LED 45W 3000K CRI 80	A++ (*)	6.220
---	--	--------------	--	--	-------------	-------


top cover lamp body

	D71/OAC cover for D71CL	1D71/OAC0002	white			1.563
--	-----------------------------------	--------------	-------	--	--	-------



	D71/OAP cover for D71PL	1D71/OAP0002	white			1.563
---	-----------------------------------	--------------	-------	--	--	-------

	D71/OAP1 cover for D71PIL	1D71/OAP1002	white			1.662
---	-------------------------------------	--------------	-------	--	--	-------



News: only sound-absorbing bodies (no light)

	D71PA suspension sound-absorbing 136 x 83 x 15 H 50 - 300 ceiling rose: Ø 12 x 3	1D710P0A0002	white			11.736
---	--	--------------	-------	--	--	--------

7% rabatt ska dras av på angivna priser






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D71P1A suspension sound-absorbing 154,5 x 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3	1D710P1A0002	white			16.752
	D71CA suspension sound-absorbing Ø 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3	1D710C0A0002	white			11.832

fixing kit for only sound-absorbing bodies (no light)

	D71/S suspension fixing kit	1D71/0S00000				972
	D71/S1 ceiling fixing kit	1D71/0S10000				1.080

D62 PLISSÉ



inga sempé

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D62 suspension 220-240V~ 50/60Hz l 60 - 160 h 30 s 27 H max 225 ceiling rose: 16 x 9 x 2	1D6200000019	silver	 7xLED E14	A	11.040
		1D6200000001	black	 7x12W FB E14 energy saver  7x42W HSGSA E14	A+ A++ D	11.040






D30 POD LENS **7% rabatt ska dras av på angivna priser**

ross lovegrove


For the free-standing version, compose the lamp adding the stand and fixed base, if any, to the diffuser element (D30F).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D30 F suspension/outdoor 220-240V~ 50/60Hz h 28,5 Ø 10,5 220-240V~ 50/60 Hz suspension cable in green CE □ ▼ IP65	1D300F/40004	grey	 	A+	1.572
		1D300F/40013	terracotta		A++	1.572
		1D300F/40025	sage green		A	1.572

accessories


	D30/2 fixed base H 15 Ø 11	1D30/0200004	grey			396
	D30/4.1 stem H 35	1D30/04/0125	sage green			288
	D30/4.2 stem H 120	1D30/04/0225	sage green			552
	D30/4.3 stem H 180	1D30/04/0325	sage green			708
	D30/5 3 way connector	1D30/0500004	grey			564

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D30/6 extra cable 10m	1D30/0600025	green			792

D79 SILENZIO

monica armani





structure + LED optic + suspension kit + diffuser, (optional) = complete lamp

structure + E27 optic + diffuser + suspension kit (optional) = complete lamp

Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.







Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps. These custom hues are offered with a 10% surcharge.




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D79/90c suspension textile Ø 90 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7909C000A2	light grey 133			18.059
		1D7909C000A3	dark grey 152			18.059
		1D7909C000B2	rust 252			18.059
		1D7909C000B1	sand 242			18.059
	D79/120c suspension textile Ø 117 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7912C000A2	light grey 133			19.597
		1D7912C000A3	dark grey 152			19.597
		1D7912C000B2	rust 252			19.597
		1D7912C000B1	sand 242			19.597




7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D79/150c suspension textile Ø 148,5 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7915C000A2	light grey 133			23.990
		1D7915C000A3	dark grey 152			23.990
		1D7915C000B2	rust 252			23.990
		1D7915C000B1	sand 242			23.990


optics


	D79R/03 E27 optic 220-240V~ 50/60Hz ceiling rose and suspension cables including ceiling rose: Ø16 x 4 CE  	9D7903608200		 3 x LED E27  3 x 23/27W FB E27  3 x max 105W HSGSA E27 energy saver	A+ A++ A D	2.784
---	---	--------------	--	--	---------------------	-------

	D79R/10 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables including ceiling rose: Ø16 x 4 CE  	9D7910101700		LED 45W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	5.524
---	---	--------------	--	---	-------------	-------

	D79R/11 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables including ceiling rose: Ø16 x 4 CE  	9D7910101800		LED 45W 2700K CRI 80 <input type="checkbox"/>	A++ (*)	5.731
---	---	--------------	--	---	-------------	-------













accessories

	D79R/07 Lower screen (optional in the LED version)	9D7907726000	satin Ø 90 cm			2.556
		9D7907726100	satin Ø 120 cm			3.125
		9D7907726200	satin Ø 150 cm			3.320

	D79R/09 suspension kits for installation in parallel ropes (optional)	9D7909612000	white			264
---	--	--------------	-------	--	--	-----









D63 SKY 7% rabatt ska dras av på angivna priser

alfredo häberli

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
30% reduction on already discounted price						
 <p>D63a.L outdoor 220-240V~ 50/60Hz h 16, I 20</p> <p>CE   IP65</p>	1D630A0LE002	white	 2xLED E14	A	2.781	
	1D630A0LE020	alu			2.781	
	1D630A0LE013	chestnut			2.781	
 <p>D63t1.L outdoor 220-240V~ 50/60Hz h 16, I 20, H 28</p> <p>CE   IP65</p>	1D630T1LE002	white	 2xLED E14	A	3.296	
	1D630T1LE020	alu			3.296	
	1D630T1LE013	chestnut			3.296	
 <p>D63t2.L outdoor 220-240V~ 50/60Hz h 16, I 20, H 70</p> <p>CE   IP65</p>	1D630T2LE002	white	 2xLED E14	A	3.835	
	1D630T2LE020	alu			3.835	
	1D630T2LE013	chestnut			3.835	

D89 SOLEIL NOIR

odile decq

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
 <p>D89p ceiling push dimmer/DALI 220-240V~ 50/60Hz 120 x 62,5 h 18,5</p> <p>CE  </p>	1D890P000002	white	 LED 35W 3000K CRI 80	A (*)	19.150	
	1D890P000035	black/white			19.558	
 <p>D89s suspension push dimmer/DALI 220-240V~ 50/60Hz 120 x 62,5 x 35 H 45 - 320 ceiling rose: Ø 15 x 5</p> <p>CE  </p>	1D890S000002	white	 LED 35W 3000K CRI 80	A (*)	19.150	
	1D890S000035	black/white			19.558	

structure + kit spheres + rods = complete lamp

Calculate the price of the lamp adding the structure to the kit.

















Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D87CW suspension dimable trailing edge 220-240V~ 50/60Hz H 120 - 320 ceiling rose: Ø 18 x 4	1D870CW00000	alu	LED 26W 2700K CRI 90 <input type="checkbox"/>	A (*)	7.504
	D87CC suspension dimable trailing edge 220-240V~ 50/60Hz H 120 - 320 ceiling rose: Ø 18 x 4	1D870CC00000	alu	LED 26W 3000K CRI 90 <input type="checkbox"/>	A (*)	7.504

Kit spheres + rods

	D87048 Kit 48 spheres + rods	1D8704800002	opal white			6.500
		1D8704800018	metallized			6.500
	D87072 Kit 72 spheres + rods	1D8707200002	opal white			10.001
		1D8707200018	metallized			10.001









D22 STRIP 7% rabatt ska dras av på angivna priser

dante donegani




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
40% reduction on already discounted price						
	D22/1EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x10,5x7 CE   IP40	1D22001E0002	white	 2x14W FD (T5) G5 ø16	A	1.664
		1D22001E0020	painting alu			1.737
		1D22001E0019	polished			1.994
	D22/2EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x18,6x8,5 CE   IP40	1D22002E0002	white	 2x24W FD (T5) G5 ø16	A	1.791
		1D22002E0020	painting alu			1.839
		1D22002E0019	polished			2.209
	D22/3EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x38,6x8,5 CE   IP40	1D22003E0002	white	 4x24W FD (T5) G5 ø16	A	2.747
		1D22003E0020	painting alu			2.822
		1D22003E0019	polished			3.225
	D22/4EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x66,1x8,5 CE   IP40	1D22004E0002	white	 6x24W FD (T5) G5 ø16	A	3.737
		1D22004E0020	painting alu			3.798
		1D22004E0019	polished			4.457

D77 TANGO


francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D77NT floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE  	1D77NTD00001	black	LED 35W 3000K CRI 80 	A	9.838
	D77NTW floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE  	1D77NTDW0001	black	LED 35W 2700K CRI 80 	A	10.188




D17 TITANIA 7% rabatt ska dras av på angivna priser alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D17 suspension up and down 220-240V~ 50/60Hz coloured filters included: yellow, rose, light blue, violet 70 x 27 x 8 H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▽	1D1700000020	alu	 LED E27 Ø max 38 mm l 150 mm  205W HSGST E27 energy saver	A A+ A++ D	4.164


accessories


	D13/25 off-center ceiling rose	9D1325476800	white			444
---	---	--------------	-------	--	--	-----

D17Q QUEEN TITANIA alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D17Q suspension 220-240V~ 50/60Hz l 140 h 16 ceiling rose: Ø 14 x 4 CE □ ▽	1D170QHAlO20	alu	 2xLED E27 Ø max 38 mm l 150 mm  2x205W HSGST/F E27 energy saver	A A+ A++ D	10.013

accessories





	D17Q /01 pair of polycarbonate filter	1D170Q/01024	rose			552
		1D170Q/01023	sky blue			552
		1D170Q/01027	yellow			552
		1D170Q/01036	violet			552

	D17Q /02 suspension kit h 50 - 250	1D170Q/02020	alu			2.220
---	---	--------------	-----	--	--	-------

7% rabatt ska dras av på angivna priser








D14 TRAMA

luciano balestrini, paola longhi

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D14a ceiling/wall 220-240V~ 50/60Hz h 17 Ø 64 CE ⚡ ⚠	1D14A0000020	alu	 3XLED E27  3X70W H565A E27 energy saver  3x23W FBT E27	A+ A++ A D	4.176


light source included



7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D14 a.pi. ceiling/wall 220-240V~ 50/60Hz h 16 Ø 50 CE Ⓢ ⚠	1D14A1PI0020	alu	 3xLED E27  3x42W HSGSA E27 energy saver  3x20W FBT E27	A+ A++ A D	3.468
	D14 sa. suspension up and down dimable trailing edge 220-240V~ 50/60Hz H 80/170 Ø 64 ceiling rose: Ø 18 x 4 CE Ⓢ ⚠	1D14SA000020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	A+ A++ A C	5.251

D97 TRYPTA

Stephen Burks





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D97/1D cylindrical body direct/indirect light dimable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 90 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/1D0020	matt alu	<input type="checkbox"/> LED module 2 x 20W dim to warm 3000K → 1800K CRI 97	A++ (*)	11.100
	1D970/1D0001	matt black	11.112			
	D97/2D cylindrical body direct/indirect light dimable push/DALI 220-240V~ 50/60Hz Ø 5,6, H 120 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/2D0020	matt alu	<input type="checkbox"/> LED module 2 x 20W dim to warm 3000K → 1800K CRI 97	A++ (*)	12.012
		1D970/2D0001	matt black			12.084







7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
panels for standard collection (on stock)						
	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600B1	light grey 01			2.700
		1D970C3600B2	medium grey 02			2.700
		1D970C3600B3	dark grey 03			2.700
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700B1	light grey 01			2.736
		1D970C3700B2	medium grey 02			2.736
		1D970C3700B3	dark grey 03			2.736
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900B1	light grey 01			3.000
		1D970C3900B2	medium grey 02			3.000
		1D970C3900B3	dark grey 03			3.000
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600B1	light grey 01			3.108
		1D970C4600B2	medium grey 02			3.108
		1D970C4600B3	dark grey 03			3.108
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700B1	light grey 01			3.348
		1D970C4700B2	medium grey 02			3.348
		1D970C4700B3	dark grey 03			3.348
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900B1	light grey 01			3.852
		1D970C4900B2	medium grey 02			3.852
		1D970C4900B3	dark grey 03			3.852




7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
panels for melange collection (on request)						
	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A1	light shade 07			2.904
		1D970C3600A2	medium shade 08			2.904
		1D970C3600A3	dark shade 12			2.904
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A1	light shade 07			2.940
		1D970C3700A2	medium shade 08			2.940
		1D970C3700A3	dark shade 12			2.940
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A1	light shade 07			3.252
		1D970C3900A2	medium shade 08			3.252
		1D970C3900A3	dark shade 12			3.252
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600A1	light shade 07			3.360
		1D970C4600A2	medium shade 08			3.360
		1D970C4600A3	dark shade 12			3.360
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700A1	light shade 07			3.660
		1D970C4700A2	medium shade 08			3.660
		1D970C4700A3	dark shade 12			3.660
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900A1	light shade 07			4.212
		1D970C4900A2	medium shade 08			4.212
		1D970C4900A3	dark shade 12			4.212

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
panels for solid collection (on request)						
	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A4	peach 06			2.904
		1D970C3600A5	orange 15			2.904
		1D970C3600A6	mustard 19			2.904
		1D970C3600A7	brick 29			2.904
		1D970C3600A8	brown 31			2.904
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A4	peach 06			2.940
		1D970C3700A5	orange 15			2.940
		1D970C3700A6	mustard 19			2.940
		1D970C3700A7	brick 29			2.940
		1D970C3700A8	brown 31			2.940
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A4	peach 06			3.252
		1D970C3900A5	orange 15			3.252
		1D970C3900A6	mustard 19			3.252
		1D970C3900A7	brick 29			3.252
		1D970C3900A8	brown 31			3.252
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600A4	peach 06			3.360
		1D970C4600A5	orange 15			3.360
		1D970C4600A6	mustard 19			3.360
		1D970C4600A7	brick 29			3.360
		1D970C4600A8	brown 31			3.360
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700A4	peach 06			3.660
		1D970C4700A5	orange 15			3.660
		1D970C4700A6	mustard 19			3.660
		1D970C4700A7	brick 29			3.660
		1D970C4700A8	brown 31			3.660
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900A4	peach 06			4.212
		1D970C4900A5	orange 15			4.212
		1D970C4900A6	mustard 19			4.212
		1D970C4900A7	brick 29			4.212
		1D970C4900A8	brown 31			4.212

7% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
kit plaquettes						
	D97/31 kit plaquettes for closing panel L 30	1D970/310001	matt black			756
		1D970/310020	matt alu			756
	D97/32 kit plaquettes for closing panel L 45	1D970/320001	matt black			876
		1D970/320020	matt alu			876
optional lenses						
	D97/4 2 lenses beam 36°/26° and mixer	1D970/400000				372