7% rabatt ska dras av på angivna priser





H - Inredningsarmaturer



Muuto



7% rabatt ska dras av på angivna priser

Våra kontor

Borlänge

Borganäsvägen 16 784 33 Borlänge

+46 (0)243 882 70 borlange@inputinterior.se

Helsingborg

Muskötgatan 4B 254 66 Helsingborg

+46 (0)42 444 96 30 helsingborg@inputinterior.se

Karlstad

Blockgatan 10 653 41 Karlstad

+46 (0)54 775 66 60 karlstad@inputinterior.se

Luleå

Bangårdsgatan 14 972 75 Luleå

+46 (0)920 46 64 30 lulea@inputinterior.se

Skövde Gustav Adolfs gata 31 541 45 Skövde

+46 (0)500 77 93 80 skovde@inputinterior.se

Umeå Björnvägen 19 906 40 Umeå

+46 (0)90 34 00 160 umea@inputinterior.se

Norden

Se inputinterior.se för våra kontor i Danmark, Finland och Norge.

Borås

Olovsholmsgatan 25 506 34 Borås

+46 (0)33 21 11 00 boras@inputinterior.se

Jönköping

Huskvarnavägen 64 554 54 Jönköping

+46 (0)36 585 95 30 jonkoping@inputinterior.se

Kinna Boråsvägen 17 511 56 Kinna

+46 (0)320 20 90 30 kinna@inputinterior.se

Malmö Flygplansgatan 9 212 39 Malmö

+46 (0)40 20 66 00 malmo@inputinterior.se

Stockholm Sveavägen 145 113 46 Stockholm

+46 (0)8 517 112 00 stockholm@inputinterior.se

Västerås Metallverksgatan 4B 721 30 Västerås

+46 (0)21 80 30 30 vasteras@inputinterior.se

Göteborg Fältspatsgatan 2 421 30 Västra Frölunda

+46 (0)31 799 89 00 goteborg@inputinterior.se

Kalmar

Engelska vägen 5 392 39 Kalmar

+46 (0)480 578 00 kalmar@inputinterior.se

Kristianstad

Västra Storgatan 51K 291 31 Kristianstad

+46 (0)44 785 08 40 kristianstad@inputinterior.se

Norrköping Västgötegatan 13B

602 21 Norrköping

+46 (0)11 440 94 00 norrkoping@inputinterior.se

Sundsvall Strandgatan 14 852 31 Sundsvall

+46 (0)60 52 50 10 sundsvall@inputinterior.se

Växjö Södra Vallviksvägen 10 352 51 Växjö

+46 (0)470 79 37 00 vaxjo@inputinterior.se

Halmstad

Svartalundsvägen 6 302 35 Halmstad

+46 (0)35 295 85 00 halmstad@inputinterior.se

Karlskrona

Blekingegatan 6A 371 34 Karlskrona

+46 (0)455 68 88 20 karlskrona@inputinterior.se

Linköping

Gottorpsgatan 57 581 19 Linköping

+46 (0)13 36 44 50 linkoping@inputinterior.se

Skellefteå

Brogatan 3 931 62 Skellefteå

+46 (0)910 48 84 60 skelleftea@inputinterior.se

Uppsala Sjukhusvägen 3 753 09 Uppsala

+46 (0)18 430 53 04 uppsala@inputinterior.se

Örebro Dediatory

Radiatorvägen 2 702 27 Örebro

+46 (0)19 767 35 80 orebro@inputinterior.se 7% rabatt ska dras av på angivna priser

LIGHTING

7% rabatt ska dras av på angivna priser AMBIT LAMP SERIES

"What defines our attraction to shapes? With the Ambit Lamp Series, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Lamp Series a timeless design that you'll never grow tired of while its handspun aluminum material and contrasting white inner makes for an elegant touch."

— TAF Studio



Designed by	TAF Studio / 2015, 2017, 2019 δ 2021
Environment	Indoor
Country of Production	China
Cord Length	Pendant Lamp and Rail Lamp: 400 cm / 157.5" Wall Lamp: 250 cm / 98.4"
Bulb Included	Pendant Lamp Øl6,5 and Wall Lamp: Yes Pendant Lamp Ø55, Ø4O, Ø25 and Rail Lamp: No
Ceiling Cap Included	Pendant Lamp and Rail Lamp: Yes Wall Lamp: No
Dimmable Function	Rail lamp: Yes (can be dimmed with industri standard phasecut dimmers, if dimmable bulb is used)
	Ambit Øl6,5: Yes (can be dimmed with industri standard phasecut dimmers)
	Ambit Ø25, Ø4O and Ø55: Yes (can be dimmed with industry standard phasecut dimmers, if dimmable bulb is used)
Description	Embodying the values of Scandinavian design, the Ambit Lamp Series is as timeless as it is contemporary. Made of hand-spun aluminum that has been hand-painted, the Ambit Lamp Series features clean lines and a white interior that heighten contrasts of its outside shade while enhancing the light emitted in any room of a home, office or commercial space. Use the design on its own or symmetric formations and vibrant clusters.
Material	Aluminum lamp shades. Made from old braizer traditions, the lamp shades are press spun by hand. Hereafter, the lamp shades are polished and painted by hand. PVC cord.




7% rabatt ska dras av på angivna priser AMBIT LAMP SERIES

Cleaning δ Care Rail Lamp: The rail for the Ambit Rail Lamp is cut from tubes that are adjusted to fit each other on a lathe machine. Rail made from cast and extruded aluminum. Wall Lamp: Arm fixture and wall mount piece for the Ambit Wall Lamp are made from aluminum. An extra wall bracket is included in the Ambit Wall Lamp that allows for the wiring to be integrated into the wall. Clean the lamp with a soft dry cloth. Always switch off the electricity before cleaning. TESTS & CERTIFICATIONS FU: IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: UL STD. 1598 / CSA STD. C22.2 NO.25O.O Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.1 China: *GB 7000.201 and GB 7000.1 *Please note that this certification does not apply for the Ambit Wall Lamp

7% rabatt ska dras av på angivna priser AMBIT WALL LAMP





Colli	2
Shipper Colli	1
Gross Weight (kg)	1.6
Net Weight (kg)	0.9
Warranty Period	5 years

ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

15311	Black	SEK 2.880,10	-
15313	Grey	SEK 2.880,10	-
15314	Taupe	SEK 2.880,10	-
15312	White	SEK 2.880,10	-

Extras

15804	Ambit / Fluid / Rime Øl2+25 Cord - White (per linear meter)	SEK 47,30 -
15803	Ambit Cord - Grey (per linear meter)	SEK 47,30 -
15806	Ambit Cord - Taupe (per linear meter)	SEK 47,30 -
15801	Grain / Ambit / Rime Ø12+25 Cord - Black (per linear meter)	SEK 47,30 -

7% rabatt ska dras av på angivna priser BEAM TABLE LAMP

"The idea for the Beam Table Lamp came while renovating my childhood home. I had made a shelf to use as divider between the hallway and living room and needed a lamp that could at once throw light out into the living room and down the hallway. The Beam Table Lamp mimics a single ray of light that travels through a round tube with its dimmer allowing the user to change the volume of light omitted from both ends of the cylinder shape. Tweak the design to your personal needs through its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow. With the Beam Table Lamp, you can alter the volume of light omitted, change its direction by the turn of its base and place it on any shelf, table or windowsill for a new perspective on modern lighting."



- Tom Chung

Designed by	Tom Chung / 2018
Environment	Indoor
Country of Production	China
Cord Length	250 cm / 98.4"
Bulb Included	Yes
Dimmable Function	Yes
Description	The Beam Table Lamp is a versatile table lamp with a modern expression and intuitive user-friendliness. With light shone from both ends of a cylinder shape, the user can choose between three different volumes of light and gradually alter the volume of light emitted in each end through the turn of a playful dial. The Beam Table Lamp can be altered for any position with its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow in any home, offices, hotel room and educational areas.
Material	Body in anodized aluminum for a matte feel and vibrant look. Cord in PVC. It has a built-in energy efficient LED bulb. The lifetime of the LED bulb is defined as the time it takes until the light output/lumen maintenance reaches 90% (L90) of the initial output. The integrated bulb has a lifespan/lumen maintenance (L90) of 35,000 hours.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off electricity supply before cleaning.



7% rabatt ska dras av på angivna priser BEAM TABLE LAMP

TESTS & CERTIFICATIONS

EU: IEC 60598-I and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

The Eurasian Economic Union: TP TC OO4 and TP TC O2O

USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4

7% rabatt ska dras av på angivna priser BEAM TABLE LAMP





Colli	1
Shipper Colli	1
Gross Weight (kg)	1.52
Net Weight (kg)	1.3
Warranty Period	5 years

ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

12124	Aluminum	SEK 1.715,70	-
12121	Black	SEK 1.715,70	-
12123	Green	SEK 1.715,70	-
12122	Umber	SEK 1.715,70	-

7% rabatt ska dras av på angivna priser CONTROL TABLE LAMP

"The Control Table Lamp is a unique and playful lamp with references to hi-fi and industrial machinery. The light and dimmer is controlled by a switch, referencing volume controls, and is an inviting and simple way of interacting with the user. While designing the lamp, we were inspired by the idea of displaying the different lamp components on a serving plate—almost as a still life. It was a pragmatic approach to making a lamp by the simplest means, a reduced design beyond reduction."




— TAF Studio

Designed by	TAF Studio / 2016
Environment	Indoor
Country of Production	China
Cord Length	250 cm / 98.5"
Bulb Included	Yes
Dimmable Function	Yes
Description	The Control Table Lamp places the iconic E27 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values.
Material	The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
	TESTS & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012
	The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019
	USA/Canada:

7% rabatt ska dras av på angivna priser CONTROL TABLE LAMP





21 cm / 8.3"

Colli	2
Shipper Colli	1
Gross Weight (kg)	1.45
Net Weight (kg)	0.9
Warranty Period	5 years

ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

15410	Black	SEK I.II3,70	-
15412	Grey	SEK 1.113,70	-
15413	Red	SEK 1.113,70	-
15411	White	SEK I.II3,70	-

7% rabatt ska dras av på angivna priser COSY IN GREY TABLE LAMP

"The idea for the Cosy In Grey was to create a lamp that created a spatial atmosphere within the room. I put my trust in the natural material of glass; its beauty and changing reflections. The Cosy In Grey Table Lamp expresses the beauty of electrical light in a modern form. Whether it be early mornings, during lunch or a cold night, the Cosy In Grey Table Lamp will bring a warm and friendly atmosphere to any space."

— Harri Koskinen



Designed by	Harri Koskinen / 2006
Environment	Indoor
Country of Production	China
Cord Length	260 cm / 102.25"
Bulb Included	No. Only use dimmable bulb.
Dimmable Function	Yes
Description	With its modern shape in mouth-blown glass, the Cosy In Grey Table Lamp provides gentle lighting through its dimmable naked bulb, encased in smoked grey glass. Place the Cosy In Grey Table Lamp in any space for a new perspective on ambient lighting.
Material	The Cosy in Grey Table Lamp is hand made, mouth blown in colored soda lime glass, cut grinded and polished by hand. PVC cord with a dimmer, plastic socket and an internal clear plastic construction to secure cord and socket. Bulb not included.
Cleaning & Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
	TESTS & CERTIFICATIONSEU:EN 60598-1 and EN 60598-2-4Low Voltage Directive (LVD) - 2014/35/EUECO Design Directive - 245/2009/ECROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863REACH Directive - EC/1907/2006WEEE Directive - 2012/19/EUUK:BS EN 60598-1 and EN 60598-2-4Electrical Equipment (Safety) Regulations 2016Electromagnetic Compatibility Regulations 2016The Restriction of the Use of Certain Hazardous Substances in Electrical and ElectronicEquipment Regulations 2012The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)Regulations 2019

7% rabatt ska dras av på angivna priser COSY IN GREY TABLE LAMP

		۵24 cm / 9.5"	
Colli Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	2 1 4.5 4.1 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
01033	Grey	SEK 1.973,70	-
Extras			
01040	LED Bulb	SEK 231,30	-



7% rabatt ska dras av på angivna priser LEAF LAMP SERIES

"Combining a light and elegant design with an energy-efficient LED technology, the Leaf Lamp Series has a clean and refined expression. The asymmetric geometry of the design gives it an organic and friendly appearance, inspired by the leaves on a tree. Turn the Leaf Lamp according to your needs and discover how the lamp will subtly transform its shape, adding a graphic and gentle light silhouette to any space."


– Broberg δ Ridderstråle



Designed byBroberg & Ridderströle / 2012EnvironmentIndoorCountry of ProductionChinaCountry of ProductionChinaCord LengthI80 cm / 71"Bub IncludedYesDescriptionWith its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features of anmable ED light alongside at fumable head, allowing for its user to position the light as desired for one's individual space and atmosphere.MaterialAuminum, brass, colored PVC cord. Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder cording as point. It has a buildine nergy-efficient LED bulb with a lumen Maintenance (Lifetime) of L90 BIO 35.000 hours.Cleaning & CareWep off dust with dry. loft, if necessary use moist clath, then dry off. Do not use abrasive cleaning ogents. Always switch off the electricity supply before cleaning.EU: IEC 60598-1 and IEC 60598-24 Low Voltage Directive (VDI) - 80/4735/EU EO Design Directive - 90/27/2006 WEED Directive - 90/27/2006 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20/6 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20/6 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20/6 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20/8 The Electromagnetic Composibility Re		
Country of Production China Courd Length I80 cm / 71" Bulb Included Yes Dimmable Function Yes Description With its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere. Material Aluminum, brass, colored PVC cord. Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder coating as paint. It has a build-in energy-efficient LED bub with a Lumen Maintenance (Lifetime) of L90 BIO 35.000 hours. Cleaning & Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning. EU: IEC 60598-1 and IEC 60598-2-4 Low Votage Directive (VD) - 2014/35/EU ECO Design Directive - 2016/35/EU ECO Design Directive - 2019/07/EU UK: BS EN 60597-1 and IEC 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Low Votage Directive - 2019/07/EU UK: BS EN 60597-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Re	Designed by	Broberg & Ridderstråle / 2012
Cord LengthIBO cm / 71"Bulb IncludedYesDimmable FunctionYesDescriptionWith its elegantly simple lines, the Lead Lamp Series brings ambient as well as direct lighting to ony space, poired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere.MaterialAluminum, brass, colored PVC cord. Leaf is a result of a process combining turned and casted duminum and steel, with a strong powder coating as point. It has a build-in energy-efficient LED bulb with a Lumen Mdintenance (Lifetime) of 190 BIO 35.OOO hours.Cleaning & CareWipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning.EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 2010/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2010/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2010/65/EU ECO the compartie (LVD) - 2014/35/EU ECO compartie (LVD) - 2014/35/EU ECO compartie Compartie (LVD) - 2014/35/EU ECO the compartie Compartie (LVD) - 2016/35/EU ECO the compartie Compartie Directive - 2015/863 REACH Directive - 2010/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2010/65/EU EEC to compartie Compartie Directive - 2016 Electromagnetic Compartie Directive - 2016 Electromagne	Environment	Indoor
Bulb Included Yes Dimmable Function Yes Description With its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere. Material Aluminum, brass, colored PVC cord. Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder coating as point. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L90 BIO 35.000 hours. Cleaning & Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrosive cleaning agents. Always switch off the electricity supply before cleaning. FSTS & CERTIFICATIONS EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (VDI) - 2014/35/EU Low Voltage Directive (VDI) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2010/6/FLU amended ROHS 3 Directive 2015/863 REACH Directive - 2010/6/FLU amended ROHS 3 Directive 2015/863 VK: BS EN 60598-1 and EN 60598-2-4 Eco foreal functions 2016 UK: BS EN 60598-1 and EN 60598-2-4 Eco foreal functions 2016 Lisectromagnetic Compatibility Regulations 2016 Electromagnetic Compatibility Regulations 2016	Country of Production	China
Dimmable Function Yes Description With its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere. Material Aluminum, brass, colored PVC cord. Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder cooting as point. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35, OOO hours. Cleaning & Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning ogents. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: IEC 60598-1 and IEC 60598-2:4 Low Voltage Directive - 945/2009/EC ROHS Directive - 945/2009/EC ROHS Directive - 945/2009/EC ROHS Directive - 901//65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 901/97/2006 UK: BS EN 60598-1 and EN 60598-2:4 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2016 Detertive LCO Directive 2019/7/2006 UK: BS EN 60598-1 and EN 60598-2:4 Electromagnetic Compatibility Regulations 2016 </th <th>Cord Length</th> <th>180 cm / 71''</th>	Cord Length	180 cm / 71''
Description With its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere. Material Aluminum, brass, colored PVC cord. Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder coating as point. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35.000 hours. Cleaning & Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning. EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive + 201/2/5/EU ECO Design Directive + 201/2/5/EU EC Design Directive - 201/2/5/EU ECO Design Directive - 201/2/5/EU EC Directive - 201/2/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2019 UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 The Restriction of the Use of Certa	Bulb Included	Yes
any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere. Material Aluminum, brass, colored PVC cord. Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35.000 hours. Cleaning & Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive - 2010/57/EU ECO Design Directive - 92016/57/EU ECO Design Directive - 92016/37/EU EV: IEC 60598-1 and EN 60598-2-4 Low Voltage Directive - 2012/97/EU Wite WEE Directive - 2012/97/EU Wite UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electronal Electronic Equipment (Safety) Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2019 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit Regulations 2019 USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4 <th>Dimmable Function</th> <th>Yes</th>	Dimmable Function	Yes
Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35,000 hours. Cleaning & Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive 245/2009/EC ROHS Directive - 2012/16/EU ROHS Directive - 2012/05/EU amended ROHS 3 Directive 2015/863 REACH Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electrical Equipment (Safety) Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2019 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4 Australia/New Zealand:	Description	any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the
powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35.000 hours. Cleaning & Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electrical Equipment (Safety) Regulations 2016 Electrical Equipment Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2019 USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4 Australia/New Zealand: List Sta Action	Material	Aluminum, brass, colored PVC cord.
cleaning agents. Always switch off the electricity supply before cleaning.		powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen
EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 201/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2019/19/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4 Australia/New Zealand:	Cleaning δ Care	Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning.
		EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4 Australia/New Zealand:

7% rabatt ska dras av på angivna priser LEAF TABLE LAMP





Colli	1
Shipper Colli	1
Gross Weight (kg)	3
Net Weight (kg)	1.75
Warranty Period	5 years

ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

13422	Black	SEK 2.106,10	-
13423	Copper Brown	SEK 2.106,10	-
13424	Dark Green	SEK 2.106,10	-
13420	Grey	SEK 2.106,10	-
13421	White	SEK 2.106,10	-

7% rabatt ska dras av på angivna priser LEAF FLOOR LAMP





Colli	1
Shipper Colli	1
Gross Weight (kg)	4.8
Net Weight (kg)	4.4
Warranty Period	5 years


ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

13432	Black	SEK 2.880,IO	-
13433	Copper Brown	SEK 2.880,10	•
13434	Dark Green	SEK 2.880,10	-
13430	Grey	SEK 2.880,10	-
13431	White	SEK 2.880,10	-

7% rabatt ska dras av på angivna priser LINEAR LAMP SERIES

"The Linear Lamp Series is designed from the idea of creating smaller atmospheres through modern light, bringing a sense of intimacy to larger spaces. With their elegant expression, subtle details and inherent functionality of a dimmable light source, the designs create space for both being and working on your own as well as making for a friendly environment when in the company of others. The Linear Lamp Series makes for modern, functional lighting that can be adjusted to the exact purpose of your space."





Thomas Bentzen

Designed by	Thomas Bentzen / 2020
Environment	Indoor
Country of Production	Lamps in China / Power Outlet in United Kingdom
Cord Length	Table Lamp: 250 cm / 98.4". Mounted Lamp: 150 cm / 59.1". Pendant Lamp: 400 cm / 157.5"
Bulb Included	Integrated LED
Dimmable Function	Yes
Description	Designed from the idea of creating smaller spaces within larger settings, the Linear Lamp Series by Thomas Bentzen is created with subtlety at its heart—simple lines, inviting functionalities and dimmable light that can be adjusted to any setting. The Linear Table δ
	Mounted Lamps hint toward the archetypal library lamp with a modern expression, paired with the ex tensive functionality of dimmability. Available in two sizes, the Linear Mounted Lamp brings a friendly canopy of light to any space. The Linear Pendant Lamp brings elegant overhead lighting through its slender lines and its generous distribution of light, available in two sizes.
Material	Linear Pendant Lamp: Powder coated lamp head in pressure die-casted and extruded aluminum.
	Linear Table Lamp δ Linear Mounted Lamp: Powder coated lamp head in extruded aluminum. Diffuser in polycarbonate. PVC cord.
Cleaning δ Care	Clean with a moist cloth. If Necessary, use a little dish soap on the cloth.



7% rabatt ska dras av på angivna priser LINEAR LAMP SERIES

TESTS & CERTIFICATIONS

EU: Linear Table / Linear Mounted IEC 60598-I and IEC 60598-2-4 Linear Pendant IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 20I4/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863 REACH Directive - EC/I907/2006 WEEE Directive - 20I2/I9/EU

UK:

Linear Table / Linear Mounted BS EN 60598-I and EN 60598-2-4 Linear Pendant BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

AU7NZ: Linear Table / Linear Mounted AS/NZS 60598.1 AS/NZS 60598.2.4 Linear Pendant AS/NZS 60598.2.1



7% rabatt ska dras av på angivna priser LINEAR TABLE LAMP

		W 23,2 cm / 9,1" D IQ.7 cm / 4.2"	
Colli Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	2 1 1.85 1.3 5 years		
ltem No. Ready-To-Ship	Color	Contract Price	Lead Time
225IO	Black	SEK 3.263,70	
22511	Grey	SEK 3.263,70	-



7% rabatt ska dras av på angivna priser LINEAR MOUNTED LAMP / 209,2 CM

		W 209,2 mm / 82.4" D IQ,7 cm / 4.2"	
Colli Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	l 1 7.8 4.8 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22514	Black	SEK 8.423,70	-
22515	Grey	SEK 8.423,70	-



7% rabatt ska dras av på angivna priser LINEAR MOUNTED LAMP / 23,2 CM

		W 23,2 cm / 9.1" D IQ.7 cm / 42"	
Colli Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	I I I.5 I 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22512	Black	SEK 2.661,70	-
22513	Grey	SEK 2.661,70	-



7% rabatt ska dras av på angivna priser LINEAR SYSTEM TABLE POWER OUTLET

		is is is	
Colli Shipper Colli Gross Weight (kg) Warranty Period	l l 1.5 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
39967-BLCK 39967-GREY	Black Grey	SEK 1.629,70 SEK 1.629,70	-
-	•		



7% rabatt ska dras av på angivna priser LINEAR SYSTEM POWER CONFIGURATION



Colli	1
Shipper Colli	1
Warranty Period	5 years

ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
49900	Black - Configuration I	SEK 941,70	-
49905	Black - Configuration 2	SEK 941,70	-
499IO	Black - Configuration 3	SEK 1.418,10	-

7% rabatt ska dras av på angivna priser POWER KIT

Colli	1		
	1		
Colli Shipper Colli Warranty Period	l I 5 years		
Shipper Colli	l I 5 years Color	Contract Price	Lead Tir
Shipper Colli Warranty Period			Lead Tir

7% rabatt ska dras av på angivna priser POWER EXTENSION KIT

Colli	I	
Shipper Colli	1	
Warranty Period	5 years	
ltem No.	Color	
Ready-To-Ship		
39976	Power Extension Kit – 200cm / 78,7in	

39976	Power Extension Kit – 200cm / 78,7in	SEK 460,IO	-
39978	Power Extension Kit – 250cm / 98,4in	SEK 460,10	-

Contract

Price

Μυυτο

Lead Time

7% rabatt ska dras av på angivna priser POST LAMP SERIES

"The Post Lamp Series came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp's light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Lamp Series represents a new perspective through its graphic character and forward-thinking functionality."

— Earnest Studio



Designed by	Earnest Studio / 2020
Environment	Indoor
Country of Production	China
Cord Length	Lighting units: 250 cm / 98.4" / Power Hub: 200 cm / 78.7"
Bulb Included	Yes
Dimmable Function	Yes
Description	The Post Lamp Series is an innovative lighting design with an archetypal appearance, graphic character and forward-thinking functionalities. Exploring the utmost flexibility of a magnetic joint, the user can position, dim and turn the lamp according to individual needs. Arrange the cord of the design in linear or playful formations on the wall, using its cable drop. Additional lighting units can be purchased as spare part and plugged into power hub.
Material	Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffsuer. Power hub in powder coated plastic with PVC cord.
	Post Wall Lamp: Wall mounting bracket in powder coated steel. Wall cable drops in powder coated steel with magnet and repositionable adhesive tape.
	Post Floor Lamp: Base in powder coated steel. Cable drops in powder coated plastic with magnet.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
	TESTS & CERTIFICATIONS EU: IEC 60598-I and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU
	UK: BS EN 60598-I and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019
	The Eurasian Economic Union: TP TC OO4 and TP TC O2O
	USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.25O.4



7% rabatt ska dras av på angivna priser POST WALL LAMP

		5,4 cm / 2.1"	
Colli Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	4 1 1.05 0.55 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22381	Black	SEK 2.106,10	-
Extras			
22509	Extra Wall Mount - Black	SEK 176,30	- -
22499	Extra Cable Drops - Black	SEK 227,90	
22388	Power Supply Hub - Black	SEK 460,10	-

7% rabatt ska dras av på angivna priser POST FLOOR LAMP

		505 cm / 3.7"	
Colli			
Shipper Colli	1		
Gross Weight (kg)	11.02		
Net Weight (kg)	9.9		
Warranty Period	5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
2238O	Black	SEK 5.202,10	-
Extras			
22386	Extra Cable Drops - Black	SEK 227,90	-
22388	Power Supply Hub - Black	SEK 460,IO	-



7% rabatt ska dras av på angivna priser PULL FLOOR LAMP

"The Pull Floor Lamp brings a new perspective to the traditional floor light through its playful personality and warm, Scandinavian materials. With its partially hidden cord connecting the elements of the design and allowing for adjusting of its shade, the Pull Lamp can be tweaked to the mood and needs of any space, enhancing the expression of the design as well as the ambience of the room."

– Whatswhat



Whatswhat / 2012
Indoor
Denmark
200 cm / 78,7"
No
Yes - dimmable switch included
Taking cues from the materiality of Scandinavian design with a playful approach, the Pull Floor Lamp's combines the warmth of oak with an adjustable shade, allowing for its direction of light to be altered according to your given spatial needs.
Natural oak wood with white covered plast composite. Wood parts are handmade by manual lathe and wood carving machines. Shade is hand crafted and handled carefully through every step. Cord in PVC.
Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Always clean along the grains of the wood. Always switch off the electricity supply before cleaning.
TESTS & CERTIFICATIONS EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4 Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.4



7% rabatt ska dras av på angivna priser PULL FLOOR LAMP

		Ø 3,5 cm / 12.5"	
Colli			
Shipper Colli	-		
Gross Weight (kg)	7		
Net Weight (kg)	3		
Warranty Period	5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
12045	Grey/White	SEK 4.037,70	-
12044	Oak/White	SEK 4.037,70	-

7% rabatt ska dras av på angivna priser RIME WALL LAMP

23 cm / 9.1"
12 cm / 4.7"

Colli	2
Shipper Colli	1
Gross Weight (kg)	0.97
Net Weight (kg)	O.58
Warranty Period	5 years

ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

22427	Black	SEK 2.880,10	-
22428	Grey	SEK 2.880,10	-
22429	Orange	SEK 2.880,10	-
22426	White	SEK 2.880,10	-

l6,2 cm / 6.4"

7% rabatt ska dras av på angivna priser TIP LAMP SERIES

"The Tip Lamp Series is a simplistic and friendly design featuring a characteristic architectural silhouette. During the design process, we focused on polishing every single detail alongside the design's functionality. I wanted to reduce the design to the very essence of its purpose—intending to create a product that anyone would understand and be able to use in their daily lives. Its molded body gives the Tip Lamp Series a clean and precise look, highlighting its appearance of quality."



— Jens Fager

Jens Fager / 2017 and 2020
Indoor
China
250 cm / 98.5"
Yes - integrated LED
Yes
Created from the idea of stripping a design down to its essentials, the Tip Lamp Series is an example of simple, functional design with careful attention to detail. Offering direct as well as ambient light, the lamp's adjustable head feature an opal diffuser and dimmer function that effortlessly alters the volume of light.
Casted and extruded aluminum. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35.000 hours. Cord in PVC.
Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
TESTS & CERTIFICATIONS EU: Tip Table / Tip Floor: IEC 60598-1 and IEC 60598-2-4 Tip Wall: IEC 60598-1 and IEC 60598-2-1 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU
UK: Tip Table / Tip Floor: BS EN 60598-1 and EN 60598-2-4 Tip Wall: BS EN 60598-1 and BS 4533-102.1, EN 60598-2-1 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: Tip Table: UL STD. 153 / CSA STD. C22.2 NO.250.4 Tip Wall: UL STD. 1598 / CSA STD. C22.2 NO.250.0 Australia/New Zealand: Tip Table: AS/NZS 60598.1 and AS/NZS 60598.2.4 Tip Wall: AS/NZS 60598.1 and AS/NZS 60598.2.1

7% rabatt ska dras av på angivna priser TIP TABLE LAMP





Colli	1
Shipper Colli	1
Gross Weight (kg)	2.85
Net Weight (kg)	1.6
Warranty Period	5 years

ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

22321	Black	SEK 2.317,70	-
22323	Copper Brown	SEK 2.317,70	-
22320	Grey	SEK 2.317,70	-
22324	Olive ***	SEK 2.317,70	-
22322	White	SEK 2.317,70	


7% rabatt ska dras av på angivna priser TIP FLOOR LAMP

		32 cm / 12.6"	
Colli Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	l l 5.4 2.6 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22317	Black	SEK 3.482,10	-
22316	Grey	SEK 3.482,IO	-
22318	White	SEK 3.482,IO	-



7% rabatt ska dras av på angivna priser TIP WALL LAMP





Shipper Colli	1
Gross Weight (kg)	O.75
Net Weight (kg)	O.5I
Warranty Period	5 years

ltem No.	Color	Contract Price	Lead Time

Ready-To-Ship

22326	Black	SEK 1.762,1O	-
22328	Copper Brown	SEK 1.762,10	-
22325	Grey	SEK 1.762,10	-
22327	White	SEK 1.762,10	-