

STATLIGT RAMAVTAL - MÖBLER & INREDNING

DELOMRÅDE - Inredningsarmaturer - Avtalsnummer 23.3-8004-18:011

Luceplan - Produktlista nr 3



**LUCE
PLAN**

8 % rabatt ska dras av på angivna priser.

Kinnarps AB
521 88 Kinnarp
Tel 0515-38 000
www.kinnarps.se
Kinnarps Interior - Showrooms

E-postadress för avrop:
avrop.kammarkollegiet@kinnarps.se

Kontakt avtalsfrågor:
Upphandlingsgruppen 08-53691191

Alingsås	Kristineholmsvägen 12 441 39 ALINGSÅS tel. 0322-66 85 85	Karlstad	Körkarlsvägen 5 653 46 KARLSTAD tel. 054-22 38 80	Stockholm	Fannys Väg 5 131 54 NACKA tel. 08-556 910 00
Arvika	Blästervägen 3 671 41 ARVIKA tel. 0570-71 17 70	Kiruna	Triangelvägen 2 981 38 KIRUNA tel. 0980-804 00	Sundsvall	Tegelvägen 18 853 50 SUNDSVALL tel. 060-17 46 40
Borås	Företagsgatan 14 (Viared) 504 94 BORÅS tel. 033-44 73 73	Kristianstad	Karlsgratan 45 291 59 KRISTIANSTAD tel. 044-10 10 10	Södertälje	Hantverksvägen 10 151 65 SÖDERTÄLJE tel. 08-550 664 55
Enköping	Östra Järnvägsgatan 1 745 37 ENKÖPING tel. 0171-271 75	Lidköping	Skaragatan 44 531 33 LIDKÖPING tel. 0510-48 40 30	Trollhättan	Betongvägen 11 461 38 TROLLHÄTTAN tel. 0520-48 85 85
Eskilstuna	Gap Sundins Väg 2 633 46 ESKILSTUNA tel. 016-51 52 15	Linköping	Gillbergagatan 42 582 73 LINKÖPING tel. 013-36 48 00	Umeå	Cementvägen 16 906 21 UMEÅ tel. 090-18 17 00
Falköping	521 88 KINNARP tel. 0515-380 35	Ljungby	Gängesvägen 6 341 31 LJUNGBY tel. 0372-818 20	Uppsala	Syveniusgatan 4 754 50 UPPSALA tel. 018-65 17 00
Falun	Krontallsvägen 28 791 55 FALUN tel. 023-794 46 00	Luleå	Midgårdsvägen 26 973 34 LULEÅ tel. 0920-101 70	Varberg	V. Vallgatan 2C 432 40 VARBERG tel. 0340-61 14 30
Gislaved	Regeringsgatan 14 332 30 GISLAVED tel. 0371-58 69 00	Lycksele	Umevägen 1 921 45 LYCKSELE tel. 070-2200875	Visby	Skarphällsgatan 13 621 41 VISBY tel. 0498-20 27 47
Gävle	Utmarksvägen 1 802 91 GÄVLE tel. 023-794 46 00	Malmö	Östra Hindbyvägen 63 213 74 MALMÖ tel. 040-14 34 20	Västervik	Storgatan 39 593 33 VÄSTERVIK tel. 0490-102 00
Göteborg	Ebbe Lieberathsgatan 30 412 65 GÖTEBORG tel. 031-703 27 00	Motala	Kyrkogatan 5 591 35 MOTALA tel. 0141-21 36 76	Västerås	Lysgränd 3 721 30 VÄSTERÅS tel. 021-10 82 00
Halmstad	Fyllebrovägen 16 302 60 HALMSTAD tel. 035-17 74 70	Norrköping	Koppargatan 24 602 23 NORRKÖPING tel. 011-31 30 00	Växjö	Sandvägen 8 352 45 VÄXJÖ tel. 0470-70 23 30
Helsingborg	Garnisonsgatan 22 254 66 HELSINGBORG tel. 042-38 83 00	Norrtälje	Danskes gränd 2 761 30 NORRTÄLJE tel. 08-556 910 00	Ystad	Militärvägen 2 271 39 YSTAD tel. 0411-55 22 50
Hudiksvall	Rönningevägen 2 824 34 HUDIKSVALL tel. 0650-991 91	Nyköping	Brunnsgatan 3 611 32 NYKÖPING tel. 0155-20 58 10	Örebro	Nastagatan 10 C 702 27 ÖREBRO tel. 019-20 92 30
Jönköping	Huskvarnavägen 80 554 54 JÖNKÖPING tel. 036-36 46 00	Skellefteå	Anderstorg 2 931 57 SKELLEFTEÅ tel. 0910-568 00	Örnsköldsvik	Terminalvägen 11 891 51 ÖRNSKÖLDSVIK tel. 0660-812 00
Kalmar	Dagövägen 3 393 54 KALMAR tel. 0480-880 50	Skillingaryd	Götaströms Industriområde 568 00 SKILLINGARYD tel. 0370-37 55 90	Östersund	Splintvägen 3 831 72 ÖSTERSUND tel. 063-57 11 50
Karlskrona	Järavägen 6 371 49 KARLSKRONA tel. 0455-307530	Skövde	Norra Aspelundsvägen 1A 541 34 SKÖVDE tel. 0500-44 51 30		

8 % rabatt ska dras av på angivna priser.

Index

Across	Curl	Lita
Amisol	Diade	Lola
Ascent	Diade Floor	Luthien
Berenice	Doi	Malamata
Blow	E04 Ceiling	Mesh
Bulbullia	E04 Wall	Metropoli
Carrara	E04 Suspension	Nui
Cassette	E06	Nui mini
Compendium	Ecran In&Out	Otto Watt
Compendium Circle	Farel	Pétale
Compendium Plate	Fienile	Silenzio
Costanzina	Fienile Outdoor	Soleil Noir
Costanza	Flia	Stochastic
Lady Costanza	Fortebraccio	Tango
Grande Costanza	Hope	Titania
Grande Costanza Air	Illan	Queen Titania
Counterbalance	Koinè	Trama
Counterbalance Spot	Lane	Trypta
Counterbalance Floor	Levante	Zile

8 % rabatt ska dras av på angivna priser.

Legenda

□	Light source included
h	Height
L	Length
d	Depth
∅	Diameter
▽	Fixture fit for direct assembly on normally inflammable surfaces.
IP40	Appliance protected against ingress of solid objects greater than 1.0 mm.
IP54	Protected against ingress of dust and against splashes of water from all directions. Dust-tight.
IP65	Protected against water jets. Degree of protection against external mechanical impacts.
IK	Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
⊕	Device in which the protection against electric shock is based not only on basic insulation but also on additional security measures such as double insulation or strengthened insulation.
□	Device in which the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
⚡	The product FSC® certified is made in certified wood FSC® (Forest Stewardship Council®), from forests managed in a correct, responsible way. Look for our FSC® certified products.
▼	Discontinued


Important notice

The products in this price list are intended for the countries corresponding to the price list itself. Any request for export outside the authorized countries must be agreed upon with Luceplan, as reported in the General Conditions of Sale, appendix to this price list.

8 % rabatt ska dras av på angivna priser.

A08 ACROSS

pio & tito toso



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

2700K version

	A08S01 suspension structure dimmable 24Vdc SELV H 62 L 102 L cable 300 CE, ENEC, TÜV	1A080S010002	black	LED 2700K CRI 90 32W <input type="checkbox"/>	8.349,00
		1A080S010001	white		8.349,00

	A08S02 suspension structure dimmable 24Vdc SELV H 75 L 180 L cable 300 CE, ENEC, TÜV	1A080S020002	white	LED 2700K CRI 90 56W <input type="checkbox"/>	10.791,00
		1A080S020001	black		10.791,00

3000K version

	A08S01 suspension structure dimmable 24Vdc SELV H 62 L 102 L cable 300 CE, ENEC, TÜV	1A080SW10002	white	LED 3000K CRI 90 32W <input type="checkbox"/>	8.349,00
		1A080SW10001	black		8.349,00


	A08S02 suspension structure dimmable 24Vdc SELV H 75 L 180 L cable 300 CE, ENEC, TÜV	1A080SW20002	white	LED 3000K CRI 90 56W <input type="checkbox"/>	10.791,00
		1A080S020001	black		10.791,00


8 % rabatt ska dras av på angivna priser.

Light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


dimmmable DALI ceiling rose

	A08/1D dimmable DALI ceiling rose 220-240V ~ 50/60Hz L 31 x H 6,5 x P 5 CE ⊕ ▼	1A080/01D002	white	37W <input type="checkbox"/>	2.200,00
		1A080/01D001	black		2.200,00

	A08/2D dimmable DALI ceiling rose 220-240V ~ 50/60Hz L 38 x H 6,5 x P 5 CE ⊕ ▼	1A080/02D002	white	65W <input type="checkbox"/>	2.365,00
		1A080/02D001	black		2.365,00


dimmmable phase cut ceiling rose

	A08/1T dimmable phase cut ceiling rose 220-240V ~ 50/60Hz L 31 x H 6,5 x P 5 CE ⊕ ▼	1A080/01T002	white	37W <input type="checkbox"/>	2.101,00
		1A080/01T001	black		2.101,00

	A08/2T dimmable phase cut ceiling rose 220-240V ~ 50/60Hz L 38 x H 6,5 x P 5 CE ⊕ ▼	1A080/02T002	white	65W <input type="checkbox"/>	2.277,00
		1A080/02T001	black		2.277,00

8 % rabatt ska dras av på angivna priser.

Light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

structure

	D91S suspension dimmable push/DALI 220-240V~ 50/60 Hz cable l 3 m ceiling rose: Ø 18 x h 4	1D910S000002	white	LED 53W 3000K CRI90 <input type="checkbox"/>	6.567,00
--	--	--------------	-------	--	----------

reflector disk/diffuser

	D91/1 disk Ø 75	1D910/100002	opal		5.940,00
		1D910/100020	silver		6.193,00
		1D910/100030	gold		6.193,00

	D91/2 disk Ø 110	1D910/200002	opal		7.238,00
		1D910/200020	silver		7.733,00
		1D910/200030	gold		7.733,00

accessory





	D91/OAAR anti-rotation accessory	1D91/OAAR000			605,00
--	--	--------------	--	--	--------

8 % rabatt ska dras av på angivna priser.

lights source included


D78 ASCENT

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D78 table dimmer on board h 65 base 17 x 17 head Ø 8,5	1D780=000001	black	LED 11W 2700K CRI90 	5.654,00
	D78pt fixing pin dimmer on board H 64 fixing pin (tickness max 5,7) head Ø 8,5	1D780PT00001	black	LED 11W 2700K CRI90 	5.709,00









D12 BERENICE

alberto meda, paolo rizzato



















body + reflector = complete lamp

Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D12N table on/off switch electronic ballast 12V arms l 45 + 45 base Ø 15	1D120=00N020	alu	 LED 2W G4 3000K 	3.817,00
		1D120=00N001	black	 max 10W 12V GY6.35	3.817,00
	D12NPT table on/off switch electronic ballast 12V fixing pin (max 5,7) arms l 45 + 45	1D120=0PN020	alu	 LED 2W G4 3000K 	3.454,00
		1D120=0PN001	black	 max 10W 12V GY6.35	3.454,00

8 % rabatt ska dras av på angivna priser.

Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D12NPI table on/off switch electronic ballast 12V arms l 30 + 30 base Ø 13,5	1D120=P0N020	alu	 LED 2W G4 3000K 	3.630,00
		1D120=P0N001	black	 max 10W 12V GY6.35	3.630,00
	D12NT floor on/off switch electronic ballast 12V arms l 80 + 30 base Ø 15	1D120T00N001	black	 LED 2W G4 3000K 	4.147,00
		1D120T00N020	alu	 max 10W 12V GY6.35	4.158,00
	D12NA45 wall on/off switch electronic ballast 12V arms l 45 + 45	1D120A45N001	black	 LED 2W G4 3000K 	3.289,00
		1D120A45N020	alu	 max 10W 12V GY6.35	3.311,00
	D12NAPI wall on/off switch electronic ballast 12V arms l 30 + 30	1D120AP0N001	black	 LED 2W G4 3000K 	3.190,00
		1D120AP0N020	alu	 max 10W 12V GY6.35	3.212,00

reflectors


	D12/4 glass reflector	1D120/4/1503	satin white		638,00
		1D120/4/1524	rose		638,00
		1D120/4/1527	yellow		638,00
		1D120/4/1537	sage green		638,00
	D12/5 metal reflector	1D120/5/1520	alu		418,00
		1D120/5/1501	black		418,00
		1D120/5/1530	brass		418,00

8 % rabatt ska dras av på angivna priser.

Light source included

D28 BLOW

ferdi giardini



body






methacrylate blades






complete lamp

Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D28 ceiling dimable push dim remote control h 40 Ø 24 220-240V~ 50/60Hz CE Ⓢ ⚠	1D280000002	opal	 LED E27 dimmable  max 105W HSGSA E27	5.445,00

accessories






	D28/1 methacrylate blades set Ø 140	1D280P000000	transparent		979,00
		1D280P000088	multicolour (blue, green, orange)		979,00
	D28/2 methacrylate screenprinted blades set Ø 140	1D280P200000	transparent		1.078,00
	D28 r infrared remote control	1D280R000000			781,00

8 % rabatt ska dras av på angivna priser.

light source included

D95 BULLULLIA

francisco gomez paz






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D95A3 wall/ceiling dimmable phase cut 220-240V~ 50/60 Hz 37 x 31 depth 7 CE □ ▽	1D950A300002	white	LED 17W 2700K CRI90 □	4.411,00
	D95A3D wall/ceiling dimmable push/DALI 220-240V~ 50/60 Hz 37 x 31 depht 7 CE □ ▽	1D950A3D0002	white	LED 16W 2700K CRI90 □	4.488,00
	D95A5 wall/ceiling dimmable phase cut 220-240V~ 50/60 Hz 62 x 37 depth 7 CE □ ▽	1D950A500002	white	LED 27W 2700K CRI90 □	6.578,00
	D95A5D wall/ceiling dimmable push/DALI 220-240V~ 50/60 Hz 62 x 37 depth 7 CE □ ▽	1D950A5D0002	white	LED 26W 2700K CRI90 □	6.666,00
connection kit					
	D95/3 mechanical connection kit + template only for D95A5 / D95A5D	1D950/030002			1.749,00

8 % rabatt ska dras av på angivna priser.

(Light source included)

D38 CARRARA




alfredo häberli

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D38L floor foot dimmer 220-240V~ 50/60Hz H 185 base Ø 20,5	1D380DL00002	white	LED 45W 3000K CRI 80 	17.732,00
		1D380DL00001	matt black		17.732,00
  					

A03 CASSETTE





daniel rybakken

Power consumption: structure + power supply


+

=




A03W44	A03/1	23W
A03W44	A03/2	28W
A03W66	A03/1	41W
A03W66	A03/3	38W
A03H66	A03/1	59W
A03H66	A03/3	56W
A03W99	A03/1	58W
A03W99	A03/3	53W

optional accessory: recessed frame kit




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A03W44 wall/ceiling 40 x 40	1A030AW44002	matt white	LED 2700K CRI 90 	5.082,00
  					
	A03W66 wall/ceiling 60 x 60	1A030AW66002	matt white	LED 2700K CRI 90 	7.161,00
  					

8 % rabatt ska dras av på angivna priser.


Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A03H66 wall/ceiling high output version with prismatic diffuser 60 x 60 CE Ⓢ ⚠	1A030AH66002	matt white	LED 3000K CRI 90 <input type="checkbox"/>	9.130,00
	A03W99 wall/ceiling 90 x 90 CE Ⓢ ⚠	1A030AW99002	matt white	LED 2700K CRI 90 <input type="checkbox"/>	11.033,00

power supplies



	A03/1 power supply kit phase cut compatible with A03C44, A03C66, A03H66, A03C99 220-240V~ 50/60Hz CE Ⓢ ⚠	1A030/010000			990,00
	A03/2 power supply kit push dim/DALI compatible with A03C44 220-240V~ 50/60Hz CE Ⓢ ⚠	1A030/020000			1.507,00
	A03/3 power supply kit push dim/DALI compatible with A03C66, A03H66, A03C99 220-240V~ 50/60Hz CE Ⓢ ⚠	1A030/030000			1.727,00

ceiling recessed accessories

	A03/7 recessed frame kit for A03C44	1A030/070000			990,00
---	---	--------------	--	--	--------


8 % rabatt ska dras av på angivna priser.



Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A03/8 recessed frame kit for A03C66, A03H66	1A030/080000			1.012,00
	A03/9 recessed frame kit for A03C99	1A030/090000			1.067,00

D81 COMPENDIUM




daniel rybakken







Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D81T2 floor extruded aluminium foot dimmer 3000K h 161 CE	1D810T020030	brass		6.270,00
		1D810T020020	alu		6.270,00
		1D810T020001	black		6.270,00

8 % rabatt ska dras av på angivna priser.






light source included






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D81TW2 floor extruded aluminium foot dimmer 2700K h 161 CE 	1D810TW20030	brass	LED 2700K CRI 90 	6.270,00
		1D810TW20020	alu		6.270,00
		1D810TW20001	black		6.270,00

base for floor version





	D81/26D base foot dimmer 220-240V~ 50/60Hz h 17 Ø 14.5 CE   	1D810/26D001	black	37W	3.080,00
---	--	--------------	-------	-----	----------





suspension structure

	D81B2 suspension extruded aluminium I: max 1A dc V: 42Vdc SELV L 157 H 15 - 300 CE   	1D810B020020	alu	LED 3000K CRI 90 	6.127,00
		1D810B020001	black		6.127,00
		1D810B020030	brass		6.127,00

	D81BW2 suspension extruded aluminium I: max 1A dc V: 42Vdc SELV L 157 H 15 - 300 CE   	1D810BW20020	alu	LED 2700K CRI 90 	6.127,00
		1D810BW20001	black		6.127,00
		1D810BW20030	brass		6.127,00

ceiling rose

	D81/25D dimnable push/DALI 220-240V ~ 50/60Hz 18 x13 x 4 CE   	1D810/25D000	white	37W	2.640,00
---	--	--------------	-------	-----	----------

	D81/25T dimnable phase cut 220-240V ~ 50/60Hz 18 x13 x 4 CE   	1D810/25T000	white	37W	1.606,00
---	---	--------------	-------	-----	----------

8 % rabatt ska dras av på angivna priser.

Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

accessories

	<p>D81/2 accessory for mechanical joining 180°</p>	<p>1D810/200001</p>				<p>264,00</p>
--	---	---------------------	--	--	--	---------------


	<p>D81/3 Accessory Kit for mechanical joining T or 90°</p>	<p>1D810/300001</p>				<p>583,00</p>
--	---	---------------------	--	--	--	---------------

8 % rabatt ska dras av på angivna priser.

light source included

D81C COMPENDIUM CIRCLE

daniel rybakken



It is possible to obtain multiple configurations up to 3 circles.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

3000K versions

	D81C07 aluminium suspension 24Vdc SELV Ø 72 H 15 - 500 CE	1D810C070002	white	LED 52W 3000K CRI 90	15.411,00
		1D810C070001	black		15.411,00
		1D810C070030	brass		15.411,00
		1D810C070020	alu		15.411,00

	D81C11 aluminium suspension 24Vdc SELV Ø 110 H 15 - 500 CE	1D810C110002	white	LED 75W 3000K CRI 90	17.204,00
		1D810C110001	black		17.204,00
		1D810C110030	brass		17.204,00
		1D810C110020	alu		17.204,00


	D81C20 aluminium suspension 24Vdc SELV Ø 200 H 15 - 500 CE	1D810C200002	white	LED 125W 3000K CRI 90	27.863,00
		1D810C200001	black		27.863,00
		1D810C200030	brass		27.863,00
		1D810C200020	alu		27.863,00


8 % rabatt ska dras av på angivna priser.


(light source included)

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


2700K versions


	D81C07W aluminum suspension 24Vdc SELV Ø 72 H 15 - 500 CE Ⓢ ⚡	1D810C07W002	white	LED 52W 2700K CRI 90	15.488,00
		1D810C07W001	black		15.488,00
		1D810C07W030	brass		15.488,00
		1D810C07W020	alu		15.488,00


	D81C11W aluminium suspension 24Vdc SELV Ø 110 H 15 - 500 CE Ⓢ ⚡	1D810C11W002	white	LED 75W 2700K CRI 90	17.831,00
		1D810C11W001	black		17.831,00
		1D810C11W030	brass		17.831,00
		1D810C11W020	alu		17.831,00

	D81C20W aluminium suspension 24Vdc SELV Ø 200 H 15 - 500 CE Ⓢ ⚡	1D810C20W002	white	LED 125W 2700K CRI 90	29.524,00
		1D810C20W001	black		29.524,00
		1D810C20W030	brass		29.524,00
		1D810C20W020	alu		29.524,00

ceiling rose





	D81/4 ceiling rose dimmable push/DALI 60W 220-240V~ 50/60 Hz for D81C07 and D81C07W Ø 24 x 5 CE Ⓢ ⚡	1D810/400000	white		3.916,00
---	---	--------------	-------	--	----------

	D81/5 ceiling rose dimmable push/DALI 100W 220-240V~ 50/60 Hz for D81C11 and D81C11W Ø 33 x 6 CE Ⓢ ⚡	1D810/500000	white		4.422,00
---	--	--------------	-------	--	----------

	D81/6 ceiling rose dimmable push/DALI 150W 220-240V~ 50/60 Hz for D81C20 and D81C20W Ø 33 x 6 CE Ⓢ ⚡	1D810/600000	white		5.192,00
---	---	--------------	-------	--	----------


8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D81/10 remote driver dimnable push/DALI 60W for D81C07 and D81C07W 220-240V~ 50/60 Hz CE	1D810/100000			1.815,00
	D81/11 remote driver dimnable push/DALI 100W for D81C11 and D81C11W 220-240V~ 50/60 Hz CE	1D810/110000			2.123,00
	D81/12 remote driver dimnable push/DALI 150W for D81C20 and D81C20W 220-240V~ 50/60 Hz CE	1D810/120000			2.717,00
	D81/8 optional remote drivers cover for multiple configurations (up to 3) Ø 40 x 6	1D810/800002			2.035,00


D81P COMPENDIUM PLATE

daniel rybakken















Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D81P aluminium wall/ceiling dimnable phase cut push/DALI 220-240V 50/60Hz Ø 56 h 7 CE □ ▼ IP40	1D810P000001	black	LED 75W 2700K CRI 90 □	10.538,00
		1D810P000030	brass		10.538,00
		1D810P000020	alu		10.538,00
		1D810P000002	white		11.176,00

8 % rabatt ska dras av på angivna priser.

light source included







Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
LED Bulbs included in the complete version LED.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13pic LED table on/off switch 220-240V~ 50/60Hz h 51 base 14x14 CE □ ▼	1D13=NPLC020	complete version alu body white shade	 LED 7W E14 □	2.640,00
	D13pi table on/off switch 220-240V~ 50/60Hz h 51 base 14x14 CE □ ▼	1D13=NP00020 1D13=NP00017 1D13=NP00030	alu black brass	 LED E14  12W FB E14 energy saver  42W HSGSA E14	2.002,00 2.002,00 2.915,00
	D13pipt table on/off switch with fixing pin (thickness max 5,7) 220-240V~ 50/60Hz h 51 CE □ ▼	1D13PNP00020	alu	 LED E14  12W FB E14 energy saver  42W HSGSA E14	1.804,00
	D13api wall on/off switch 220-240V~ 50/60Hz h 54 depth 28 CE □ ▼	1D13ANP00020 1D13ANP00017	alu black	 LED E14  12W FB E14 energy saver  42W HSGSA E14	1.969,00 1.969,00

8 % rabatt ska dras av på angivna priser.


light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13spi suspension up and down on/off switch 220-240V~ 50/60Hz H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▼	1D13SNP00002	white counterweight	 LED E14  12W FB E14 energy saver  42W HSGSA E14	1.892,00


shade

	D13/31 shade ø 26 packing: 1 item	9D1331437702	white		473,00
---	--	--------------	-------	--	--------



shades for Mezzo Tono collection

	D13/31 shade ø 26 packing: 1 item	9D1331437734	mistic white		561,00
		9D1331437738	soft skin		561,00
		9D1331437739	shaded stone		561,00
		9D1331437724	edgy pink		561,00
		9D1331437737	comfort green		561,00

shades for Radieuse collection


	D13/31 shade ø 26 packing: 1 item	9D1331437736	petroleum blue		561,00
		9D1331437706	smart yellow		561,00
		9D1331437708	primary red		561,00
		9D1331437705	concrete grey		649,00
		9D1331437701	liquorice black		649,00

accessories




	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white		506,00
	D13/50 wall mount accessory for D13 a.pi	9D1350620720	alu		693,00
		9D1350620701	black		693,00




8 % rabatt ska dras av på angivna priser.





(Light source included)







Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

	D13 c table telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▼	1D13N=00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	5.016,00
---	---	---------------	--	---	----------








	D13 table telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▼	1D13N=000020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	3.773,00
		1D13N=000017	black		3.773,00
		1D13N=000030	brass		5.049,00

	D13i table telescopic on/off switch 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▼	1D13N=010020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	3.113,00
---	--	--------------	-----	---	----------

	D13if table fixed on/off switch 220-240V~ 50/60Hz H 80 base 18x18 CE □ ▼	1D13N=01F020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	2.915,00
---	--	--------------	-----	---	----------












8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13pt table telescopic sensor dimmer on board 220-240V~ 50/60Hz with fixing pin (thickness max 5,7) H 76/110 CE □ ▼	1D13NPT00020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	3.223,00
	D13pti table telescopic on/off switch with fixing pin (thickness max 5,7) 220-240V~ 50/60Hz H 76/110 CE □ ▼	1D13NPT10020	alu	LED E27 20/23W FB E27 105W HSGSA E27 energy saver	2.618,00
	D13 tc floor telescopic sensor dimmer on board 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▼	1D13NT00C020A	complete version alu body white shade diffuser accessory included	LED E27 dimmable 105W HSGSA E27 energy saver	5.148,00
	D13 t floor telescopic sensor dimmer on board 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▼	1D13NT000020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	3.905,00
		1D13NT000017	black		3.905,00
		1D13NT000030	brass		5.148,00
	D13ti floor telescopic on/off switch base 18x18 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▼	1D13NT010020	alu	LED E27 20/23W FB E27 105W HSGSA E27 energy saver	3.344,00
	D13tif floor fixed on/off switch 220-240V~ 50/60Hz h 153 base 18x18 CE □ ▼	1D13NT01F020	alu	LED E27 20/23W FB E27 105W HSGSA E27 energy saver	3.168,00
	D13a wall telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 depth 44/57 CE □ ▼	1D13NA000020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	3.278,00

8 % rabatt ska dras av på angivna priser.


light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13aif wall fixed on/off switch 220-240V~ 50/60Hz H 80 depth 46 CE □ ▽	1D13NA01F020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	2.541,00
	D13s suspension telescopic 220-240V~ 50/60Hz H 100/150 ceiling rose: Ø 7 x 4 CE ⊕ ▽	1D13NS000020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	2.728,00
	D13sas suspension up and down 220-240V~ 50/60Hz H 100/220 ceiling rose: Ø 12 x 3 CE □ ▽	1D13NSA20020	counterweight steel mat chrome	 LED filament E27  105W HSGSA E27 energy saver	2.035,00


shade

	D13/1 shade Ø 40 packing: 1 item	9D1301511702	white		825,00
---	---	--------------	-------	--	--------

shades for Mezzo Tono collection

	D13/1 shade Ø 40 packing: 1 item	9D1301511734	mistic white		1.265,00
		9D1301511738	soft skin		1.265,00
		9D1301511739	shaded stone		1.265,00
		9D1301511724	edgy pink		1.265,00
		9D1301511737	comfort green		1.265,00

shades for Radieuse collection




	D13/1 shade Ø 40 packing: 1 item	9D1301511736	petroleum blue		1.265,00
		9D1301511706	smart yellow		1.265,00
		9D1301511708	primary red		1.265,00
		9D1301511705	concrete grey		1.507,00
		9D1301511701	liquorice black		1.507,00

8 % rabatt ska dras av på angivna priser.

(light source included)


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

accessories

	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white		506,00
	D13/50 wall mount accessory for D13a - D13aif	9D1350620720	alu		693,00
		9D1350620701	black		693,00
	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article only with halogen bulbs	1D13N/910000	white		253,00

8 % rabatt ska dras av på angivna priser.




light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13E d. floor telescopic dimmer on board 220-240V~ 50/60Hz H 217 - 250 H min 130 - 140 base 36 x 36 CE □ ▼	1D13GED00020	alu	LED E27 dimmable	12.584,00
		1D13GED00017	black	105W HSGSA E27 energy saver	12.650,00
	D13E i. floor telescopic on/off switch 220-240V~ 50/60Hz H 217 - 250 H min 130 - 140 base 36 X 36 CE □ ▼	1D13GEI00020	alu	LED E27 dimmable	12.210,00
		1D13GEI00017	black	105W HSGSA E27 energy saver	12.210,00
	D13Ea d. wall version telescopic dimmer on board 220-240V~ 50/60Hz H 215 - 248 CE □ ▼	1D13GEDA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	10.538,00
	D13Ea i. wall version telescopic on/off switch 220-240V~ 50/60Hz H 215 - 248 CE □ ▼	1D13GEIA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	9.152,00
	D13E sas suspension 220-240V~ 50/60Hz H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▼	1D13GESA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	2.266,00











8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13E/1 D13E/1 shade Ø 50, h 35	1D13GE/01002	white		1.936,00
		1D13GE/01039	shaded stone		2.266,00
		1D13GE/01008	red		2.926,00
		1D13GE/01001	black		3.179,00
	D13/25 off-center ceiling rose Ø 12 x h 3	9D1325476800	white		506,00
	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article only with halogen bulb	1D13N/910000	white		253,00



D13G GRANDE COSTANZA

paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13Gt floor telescopic sensor dimmer 220-240V~ 50/60Hz Ø 70, H 175 - 235 base 36x36 CE □ ▼	1D13GTDH0020	alu stem white shade	 3xLED E27 dimmmable  3x70W HSGSA E27 energy saver	13.948,00
	D13Gti floor telescopic on/off switch 220-240V~ 50/60Hz Ø 70, H 175 - 235 base 36x36 CE □ ▼	1D13GTIH0020	alu stem white shade	 3xLED E27  3x20W FB E27  3x70W HSGSA E27 energy saver	13.827,00
	D13Gs suspension sensor dimmer 220-240V~ 50/60Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3 CE □ ▼	1D13GSDH0020	white shade	 3xLED E27 dimmmable  3x70W HSGSA E27 energy saver	7.623,00






8 % rabatt ska dras av på angivna priser.

light source included





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13Gsi suspension on/off 220-240V~ 50/60Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3	1D13GSIH0020	white shade	 3xLED E27  3x20W FB E27  3x70W HSGSA E27 energy saver	7.183,00

D13G GRANDE COSTANZA OPEN AIR


paolo rizzato


				
structure	shade	stake	fixed base	complete lamp

Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13G.air floor outdoor on/off switch 220-240V~ 50/60Hz Ø 2,1, h 221	1D13GT/00020	alu	 LED E27	9.559,00
		1D13GT/00013	rust	 23W FBT E27  205W HSGST E27 energy saver	9.559,00



shade and accessories

	D13G/1 shade Ø 70, h 49	1D13GP/01002	white (indoor only)	3.047,00
		1D13GP/01028	ivory	4.147,00
		1D13GP/01011	green	4.147,00
		1D13GP/01013	rust	4.147,00

	D13G.air/2 base l 36x36, h 2	1D13GT/02020	alu	4.268,00
		1D13GT/02013	rust	4.268,00



8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13G.air/3 stake for inserting into the soil Ø base 6 Ø 2,1, h 50,7	1D13GT/03020	alu		1.309,00
	D13G.air/4 fixed base for dowels Ø 12, h 1,25	1D13GT/04020	alu		1.309,00
		1D13GT/04013	rust		1.309,00



D73 COUNTERBALANCE

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D73N wall step dimmer (0%/50%/100%) l 191,6 head Ø 8,5 CE ⚡ ⚠	1D73N0000003	white	LED 16W 2700K CRI 90 	9.240,00
		1D73N0000001	black		9.240,00
		1D73N0000007	red		9.240,00

D73a COUNTERBALANCE SPOT

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D73NA1 ceiling/wall dimmable trailing edge l 27,9 head Ø 8,5 220-240V~ 50/60Hz CE ⚡ ⚠	1D73NA100003	white	LED 12W 2700K CRI 90 	4.664,00
		1D73NA100001	black		4.664,00






8 % rabatt ska dras av på angivna priser.

Light source included

D73t COUNTERBALANCE FLOOR





daniel rybakken

Calculate the price of the lamp adding the cost of the structure to the base.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D73NT floor step dimmer (0%/50%/100%) h 170 CE  	1D73NT000001	black	LED 16W 2700K CRI 90 	5.214,00
	D73/1 base h 24 Ø 14,5 CE	1D730/100001	black		2.332,00


D76 CURL

sebastian bergne

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D76N1 table dimmer on board l 21 h 26 CE  	1D760N100003	white	LED 8W 3000K CRI 80 	3.366,00
		1D760N100018	mirror		3.366,00

8 % rabatt ska dras av på angivna priser.

Light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

optics 120 cm

	D93SDDCN direct optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSDDC020	alu	LED 43W 3000K CRI 90 <input type="checkbox"/>	9.020,00
--	--	--------------	-----	---	----------

	D93SDICN direct/indirect optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSDIC020	alu	LED 43W + LED 32W 3000K CRI 90 <input type="checkbox"/>	11.165,00
--	---	--------------	-----	--	-----------

	D93SFICN direct/indirect optic 3000K with anti-glare dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSFIC020	alu	LED 43W + LED 32W 3000K CRI 90 <input type="checkbox"/>	11.660,00
--	--	--------------	-----	--	-----------

sound-absorbing panels 120 cm


		1D93010000A1	white/black		12.386,00
	D93/1 Pair of panels 120 x 60	1D93010000A2	white/blue		12.386,00
		1D93010000A4	white/beige		12.386,00


8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


support kit


	D93/5 Kit 4 supports positioning vertical panels recommended for D93SDDC	1D9305000020	alu		1.342,00
---	--	--------------	-----	--	----------

	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu		2.332,00
---	---	--------------	-----	--	----------


optics 180 cm

	D93SDDLN direct optic 3000K dimnable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSDDL020	alu	63W 3000K CRI 90 <input type="checkbox"/>	10.890,00
---	--	--------------	-----	---	-----------

	D93SDILN direct/indirect optic 3000K dimnable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSDIL020	alu	63W+ 52W 3000K CRI 90 <input type="checkbox"/>	13.409,00
---	---	--------------	-----	---	-----------

	D93SFILN direct/indirect optic with anti-glare 3000K dimnable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSFIL020	alu	63W+ 52W 3000K CRI 90 <input type="checkbox"/>	13.673,00
---	--	--------------	-----	---	-----------

sound-absorbing panels 180 cm


		1D93030000A1	white/black		19.723,00
	D93/3 Pair of panels 180 x 60	1D93030000A2	white/blue		19.723,00
		1D93030000A4	white/beige		19.723,00


8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


Support kit

	D93/7 Kit 6 supports positioning vertical panels recommended for D93SDDL	1D9307000020	alu		1.991,00
---	--	--------------	-----	--	----------

	D93/8 Kit 6 supports positioning horizontal panels	1D9308000020	alu		3.377,00
---	---	--------------	-----	--	----------


D93T DIADE FLOOR

monica armani




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

base

	D93/11 base 60 x 50 x 1	1D9311000020	alu		3.179,00
---	--------------------------------------	--------------	-----	--	----------

stem






	D93/10 stem 220-240V~ 50/60 Hz L 215 CE Ⓢ Ⓡ	1D9310000020	alu		6.149,00
---	--	--------------	-----	--	----------

8 % rabatt ska dras av på angivna priser.



light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


optic

	D93TFICN anti glare 3000K optic dimmer on board 120 x 15 x 5 220-240V~ 50/60 Hz   	1D93NTFIC020	alu	LED 43W + LED 32W 3000K CRI 90 	8.998,00
---	---	--------------	-----	---	----------

sound-absorbing panels


	D93/1 Pair of panels 120 x 60 	1D93010000A1	white/black		12.386,00
		1D93010000A2	white/blue		12.386,00
		1D93010000A4	white/beige		12.386,00

support kit

	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu		2.332,00
--	---	--------------	-----	--	----------

8 % rabatt ska dras av på angivna priser.

Light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete wall version. Ceiling rose finish / cylinder finish.

	A05AD wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz ceiling rose Ø 6 depth 10,5 cylinder Ø 2,5 x L 18	1A050AD00001	Black/Black	LED 9W 3000K CRI 90	<input type="checkbox"/>	3.960,00
		1A050AD00002	White/White			3.960,00
		1A050AD00030	Black/Brass			3.960,00
		1A050AD00035	White/Black			3.960,00
		1A050AD00098	Black/White			3.960,00




	A05ADW wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz ceiling rose Ø 6 depth 10,5 cylinder Ø 2,5 x L 18 CE Ⓢ Ⓢ	1A050ADW0001	Black/Black	LED 9W 2700K CRI 90	<input type="checkbox"/>	3.960,00
		1A050ADW0002	White/White			3.960,00
		1A050ADW0030	Black/Brass			3.960,00
		1A050ADW0035	White/Black			3.960,00
		1A050ADW0098	Black/White			3.960,00

bodies suspension version

	A05S1 suspension I : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE Ⓢ Ⓢ	1A050S100001	black	LED 5W 2700K CRI 90	<input type="checkbox"/>	2.189,00
		1A050S100030	brass			2.519,00

8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A05S1W suspension l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE  	1A050S1W0001	black	LED 5W 2700K CRI 90 <input type="checkbox"/>	2.189,00
		1A050S1W0030	brass		2.519,00
	A05S2 suspension ribbed body l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE  	1A050S200002	ribbed body painted white	LED 5W 3000K CRI 90 <input type="checkbox"/>	2.189,00
	A05S2W suspension ribbed body l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE  	1A050S2W0002	ribbed body painted white	LED 5W 2700K CRI 90 <input type="checkbox"/>	2.189,00
ceiling rose					
	A05/1T ceiling rose dimmable phase cut 220-240V~ 50/60Hz Ø 11 h 6,5 CE  	1A050/01T001	black	9W	1.111,00
	A05/1D ceiling rose dimmable DALI 220-240V~ 50/60Hz Ø 11 h 6,5 CE  	1A050/01D001	black	9W	1.375,00
counterweight					
	A05/2 counterweight Ø 10 L cable 3 m	1A050/020002	white		1.166,00
		1A050/020001	black		1.166,00
		1A050/020030	brass		1.309,00

8 % rabatt ska dras av på angivna priser.


lightsources included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

counterweight accessory

	A05/3 accessory	1A050/030000	metal		396,00
---	---------------------------	--------------	-------	--	--------


remote drivers



	A05/4 remote driver dimmable push/DALI 20W 220-240V~ 50/60Hz CE	1A050/040000			990,00
---	---	--------------	--	--	--------

	A05/5 remote driver dimmable phase cut 10W 220-240V~ 50/60Hz CE	1A050/050000			495,00
--	---	--------------	--	--	--------

8 % rabatt ska dras av på angivna priser.

Light source included




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04200 ceiling h 27,9 Ø 7 direct light CE V	1E0400200001	matt black		1.155,00
		1E0400200002	matt white		1.155,00
		1E0400200020	matt alu		1.155,00
		1E0400200030	matt brass		1.155,00
	E04220 ceiling h 37,2 Ø 13,4 direct light CE V	1E0400220001	matt black		1.573,00
		1E0400220002	matt white		1.573,00
		1E0400220020	matt alu		1.573,00
		1E0400220030	matt brass		1.573,00


8 % rabatt ska dras av på angivna priser.

lightsource included


E04250 (with LED optic)




E04250 (with RETROFIT optic)



calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04250 wall direct and direct/indirect light h 46,5 Ø 13,4 CE	1E0400250001	matt black		2.123,00
		1E0400250002	matt white		2.123,00
		1E0400250020	matt alu		2.123,00
		1E0400250030	matt brass		2.123,00

top cover to use with retrofit optics

	E0401 top cover	1E040/010001	black		231,00
---	---------------------------	--------------	-------	--	--------

8 % rabatt ska dras av på angivna priser.

lightsource included

E04270-E04290



body



1 x LED optic

or



1 x RETROFIT optic



5-pole ceiling rose kit



complete lamp

E04280



body



2 x LED optic

or



2 x RETROFIT optic



5-pole ceiling rose kit



complete lamp

E04280



corpo



1 x ottica LED

o



1 x RETROFIT optic



top cover



5-pole ceiling rose kit




complete lamp

Calculate the price of the lamp adding the body to the optic (see following pages).


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04270 suspension direct light h 27,9 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400270001	matt black		1.958,00
		1E0400270002	matt white		1.958,00
		1E0400270020	matt alu		1.958,00
		1E0400270030	matt brass		1.958,00
	E04280 suspension direct/indirect light h 46,5 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400280001	matt black		1.936,00
		1E0400280002	matt white		1.936,00
		1E0400280020	matt alu		1.936,00
		1E0400280030	matt brass		1.936,00


8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04290 suspension direct light h 37,2 Ø 13,4 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400290001	matt black		2.266,00
		1E0400290002	matt white		2.266,00
		1E0400290020	matt alu		2.266,00
		1E0400290030	matt brass		2.266,00


accessories


	EA1096 5-pole ceiling rose kit ceiling rose: Ø 12 x 3 CE	1EA100096000	white		209,00
---	--	--------------	-------	--	--------

	E0402 top cover for E04280	1E040/020001	black		363,00
---	---	--------------	-------	--	--------

optics for E04 (ceiling, wall e suspension)

	E041M medium beam optic 45° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE	1E040/1M0000		COB LED module 12W 2700K CRI 90 <input type="checkbox"/>	1.925,00
---	--	--------------	--	---	----------

	E041W large beam optic 60° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE	1E040/1W0000		COB LED module 12W 2700K CRI 90 <input type="checkbox"/>	1.925,00
---	---	--------------	--	---	----------

	E042M medium beam optic 45° dimmable push/DALI for body Ø 13.4 220-240V~ 50/60Hz CE	1E040/2M0000		COB LED module 19W 2700K CRI 90 <input type="checkbox"/>	2.431,00
---	---	--------------	--	---	----------


8 % rabatt ska dras av på angivna priser.

Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E042W large beam optic 56° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE Ⓢ	1E040/2W0000		COB LED module 19W 2700K <input type="checkbox"/> CRI 90	2.431,00
	E043M medium beam optic 30° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz CE Ⓢ	1E040/3M0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	2.035,00
	E043W large beam optic 42° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz CE Ⓢ	1E040/3W0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	2.035,00
	E044M medium beam optic 32° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE Ⓢ	1E040/4M0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	2.662,00
	E044W large beam optic 46° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE Ⓢ	1E040/4W0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	2.662,00
	E041R optic retrofit dimmable phase cut for bodies Ø 7 220-240V~ 50/60Hz CE Ⓢ	1E040/1R0000		 LED retrofit GU10	781,00
	E042R optic retrofit dimmable phase cut for bodies Ø 13.4 220-240V~ 50/60Hz CE Ⓢ	1E040/2R0000		 LED retrofit G53	1.639,00

8 % rabatt ska dras av på angivna priser.

light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

bodies for LED optics

	E06100 ceiling fixture dimmable DALI 220-240V~ 50/60Hz h 40 Ø 7 CE Ⓢ ⚠	1E0600100001	matt black		3.234,00
		1E0600100002	matt white		3.234,00
		1E0600100020	matt alu		3.234,00
		1E0600100030	matt brass		3.234,00

	E06150 electrified EUTRAC fixture dimmable DALI 220-240V~ 50/60Hz h 40 Ø 7 CE Ⓢ ⚠	1E0600150001	matt black		3.652,00
		1E0600150002	matt white		3.652,00
		1E0600150020	matt alu		3.652,00
		1E0600150030	matt brass		3.652,00





LED optics

	E061M medium beam optic 45° 250 mA dc CE Ⓢ	1E060/1M0000			LED module COB 11W 2700K CRI 90	1.298,00
--	--	--------------	--	--	--	----------









	E061W large beam optic 60° 250 mA dc CE Ⓢ	1E060/1W0000			LED module COB 11W 2700K CRI 90	1.298,00
--	---	--------------	--	--	--	----------

8 % rabatt ska dras av på angivna priser.




(light source included)

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E062M medium beam optic 45° 250 mA dc CE 	1E060/2M0000		LED module 11W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	1.474,00
	E062W large beam optic 60° 250 mA dc CE 	1E060/2W0000		LED module dim to warm <input type="checkbox"/> 11W 3000K → 1800K CRI 90	1.474,00

bodies for retrofit optics

	E06200 ceiling fixture 220-240V~ 50/60Hz h 40 Ø 7 CE   	1E0600200001	matt black		2.970,00
		1E0600200002	matt white		2.970,00
		1E0600200020	matt alu		2.970,00
		1E0600200030	matt brass		2.970,00
	E06250 electrified EUTRAC fixture 220-240V~ 50/60Hz h 40 Ø 7 CE   	1E0600250001	matt black		3.421,00
		1E0600250002	matt white		3.421,00
		1E0600250020	matt alu		3.421,00
		1E0600250030	matt brass		3.421,00

retrofit optic


	E041R optic retrofit for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/1R0000		 LED retrofit GU10	781,00
---	---	--------------	--	--	--------

8 % rabatt ska dras av på angivna priser.

Light source included

D67 ECRAN IN&OUT


inga sempé

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D67PLN1 wall/outdoor Ø 18,5 L 14,5 220-240V~ 50/60Hz CE □ ▼ IP65	1D670PN10002	opal white	LED 8W 3000K CRI 80 □ (*)	2.420,00
		1D670PN10034	sand		2.420,00


D96 FAREL

diego sferrazza


LED optic




+




+




=




E27 optic




+



+



=



optics + suspension cables

sound-absorbing body



finishing ring

complete lamp

Calculate the price of the lamp adding the cost of the optic to the sound-absorbing body and the ring.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete version


	D96K new fabric ocher/black 100% recycled black optic and ring complete version E27 optic + sound absorbing body 220-240V~ 50/60Hz diffuser Ø 80 H 40 L cable 300 ceiling rose Ø 15 x 5 CE ⊕ ▼	1D960K0000G3	ocher/anthracite	 LED E27 dimmable	11.968,00
---	---	--------------	------------------	--	-----------


8 % rabatt ska dras av på angivna priser.

light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------



LED optics

	D96/6DW optic dimmmable push/DALI optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/6DW020	alu	COB LED module 23W 2700K CRI 90	4.400,00
		1D960/6DW001	black		4.400,00
		1D960/6DW030	brass		4.400,00


	D96/6D optic dimmmable push/DALI optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/6D0020	alu	COB LED module 23W 3000K CRI 90	4.400,00
		1D960/6D0001	black		4.400,00
		1D960/6D0030	brass		4.400,00

E27 optics. External dome finsh / internal plate finish.


	D96/1EB optic optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/1EB001	Black/White		1.903,00
		1D960/1EB020	Alu/White		1.903,00
		1D960/1EB030	Brass/White		1.903,00

	D96/1EN optic optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/1EN001	Black/Black		1.903,00
		1D960/1EN020	Alu/Black		1.903,00
		1D960/1EN030	Brass/Black		1.903,00

sound-absorbing body

	D96C new fabric ocher/black 100% recycled acoustic material and flame retardant fabric Ø 80 h 40 cm	1D960C0000G3	ocher/black	8.195,00
		1D960C0000A3	dark grey/ raw white	8.195,00
		1D960C0000E2	aquamarine/ raw white	8.195,00
		1D960C0000A2	light grey/ dark grey	8.195,00
		1D960C0000B2	rust/ dark grey	8.195,00


finishing ring

	D96A lower finishing ring	1D960A000001	black	2.673,00
		1D960A000030	brass	2.673,00
		1D960A000020	alu	2.673,00

8 % rabatt ska dras av på angivna priser.

light source included


Suspension version: multiple configurations scheme




Calculate the price of the lamp adding the structure to the optic


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete table version


	<p>D98=W1 table dimmer on board 24V dc L 45 x W 15 x H 22</p> <p>CE ⚡ ⚠</p>	1D980=W10024	rose		10.934,00
		1D980=W10028	prosecco	LED 19W 2700K CRI 90 <input type="checkbox"/>	10.934,00
		1D980=W10036	forest green		10.934,00

suspension, complete version

	<p>D98SC1 suspension dimnable push/DALI 220-240V~ 50/60Hz L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5</p> <p>CE ⚡ ⚠</p>	1D980SC10002	white		13.574,00
		1D980SC10005	dark grey	LED 52W 3000K CRI 90 <input type="checkbox"/>	13.574,00

	<p>D98SW1 suspension dimnable push/DALI 220-240V~ 50/60Hz L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5</p> <p>CE ⚡ ⚠</p>	1D980SW10002	white		12.870,00
		1D980SW10005	dark grey	LED 52W 2700K CRI 90 <input type="checkbox"/>	12.870,00

bodies for multiple configurations. This configurations can be composed according to the scheme shown

	<p>D98SC2 suspension initial lamp (A) dimnable 24Vdc SELV L 120 x W 28 x H 2.7</p> <p>CE ⚡ ⚠</p>	1D980SC20002	white		11.913,00
		1D980SC20005	dark grey	LED 46W 3000K CRI 90 <input type="checkbox"/>	11.913,00

8 % rabatt ska dras av på angivna priser.

Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D98SW2 suspension initial lamp (A) dimmable 24Vdc SELV L 120 x W 28 x H 2.7	1D980SW20002	white	LED 46W 2700K CRI 90	12.023,00
		1D980SW20005	dark grey		12.023,00
	D98SC3 suspension intermediate lamp (B) dimmable 24Vdc SELV L 120 x W 28 x H 2.7	1D980SC30002	white	LED 46W 3000K CRI 90	11.693,00
		1D980SC30005	dark grey		11.693,00
	D98SW3 suspension intermediate lamp (B) dimmable 24Vdc SELV L 120 x W 28 x H 2.7	1D980SW30002	white	LED 46W 2700K CRI 90	11.693,00
		1D980SW30005	dark grey		11.693,00
	D98SC4 suspension terminal lamp (C) dimmable 24Vdc SELV L 120 x W 28 x H 2.7	1D980SC40002	white	LED 46W 3000K CRI 90	11.671,00
		1D980SC40005	dark grey		11.671,00
	D98SW4 suspension terminal lamp (C) dimmable 24Vdc SELV L 120 x W 28 x H 2.7	1D980SW40002	white	LED 46W 2700K CRI 90	11.671,00
		1D980SW40005	dark grey		11.671,00

ceiling rose for multiple suspensions


	D98/4 ceiling rose dimmmable DALI for multiple configurations up to 4 bodies 220-240V~ 50/60Hz L 36 x W 5,3 x H 13,5	1D980/040000	white	max 212W	3.982,00
--	---	--------------	-------	----------	----------

8 % rabatt ska dras av på angivna priser.

lights source included

D98 FIENILE OUTDOOR

daniel rybakken



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

optic (the lamp is supplied without power supply)

	D98TM1 floor outdoor 24V dc L 45 x W 28 x H 2 CE IP65	1D980TM10020	light grey	LED 19W 3000K CRI 90	3.696,00
		1D980TM10005	dark grey		3.949,00

structures

	D98/2 floor outdoor L 32 x W 15 x H 30 CE	1D980/020020	light grey		2.354,00
		1D980/020005	dark grey		2.354,00


	D98/3 floor outdoor L 32 x W 15 x H 70 CE	1D980/030020	light grey		3.124,00
		1D980/030005	dark grey		3.124,00

remote drivers (the junction box is recommended watertight IP68)

	D98/5 remote driver on/off 220-240V~ 50/60Hz SELV CE IP20	1D980/050000			517,00
--	---	--------------	--	--	--------






8 % rabatt ska dras av på angivna priser.

(light source included)

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D94/1 dimnable push/DALI driver for 1 body 220-240V~ 50/60Hz SELV CE IP20	1D940/100000			1.056,00

A04 FLIA

alessandro zambelli

				
structure	base	picket	driver (optional)	complete lamp


The lamp has an IK03 grade. Calculate the price of the lamp adding the structure to the picket or base to the driver (optional).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

structure (the lamp is supplied without power supply)
3000K version



















	A04WTFIA single floor structure 8V dc, max 300mA dc h 75 Ø 5 CE IP65	1A04WTFIA001	matt black	LED 4W 3000K CRI 90 <input type="checkbox"/>	4.444,00
---	--	--------------	------------	--	----------

	A04WTFIB single floor structure 8V dc, max 300mA dc h 120 Ø 5 CE IP65	1A04WTFIB001	matt black	LED 4W 3000K CRI 90 <input type="checkbox"/>	4.609,00
---	---	--------------	------------	--	----------

	A04WTFIC single floor structure 8V dc, max 300mA dc h 180 Ø 5 CE IP65	1A04WTFIC001	matt black	LED 4W 3000K CRI 90 <input type="checkbox"/>	4.961,00
---	---	--------------	------------	--	----------





8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A04WTF2 multiple floor structure 2 stems 8V dc, max 600mA dc h 75 + 120 Ø 5 footprint in plan 40 CE   IP65	1A04WTF20001	matt black	LED 5W 3000K CRI 90 <input type="checkbox"/>	7.249,00
	A04WTF3 multiple floor structure 3 stems 8V dc, max 900mA dc 2 x h 120 + h180 Ø 5 footprint in plan 56 CE   IP65	1A04WTF30001	matt black	LED 7,5W 3000K CRI 90 <input type="checkbox"/>	10.274,00
structure (the lamp is supplied without power supply) 4000K version					
	A04TF1A single floor structure 8V dc, max 300mA dc h 75 Ø 5 CE   IP65	1A040TF1A001	matt black	LED 2,5W 4000K CRI 90 <input type="checkbox"/>	3.333,00
	A04TF1B single floor structure 8V dc, max 300mA dc h 120 Ø 5   IP65	1A040TF1B001	matt black	LED 2,5W 4000K CRI 90 <input type="checkbox"/>	3.443,00
	A04TF1C single floor structure 8V dc, max 300mA dc h 180 Ø 5 CE   IP65	1A040TF1C001	matt black	LED 2,5W 4000K CRI 90 <input type="checkbox"/>	3.729,00
	A04TF2 multiple floor structure 2 stems 8V dc, max 600mA dc h 75 + 120 Ø 5 footprint in plan 40 CE   IP65	1A040TF20001	matt black	LED 5W 4000K CRI 90 <input type="checkbox"/>	5.478,00


8 % rabatt ska dras av på angivna priser.

(light source included)


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A04TF3 multiple floor structure 3 stems 8V dc, max 900mA dc 2 x h 120 + h180 Ø 5 footprint in plan 56 CE   IP65	1A04OTF30001	matt black	LED 7.5W 4000K CRI 90 	7.997,00


accessories

	A04/1 base L 14 x W 10 x H 5	1A040/010001	matt black		759,00
---	---	--------------	------------	--	--------





	A04/2 picket H 26 L 5	1A040/020000	matt black		1.408,00
---	---------------------------------------	--------------	------------	--	----------

remote drivers (the junction box is recommended watertight IP68)

	A04/3 on/off driver 220-240V~ 50/60Hz CC SELV CE IP20	1A040/030000			440,00
---	--	--------------	--	--	--------

	A04/4 dimmable push/DALI driver 220-240V~ 50/60Hz CC SELV CE IP20	1A040/040000			517,00
---	--	--------------	--	--	--------

complete lamp with picket




	A04WTF4 floor structure on/off driver 8V dc, max 300mA dc Ø 4 H 37 CE   IP65	1A04WTF40001	matt black	LED 2.5W 3000K CRI 90 	4.246,00
---	---	--------------	------------	---	----------




8 % rabatt ska dras av på angivna priser.

Light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

portable/rechargeable lamp (USB charger not included in the package)

	A04TP1B complete floor lamp portable, rechargeable on/off, dimmer on board 5V dc USB-C USB/USB-C cable included h 120 base 10 x 13,5 CE  IP65	1A040TP1B001	matt black	LED 4W 3000K CRI 90 	5.170,00
---	---	--------------	------------	---	----------


	A04TP1C complete floor lamp portable, rechargeable on/off, dimmer on board 5V dc USB-C USB/USB-C cable included h 180 base 10 x 13,5 CE  IP65	1A040TP1C001	matt black	LED 4W 3000K CRI 90 	5.478,00
---	---	--------------	------------	---	----------

USB charger for A04TP1B and A04TP1C

	A02/1 USB charger input 110/240V~ 50/60Hz output 5V 2,4A CE 	1A020/010000			363,00
---	--	--------------	--	--	--------

8 % rabatt ska dras av på angivna priser.

light source included






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D33N.100 table/wall on/off switch 220-240V~ 50/60Hz arms l 44 + 35,5 head Ø 16	1D33N2GI00AA	metal	LED filament E27	2.266,00
		1D33N2GI0002	white	70W HSGSA E27 energy saver	2.387,00
		1D33N2GI0001	black soft-touch		2.640,00
	D33Nt.100 floor on/off switch 220-240V~ 50/60Hz arms l 35,5 h 92 head Ø 16	1D33NTGI00AA	metal	LED filament E27	2.805,00
		1D33NTGI0001	black soft-touch	70W HSGSA E27 energy saver	3.080,00
		1D33NTGI0002	white		3.113,00
	D33Nsp.60 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz depth 36 head Ø 11	1D33NSPI00AA	metal	LED E14	1.683,00
		1D33NSPI0002	white	28W Spot R50 E14 energy saver	1.738,00
		1D33NSPI0001	black soft-touch	42W HSGSA E14 energy saver	1.881,00
	D33Nsp.100 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz depth 36 head Ø 16	1D33NSGI00AA	metal	LED filament E27	1.760,00
		1D33NSGI0002	white	70W HSGSA E27 energy saver	1.870,00
		1D33NSGI0001	black soft-touch		2.002,00

accessories

	D33N/01 base Ø 23,6	1D33N/010002	white		1.089,00
		1D33N/01000A	metal		1.089,00
		1D33N/010001	black soft-touch		1.144,00



8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D33N/03 universal joint h 11,8	1D33N/03000A	metal		440,00
	D33N/04 clamp h 1 - 6,5	1D33N/04000A	metal		440,00
	D33N/05 fixing pin Ø 12,5	1D33N/05000A	metal		704,00

















D90 GARBÌ

david dolcini

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D90NW wall dimnable phase cut 220-240V~ 50/60Hz L 20 x W 14 x H 16 CE Ⓢ ⚠	1D90NAW00002	white	LED 34W 2700K CRI 90 <input type="checkbox"/>	3.212,00
	D90NC wall dimnable phase cut 220-240V~ 50/60Hz L 20 x W 14 x H 16 CE Ⓢ ⚠	1D90NAC00002	white	LED 34W 3000K CRI 90 <input type="checkbox"/>	3.212,00














8 % rabatt ska dras av på angivna priser.

Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D66/12 suspension 220-240V~ 50/60Hz H max 270 Ø 61 ceiling rose: Ø 12 x 3	1D6612S00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	10.879,00
	D66/18 suspension 220-240V~ 50/60Hz H max 270 Ø 72 ceiling rose: Ø 12 x 3	1D6618S00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	14.465,00
	D66/42 suspension 220-240V~ 50/60Hz H 50 - 410 Ø 110 ceiling rose: Ø 16 x 4	1D6642S00000	transparent methacrylate	 3x LED E27  3x105W HSGSA E27 energy saver	43.527,00
	D66/105 suspension 220-240V~ 50/60Hz H 60 - 930 Ø 200 ceiling rose: Ø 16 x 4	1D66105S0000	transparent methacrylate	 5x LED E27  5x105W HSGSA E27 energy saver	120.824,00
for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).					
	D66/18td body foot dimmer 220-240V~ 50/60Hz Ø 72	1D6618TD0000	transparent methacrylate	 LED E27 dimmable  105W HSGSA E27 energy saver	14.718,00
	D66/18T.1 ground rod h 164	1D6618T01019	stainless steel		6.270,00







8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D66/3a wall dimmable 220-240V~ 50/60Hz l 43 d 28,5 Ø 48 CE ⊕ ▽	1D6603A00000	transparent methacrylate	 LED dimmable R7s Ømax: 22 mm (L=78 mm)  120W HDG R7s (L=78 mm)	3.619,00
	D66/8a wall 220-240V~ 50/60Hz l 49 d 45,6 Ø 61 CE ⊕ ▽	1D6608A00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	8.404,00
	D66/12p ceiling 220-240V~ 50/60Hz Ø 69 h 41,5 CE ⊕ ▽	1D6612P00000	transparent methacrylate	 3 x LED E14  3 x 42W HSGSA E14 energy saver	12.210,00
	D66/30p ceiling 220-240V~ 50/60Hz Ø 109 h 64 CE ⊕ ▽	1D6630P00000	transparent methacrylate	 3x LED E27  3x 105W HSGSA E27 energy saver	30.173,00
	D66/KT kit for multiple composition (the price of the composition is determined by adding the price of the individual lamps in the chosen composition to the price of the kit)	9D6600000000			3.399,00

8 % rabatt ska dras av på angivna priser.

Light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D82S1 suspension dimnable phase cut 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ ⚠	1D82YS100099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	8.910,00
	D82S1D suspension dimnable push/DALI 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ ⚠	1D82YS1D0099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	9.427,00
	D82S2 suspension dimnable phase cut 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ ⚠	1D82YS200099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	11.352,00
	D82S2D suspension dimnable push/DALI 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ ⚠	1D82YS2D0099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	11.902,00
	D82S3 suspension dimnable phase cut 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ ⚠	1D82YS300099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	13.387,00
	D82S3D suspension dimnable push/DALI 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ ⚠	1D82YS3D0099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	13.948,00

8 % rabatt ska dras av på angivna priser.

Light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

accessory

	D82/1 extra cable kit 10 m	1D820/010000			1.705,00
---	--------------------------------------	--------------	--	--	----------


A07 KOINÈ

mandalaki




body
Ø 37 and Ø 55

+




ceiling rose
A07/1D e A07/1T

=




complete lamp




body
Ø 86 and Ø 110

+



ceiling rose
A07/2D e A07/2T

=








complete lamp

Calculate the price of the lamp adding the body to the ceiling rose.





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------





2700K bodies

	A07S37W Suspension Ø 37 H 8 L cable max 300 I _{max} =500 mA _{dc} and V= 33 V _{dc} SELV CE   	1A070S37W010	mat blue	LED 2700K CRI 90 	4.763,00
		1A070S37W007	mat red		4.763,00
		1A070S37W001	matt black		4.763,00
		1A070S37W002	matt white		4.763,00




8 % rabatt ska dras av på angivna priser.





light source included





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A07S55W Suspension Ø 55 H 10 L cable max 300 Imax=500 mAdc and V= 33 Vdc SELV CE  	1A070S55W010	mat blue	LED 2700K CRI 90 	5.621,00
		1A070S55W007	mat red		5.621,00
		1A070S55W001	matt black		5.621,00
		1A070S55W002	matt white		5.621,00

	A07S11W Suspensionl Ø 110 H 15 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A070S11W010	mat blue	LED 2700K CRI 90 	10.813,00
		1A070S11W010	mat red		10.813,00
		1A070S11W001	matt black		10.813,00
		1A070S11W002	matt white		10.813,00





3000K bodies

	A07S37 Suspension Ø 37 H 8 L cable max 300 Imax=500 mAdc and V= 33 Vdc SELV CE  	1A070S370010	mat blue	LED 3000K CRI 90 	4.763,00
		1A070S370007	mat red		4.763,00
		1A070S370001	matt black		4.763,00
		1A070S370002	matt white		4.763,00

	A07S55 Suspension Ø 55 H 10 L cable max 300 Imax=500 mAdc and V= 33 Vdc SELV CE  	1A070S550010	mat blue	LED 3000K CRI 90 	5.621,00
		1A070S550007	mat red		5.621,00
		1A070S550001	matt black		5.621,00
		1A070S550002	matt white		5.621,00





	A07S11 Suspension Ø 110 H 15 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A070S110010	mat blue	LED 3000K CRI 90 	10.813,00
		1A070S110010	mat red		10.813,00
		1A070S110001	matt black		10.813,00
		1A070S110002	matt white		10.813,00

sound absorbing body 2700K





	A07F86W Suspension Ø 86 H 8 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A070F86W004	medium grey	LED 2700K CRI 90 	8.316,00
		1A070F86W005	anthracite		8.316,00





8 % rabatt ska dras av på angivna priser.

Light source included





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A07F11W Suspension Ø 110 H 15 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE   	1A070F11W004	medium grey	LED 2700K CRI 90 <input type="checkbox"/>	8.668,00
		1A070F11W005	anthracite		8.668,00





sound absorbing body 3000K





	A07F86 Suspension Ø 86 H 8 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE   	1A070F860004	medium grey	LED 3000K CRI 90 <input type="checkbox"/>	8.316,00
		1A070F860005	anthracite		8.316,00

	A07F11 Suspension Ø 110 H 15 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE   	1A070F110004	medium grey	LED 3000K CRI 90 <input type="checkbox"/>	8.668,00
		1A070F110005	anthracite		8.668,00

ceiling rose


	A07/1D dimable DALI ceiling rose For A07S37, A07S37W, A07S55, A07S55W 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 37 and Ø 55 CE   	1A070/01D001	black	21W	1.705,00
---	--	--------------	-------	-----	----------

	A07/2D dimable DALI ceiling rose For A07S11, A07S11W, A07F86, A07F86W, A07F11, A07F11W 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 86 and Ø 110 CE   	1A070/02D001	black	30W	1.705,00
---	--	--------------	-------	-----	----------


	A07/1T dimable phase cut ceiling rose For A07S37, A07S37W, A07S55, A07S55W 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 37 and Ø 55 CE   	1A070/01T001	black	22W	1.562,00
---	--	--------------	-------	-----	----------


8 % rabatt ska dras av på angivna priser.


Light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A07/2T dimmable phase cut ceiling rose For A07S11, A07S11W, A07F86, A07F86W, A07F11, A07F11W 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 86 and Ø 110 CE ⚡ ⚠	1A070/02T001	black	31W	1.562,00

remote drivers

	A07/4 remote driver dimmable push/DALI 36W 500mA 220-240V~ 50/60Hz	1A070/040000			869,00
---	--	--------------	--	--	--------

	A07/5 remote driver dimmable push/DALI 36W 750mA 220-240V~ 50/60Hz	1A070/050000			869,00
---	--	--------------	--	--	--------

	A07/6 remote driver dimmable phase cut 30W 500mA 220-240V~ 50/60Hz	1A070/060000			495,00
---	--	--------------	--	--	--------




	A07/7 remote driver dimmable phase cut 40W 700mA 220-240V~ 50/60Hz	1A070/070000			495,00
---	--	--------------	--	--	--------

8 % rabatt ska dras av på angivna priser.

light source included


D64 LANE

alfredo häberli

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D64 wall dimnable 220-240V~ 50/60Hz H 8 x L 22 depth 9 CE Ⓢ ⚠	1D6400000002	white	 LED dimnable R7s Ømax: 22 mm  120W HDG R7S	2.431,00


A06 LEVANTE

marco spatti




structure
A06/1T and A06/1D

+




panels
A06C1

=




complete lamp




structure
A06/2T and A06/2D

+



panels
A06C2

=





complete lamp

Calculate the price of the lamp adding the cost of the structure to the panels




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

structure

	A06/1T Suspension dimnable phase cut structure Ø 15.6 H 11 ceiling rose Ø 16 x H 6 220-240V~ 50/60Hz CE Ⓢ ⚠	1A060/01T002	matt white	 LED 28W 2700K CRI 90	5.698,00
---	---	--------------	------------	---	----------

8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A06/1D Suspension dimmable DALI structure Ø 15.6 H 11 ceiling rose Ø 16 x H 6 220-240V~ 50/60Hz CE Ⓢ ⚠	1A060/01D002	matt white	LED 25W 2700K CRI 90 <input type="checkbox"/>	6.083,00
	A06/2T Suspension dimmable phase cut structure Ø 24.5 H 16 ceiling rose Ø 16 x H 6 220-240V~ 50/60Hz CE Ⓢ ⚠	1A060/02T002	matt white	LED 54W 2700K CRI 90 <input type="checkbox"/>	7.898,00
	A06/2D Suspension dimmable push DALI structure Ø 24.5 H 16 ceiling rose Ø 16 x H 6 220-240V~ 50/60Hz CE Ⓢ ⚠	1A060/02D002	matt white	LED 54W 2700K CRI 90 <input type="checkbox"/>	8.129,00


panels

	A06C1 small diffusers for A06/1T and A06/1D L 62 H 40 CE	1A060C100002	white		4.840,00
	A06C2 big diffusers for A06/2T and A06/2D L 101.6 H 66.5 CE	1A060C200002	white		8.206,00

8 % rabatt ska dras av på angivna priser.

Light source included



Lita floor



Lita table or suspension (with only one diffuser)















Lita multiple suspension
















Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.

8 % rabatt ska dras av på angivna priser.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92V14 Table complete version on/off switch 220-240V~ 50/60 Hz H 13 Ø 14 CE □ ▽	1D920V140000	white painted aluminum		2.024,00
		1D920V140030	brass		2.134,00
	D92=18 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 28 base Ø 12 CE □ ▽	1D92Z=180099	ash wood		2.398,00
		1D920=180002	white painted aluminum		2.739,00
	D92V18 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 16 base Ø 10 CE □ ▽	1D920V180000	white painted aluminum		1.342,00
		1D920V180030	brass		1.639,00
	D92=30 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 46 base Ø 20 CE □ ▽	1D92Z=300099	ash wood		3.036,00
		1D920=300002	white painted aluminum		3.168,00
	D92V30 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 27 base Ø 15 CE □ ▽	1D920V300000	white painted aluminum		1.474,00
		1D920V300030	brass		1.705,00
	D92T30 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 160 base Ø 28 CE □ ▽	1D920T300002	white painted aluminum		5.214,00
		1D92ZT300099	ash wood		8.019,00



8 % rabatt ska dras av på angivna priser.

Light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92/5 Base weight only for floor version D92T30	1D920/500002	white		1.507,00
		1D920/500000	alu		1.507,00
	D92P14 Wall/ceiling complete version 220-240V~ 50/60 Hz Ø 14 h 12 CE □ ▽ IP40	1D920P140000	white	 LED G9 dimmable	1.287,00
	D92P18 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 h 15 CE □ ▽ IP40	1D920P180000	white	 LED G9 dimmable	550,00
	D92P30 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 h 26 CE □ ▽ IP40	1D920P300000	white	 LED E27 dimmable	583,00
	D92S14 Suspension complete version 220-240V~ 50/60 Hz Ø 14 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ ▽	1D920S140002	white painted aluminum		2.013,00
		1D92ZS140099	ash wood	 LED G9	2.167,00
		1D920S140030	brass		2.453,00
	D92S18 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ ▽	1D920S180002	white painted aluminum		1.584,00
		1D92ZS180099	ash wood	 LED G9	1.738,00
		1D920S180030	brass		1.848,00
	D92S30 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ ▽	1D920S300002	white painted aluminum		2.222,00
		1D92ZS300099	ash wood	 LED E27	2.387,00
		1D920S300030	brass		2.717,00



8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92S42 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/4 diffuser Ø 42 H 30 - 300 ceiling rose: Ø 13 x 4 CE Ⓢ ⚠	1D920S420002	white painted aluminum		2.244,00
		1D92ZS420099	ash wood		2.629,00
		1D920S420030	brass		2.783,00


multiple suspension version


	D92/7 multiple ceiling rose for diffusers Ø 14 or 18 L cable 5 m ceiling rose: Ø 30 x 5,6 CE Ⓢ ⚠	1D920/700002	white		2.915,00
---	--	--------------	-------	---	----------

	D92/8 multiple ceiling rose for diffusers Ø 30 or 42 L cable 5 m ceiling rose: Ø 30 x 5,6 CE Ⓢ ⚠	1D920/800002	white		4.697,00
---	--	--------------	-------	---	----------

diffuser covers (only for multiple version)


	D92R/01 cover for diffuser D92/1 Ø 14	9D9201703202	white painted aluminum	297,00
		9D92Z1709599	ash wood	330,00
		9D9201703230	brass	528,00

	D92R/02 cover for diffuser D92/2 Ø 18	9D9202703302	white painted aluminum	330,00
		9D92Z2705999	ash wood	407,00
		9D9202703330	brass	550,00





	D92R/03 cover for diffuser D92/3 Ø 30	9D9203703402	white painted aluminum	385,00
		9D92Z3706099	ash wood	561,00
		9D9203703430	brass	682,00

8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92R/04 cover for diffuser D92/4 Ø 42	9D9204707102	white painted aluminum		418,00
		9D92Z4702499	ash wood		649,00
		9D9204707130	brass		715,00

Diffusers







	D92/1 Diffuser opal glass Ø 14 H 11,2	1D920/100002	opal		671,00
	D92/2 Diffuser opal glass Ø 18 H 15	1D920/200002	opal		990,00
	D92/3 Diffuser opal glass Ø 30 H 25	1D920/300002	opal		1.617,00
	D92/4 Diffuser opal glass Ø 42 H 36	1D920/400002	opal		2.717,00

8 % rabatt ska dras av på angivna priser.

light source included









D15 LOLA

alberto meda, paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D15ND floor foot dimmer 220-240V~ 50/60Hz H 160/200 base Ø 48	1D15=1ND0020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	5.423,00
		1D15=1ND0017	black		5.423,00
	D15NA1 wall dimmable 220-240V~ 50/60Hz H 25 x L 18 depth 25	1D15A1N00020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	2.002,00
		1D15A1N00017	black		2.002,00


D85 LUTHIEN

monica armani

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D85A wall dimmable phase cut 220-240V~ 50/60Hz L 27 x W 27 x H 10	1D850A000002	matt white	 LED module 21W 2700K CRI 80	3.245,00
		1D850A000004	pearl		3.443,00
		1D850A000024	pink powder		3.443,00
		1D850A000028	sand		3.443,00
	D85AC wall dimmable phase cut 220-240V~ 50/60Hz 27 x 27 x 10	1D850A0C0002	matt white	 LED module 21W 3000K CRI 80	3.245,00
		1D850A0C0004	pearl		3.443,00
		1D850A0C0024	pink powder		3.443,00
		1D850A0C0028	sand		3.443,00
	D85AD wall dimmable DALI 220-240V~ 50/60Hz L 27 x W 27 x H 10	1D850AD00002	matt white	 LED module 21W 2700K CRI 80	3.388,00
		1D850AD00004	pearl		3.597,00
		1D850AD00024	pink powder		3.597,00
		1D850AD00028	sand		3.597,00
	D85ADC wall dimmable DALI 220-240V~ 50/60Hz 27 x 27 x 10	1D850ADC0002	matt white	 LED module 21W 3000K CRI 80	3.388,00
		1D850ADC0004	pearl		3.597,00
		1D850ADC0024	pink powder		3.597,00
		1D850ADC0004	sand		3.597,00

8 % rabatt ska dras av på angivna priser.

Light source included











Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

floor version

	B01T22 Floor dimmable structure foot dimmer for diffuser Ø 22 220-240V~ 50/60Hz H 150 L 96 CE □ ▼	1B010T220001	matt black		5.511,00
		1B010T220030	brushed brass		7.700,00
	B01/3 Base Ø 38 CE	1B010/300001	matt black		1.914,00
		1B010/300030	brushed brass		3.135,00

8 % rabatt ska dras av på angivna priser.


light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
wall version					
	B01A22 Wall dimmable structure dimmer on board for diffuser Ø 22 220-240V~ 50/60Hz H 33 L 152 CE □ ▼	1B010A220001	matt black		7.227,00
		1B010A220030	brushed brass		10.373,00
suspension version					
	B01S22 Suspension only structure for diffuser Ø 22 220-240V~ 50/60Hz CE ⊕ ▼	1B010S220001	matt black		6.457,00
		1B010S220030	brushed brass		8.602,00
	B01S48 Suspension only structure for diffuser Ø 48 220-240V~ 50/60Hz H max 444 L 119 CE ⊕ ▼	1B010S480001	matt black		7.568,00
		1B010S480030	brushed brass		9.746,00
opal difusers					
	B01/1 Opal diffuser for B01A22, B01T22, B01S22 Ø 22 CE	1B010/100002	opal		1.188,00
	B01/2 Opal diffuser for B01S48 Ø 48 CE	1B010/200002	opal		2.739,00

8 % rabatt ska dras av på angivna priser.

Light source included


Mesh wireless




Luceplan Mesh NEW

Google Play
App Store





Don't use characters: . , " ° £ /

APP:  www.luceplan.com/products/mesh-wireless

Mesh master PSK  luceplan

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete versions phase cut Ø 80


	D86KT081 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7	1D86KT081001	black	LED 53W 2700K CRI 90	<input type="checkbox"/>	32.780,00
	D86KT082 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7	1D86KT082001	black	LED 53W 2700K CRI 90	<input type="checkbox"/>	33.979,00
	D86KT083 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7	1D86KT083001	black	LED 53W 2700K CRI 90	<input type="checkbox"/>	33.979,00
	D86KT084 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7	1D86KT084001	black	LED 53W 2700K CRI 90	<input type="checkbox"/>	33.979,00
	D86KT085 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7	1D86KT085001	black	LED 53W 2700K CRI 90	<input type="checkbox"/>	33.979,00


8 % rabatt ska dras av på angivna priser.


light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


complete versions with wireless kit Ø 80

	D86KW081A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW081001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	35.013,00
---	--	---------------	-------	---	-----------


	D86KW082A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW082001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	36.773,00
---	--	---------------	-------	---	-----------

	D86KW083A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW083001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	36.773,00
---	--	---------------	-------	---	-----------

	D86KW084A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW084001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	36.773,00
---	--	---------------	-------	---	-----------

	D86KW085A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW085001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	36.773,00
---	--	---------------	-------	---	-----------

complete versions phase cut Ø 100

	D86KT101 suspension dimmmable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KT101001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	42.207,00
---	--	--------------	-------	---	-----------

8 % rabatt ska dras av på angivna priser.

Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D86KT102 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT102001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	43.263,00
	D86KT103 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT103001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	43.263,00
	D86KT104 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT104001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	43.263,00
	D86KT105 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT105001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	43.263,00
complete versions with wireless kit Ø 100					
	D86KW101A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW101001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	43.659,00
	D86KW102A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW102001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	45.419,00

8 % rabatt ska dras av på angivna priser.

Light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D86KW103A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW103001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	45.419,00
	D86KW104A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW104001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	45.419,00
	D86KW105A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW105001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	45.419,00
complete versions					
	D86C551 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 L cable 1 m ceiling rose: Ø 26 x 5 CE Ⓢ ⚠	1D860C551001	black	LED 40W 2700K CRI 90 <input type="checkbox"/>	18.282,00
	D86C555 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 L cable 5 m ceiling rose: Ø 26 x 5 CE Ⓢ ⚠	1D860C555001	black	LED 40W 2700K CRI 90 <input type="checkbox"/>	19.679,00
	D86PLN ceiling dimnable phase cut 220-240V~ 50/60 Hz Ø 72, h 32 CE Ⓢ ⚠	1D860PLN0001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	27.654,00

8 % rabatt ska dras av på angivna priser.


Light source included

D20 METROPOLI


alberto meda, paolo rizzato, riccardo sarfatti



body



optic



complete lamp

Calculate the price of the lamp adding the cost of the body to the prismatic glass or polycarbonate diffuser and to the respective optical system.

For the outdoor use only the alu painted version with polycarbonate diffuser and the relative kit accessory for IP65.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D20/17P1 wall/ceiling polycarbonate diffuser H 8 Ø 17 CE	1D2017P10020	painting alu		1.925,00
		1D2017P10019	polished		2.222,00
		1D2017P10040	bronze		3.674,00
	D20/17V1 wall/ceiling prismatized glass diffuser H 8 Ø 17 CE	1D2017V10020	painting alu		1.991,00
		1D2017V10019	polished		2.321,00
		1D2017V10040	bronze		3.872,00
	D20/17.1A optic for D20/17V 220-240V~ 50/60Hz CE ⊕ ▼	1D201701A000		 LED 2700K E14 28W HSGSA E14 energy saver	539,00
	D20/17.7A optic for D20/17P dimmable phase cut 220-240V~ 50/60Hz CE ⊕ ▼	1D201707A000		LED 12W @ 3000K main power CRI 80	1.540,00
	D20/27P wall/ceiling polycarbonate diffuser H 10 Ø 27 CE	1D2027P00020	painting alu		2.398,00
		1D2027P00019	polished		2.805,00
		1D2027P00040	bronze		4.213,00

8 % rabatt ska dras av på angivna priser.

(light source included)




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D20/27V wall/ceiling prismatized glass diffuser H 10 Ø 27 CE	1D2027V00020	painting alu		2.563,00
		1D2027V00019	polished		3.003,00
		1D2027V00040	bronze		4.400,00
	D20/27.1 optic for D20/27V 220-240V~ 50/60Hz CE ⚡ ⚠	1D2027010000		 LED E27  15W FBT E27  70W HSGSA E27 energy saver	605,00
	D20/27.9 optic for D20/27P dimmable trailing edge 220-240V~ 50/60Hz CE ⚡ ⚠	1D2027090000		LED 17W @ 3000K main power CRI 80 	2.629,00
	D20/38P wall/ceiling polycarbonate diffuser H 12 Ø 38 CE	1D2038P00020	painting alu		3.091,00
		1D2038P00019	polished		3.707,00
	D20/38V wall/ceiling prismatized glass diffuser H 12 Ø 38 CE	1D2038V00020	painting alu		3.278,00
		1D2038V00019	polished		3.905,00
	D20/38.1 optic 220-240V~ 50/60Hz CE ⚡ ⚠	1D2038010000		 LED E27  105/140W HSGSA E27 energy saver	737,00
	D20/38.2 optic 220-240V~ 50/60Hz CE ⚡ ⚠	1D2038020000		 2 x LED E27  2x70W HSGSA E27 energy saver	858,00

8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

kit for IP65

	D20/17.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20170A0000			275,00
	D20/27.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20270A0000			308,00
	D20/38.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20380A0000			319,00

8 % rabatt ska dras av på angivna priser.

light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

version A (the lamp is supplied without power supply)

	A02TA1 outdoor floor base for A version h 34 Ø 18,5 CE	1A020TA10028	concrete grey		2.068,00
--	---	--------------	---------------	--	----------

	A02TA2 outdoor floor head for A version h 17 Ø 18,5 CE	1A020TA20028	concrete grey		2.068,00
--	---	--------------	---------------	--	----------

version B (the lamp is supplied without power supply)

	A02TB1 outdoor floor base for B version h 20 Ø 18,5 CE	1A020TB10028	concrete grey		2.068,00
--	---	--------------	---------------	--	----------


	A02TB2 outdoor floor head for B version h 31 Ø 18,5 CE	1A020TB20028	concrete grey		2.068,00
--	---	--------------	---------------	--	----------


8 % rabatt ska dras av på angivna priser.

lightsource included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

version C (the lamp is supplied without power supply)


	A02TC3 outdoor floor base for C version h 42 Ø 18,5 CE	1A020TC30028	concrete grey		3.201,00
---	---	--------------	---------------	--	----------

	A02TC4 outdoor floor head for C version h 7 Ø 32 CE	1A020TC40028	concrete grey		2.607,00
---	--	--------------	---------------	--	----------


optic

	A02LC1 LED optic + stem for A, B and C versions 24V dc CE IP65	1A020LC10000		LED 17W 3000K CRI 90 <input type="checkbox"/>	2.068,00
---	---	--------------	--	---	----------


version D. Complete version with optic (the lamp is supplied without power supply)

	A02TD1 outdoor floor/wall 24V dc h 14 Ø 18,5 CE IP65	1A020TD10028	concrete grey	LED 10W 3000K CRI 90 <input type="checkbox"/>	4.609,00
---	---	--------------	---------------	---	----------

power supply can be inserted inside the lamp


	A02/2 driver on/off 220-240V 50/60Hz SELV for A, B, C and D versions CE IP67	1A020/020000			517,00
---	--	--------------	--	--	--------

remote driver (the junction box is recommended watertight IP68)


	D94/1 dimmable push/DALI driver for 1 body 220-240V~ 50/60Hz SELV for A, B and C versions CE IP20	1D940/100000			1.056,00
---	--	--------------	--	--	----------

8 % rabatt ska dras av på angivna priser.

light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A02R1 table / outdoor portable / rechargeable dimmer on board USB/USB-C cable included h 28 Ø 11 CE, IP54	1A020=R10002	white	LED 4W 2700K CRI 90	2.717,00
		1A020=R10039	greige		2.717,00
		1A020=R10004	sand		2.717,00

USB charger for A02R1


	A02/1 USB charger input 110/240V~ 50/60Hz output 5V 2,4A CE	1A020/010000			363,00
---	--	--------------	--	--	--------

D72 OTTO WATT


alberto meda, paolo rizzato



Calculate the price of the lamp adding the cost of the body to the accessories.






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D72N1 table dimmer on board head L 13 x H 10,5 x W 2 arms l 47 + 42,2 CE	1D720=N10002	white	LED 8W 3000K CRI 80	4.202,00
		1D720=N10001	black soft-touch		4.345,00
		1D720=N10018	mirror		4.345,00

accessories

	D72/1 table base L 18,5 x 18,5 CE	1D72/1000001	black soft-touch		957,00
		1D72/1000002	white		1.265,00
		1D72/1000018	mirror		1.353,00


8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D72/2 fixing pin (for use on the table max 41mm, hole Ø 10mm) h 4,4, Ø 3 CE	1D72/2000002	white		418,00
		1D72/2000001	black soft-touch		418,00
		1D72/2000018	mirror		462,00
	D72/3 clamp (for use on the table max 41mm) h 4,4 CE	1D72/3000002	white		814,00
		1D72/3000001	black soft-touch		814,00
		1D72/3000018	mirror		836,00
	D72/4 wall bracket L 5 x H 4.5 CE	1D72/4000002	white		407,00
		1D72/4000001	black soft-touch		407,00
		1D72/4000018	mirror		407,00
	D72/5 desk joint (for use on the table max h 4) h 4,4, Ø 12,5 CE	1D72/5000002	white		561,00
		1D72/5000001	black soft-touch		561,00
		1D72/5000018	mirror		583,00
	D72/6 special-CH-adaptor h 4,4 CE	1D72/6000002	white		561,00
		1D72/6000001	black soft-touch		561,00
		1D72/6000018	mirror		583,00

8 % rabatt ska dras av på angivna priser.

light source included



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system.







Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D71PV suspension + LED strip L 136 x W 83 x H 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710P0V0002	white	LED strip 17W 3000K CRI90 <input type="checkbox"/>	22.660,00
	D71PIV suspension + LED strip L 154,5 x W 120 x H 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710P1V0002	white	LED strip 21W 3000K CRI90 <input type="checkbox"/>	27.192,00
	D71CV suspension + LED strip Ø 120 x H 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710C0V0002	white	LED strip 18W 3000K CRI90 <input type="checkbox"/>	22.660,00

optics




	D71/7DV optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz CE	1D71/7DV0002		LED 45W 3000K CRI 90 <input type="checkbox"/>	7.436,00
	D71/7DVW optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz CE	1D71/7DVW002		LED 45W 2700K CRI 90 <input type="checkbox"/>	7.018,00

8 % rabatt ska dras av på angivna priser.


Light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D71/7DL optic LED at direct/indirect light push dim / DALI 220-240V~ 50/60 Hz	1D71/7DL0002		 LED 45W 3000K CRI 90 +  LED 25W 3000K CRI 90	10.417,00
	D71/7DLW optic LED at direct/indirect light push dim / DALI 220-240V~ 50/60 Hz	1D71/7DLW002		 LED 45W 2700K CRI 90 +  LED 25W 2700K CRI 90	10.417,00

top cover lamp body



	D71/OAC cover for D71CV	1D71/OAC0002	white		2.398,00
	D71/OAP cover for D71PV	1D71/OAP0002	white		2.398,00
	D71/OAPI cover for D71P1V	1D71/OAP1002	white		2.552,00

only sound-absorbing bodies (no light)


	D71PA suspension soundproofing L 136 x W 83 x H 15 H 50 - 300	1D710PA0002	white		12.100,00
---	--	-------------	-------	--	-----------

8 % rabatt ska dras av på angivna priser.

Light source included


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D71PIA suspension soundproofing L 154,5 x W 120 x H 15 H 50 - 300 CE	1D710P1A0002	white		17.259,00
	D71CA suspension soundproofing Ø 120 x H 15 H 50 - 300 CE	1D710C0A0002	white		12.199,00

fixing kit for only sound-absorbing bodies (no light)

	D71/S suspension fixing kit CE	1D71/OS00000			1.012,00
	D71/S1 ceiling fixing kit CE	1D71/OS10000			1.122,00




8 % rabatt ska dras av på angivna priser.

light source included



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.

Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps. These custom hues are offered with a 10% surcharge.









Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D79/90c suspension textile Ø 90 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7909C000A2	light grey 133		23.052,31
		1D7909C000A3	dark grey 152		23.052,31
		1D7909C000B2	rust 252		23.052,31
		1D7909C000B1	sand 242		23.052,31
	D79/120c suspension textile Ø 117 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7912C000A2	light grey 133		25.015,57
		1D7912C000A3	dark grey 152		25.015,57
		1D7912C000B2	rust 252		25.015,57
		1D7912C000B1	sand 242		25.015,57
	D79/150c suspension textile Ø 148,5 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7915C000A2	light grey 133		30.623,24
		1D7915C000A3	dark grey 152		30.623,24
		1D7915C000B2	rust 252		30.623,24
		1D7915C000B1	sand 242		30.623,24

8 % rabatt ska dras av på angivna priser.



(Light source included)

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

optics

	D79R/03 E27 optic 220-240V~ 50/60Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4	9D7903608200		 3 x LED E27  3 x 23/27W FB E27  3 x max 105W HSGSA E27 energy saver	2.871,00
	D79R/24 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4	9D7924103200		LED 41W 2700K CRI 90 	7.381,00
	D79R/25 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4	9D7925103100		LED 41W 3000K CRI 90 	7.139,00

accessories



	D79R/07 Lower screen (optional in the LED version)	9D7907726000	satin Ø 90 cm	2.640,00
		9D7907726100	satin Ø 120 cm	4.048,00
		9D7907726200	satin Ø 150 cm	4.301,00
	D79R/09 suspension kits for installation in parallel ropes (optional)	9D7909612000	white	286,00

8 % rabatt ska dras av på angivna priser.

Light source included


D89 SOLEIL NOIR

odile deca

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D89p ceiling push dimmer/DALI 220-240V~ 50/60Hz L 120 x W 62,5 H 18,5 CE ⚡ ⚠	1D890P000002	white	LED 35W 3000K CRI 80 <input type="checkbox"/>	21.340,00
		1D890P000035	black/white		21.791,00
	D89s suspension push dimmer/DALI 220-240V~ 50/60Hz L 120 x W 62,5 x H 35 H min 45 - max 450 ceiling rose: Ø 15 x 5 CE ⚡ ⚠	1D890S000002	white	LED 35W 3000K CRI 80 <input type="checkbox"/>	21.340,00
		1D890S000035	black/white		21.791,00


D87 STOCHASTIC

daniel rybakken




structure

+




kit spheres + rods

=



complete lamp

Calculate the price of the lamp adding the structure to the kit.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D87CW1 suspension dimnable trailing edge 220-240V~ 50/60Hz H min 120 - max 320 ceiling rose: Ø 18 x 4 CE ⚡ ⚠	1D870CW10000	alu	LED 18W 2700K CRI 90 <input type="checkbox"/>	8.382,00
		1D870CC10000	alu		8.382,00


8 % rabatt ska dras av på angivna priser.

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

Kit spheres + rods


	D87048 Kit 48 spheres + rods	1D8704800002	opal white		7.744,00
		1D8704800018	metallized		7.744,00


	D87072 Kit 72 spheres + rods	1D8707200002	opal white		11.902,00
		1D8707200018	metallized		11.902,00

D77 TANGO

francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

	D77NT floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE □ ▽	1D77NTD00001	black	LED 35W 3000K CRI 80 □	10.978,00
--	--	--------------	-------	------------------------------	-----------




	D77NTW floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE □ ▽	1D77NTDW0001	black	LED 35W 2700K CRI 80 □	11.363,00
---	---	--------------	-------	------------------------------	-----------

8 % rabatt ska dras av på angivna priser.


light source included

D17 TITANIA

alberto meda, paolo rizzatto




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D17 suspension up and down 220-240V~ 50/60Hz coloured filters included: yellow, rose, light blue, violet L 70 x H 27 x W 8 H min 100 - max 250 ceiling rose: Ø 12 x 3 CE □ ▽	1D1700000020	alu	 LED E27 Ø max 38 mm L 150 mm  205W HSGST E27 energy saver	4.862,00

accessories



	D13/25 off-center ceiling rose	9D1325476800	white		506,00
---	---	--------------	-------	--	--------

D17Q QUEEN TITANIA

alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D17Q suspension 220-240V~ 50/60Hz L 140 x H 16 ceiling rose: Ø 14 x 4 CE □ ▽	1D170QHALL020	alu	 2xLED E27 Ø max 38 mm L 150 mm  2x205W HSGST/F E27 energy saver	11.594,00

accessories










	D17Q /01 pair of polycarbonate filter	1D170Q/01024	rose		649,00
		1D170Q/01023	sky blue		649,00
		1D170Q/01027	yellow		649,00
		1D170Q/01036	violet		649,00
	D17Q /02 suspension kit with counterweight h 50 - 250	1D170Q/02020	alu		2.343,00

8 % rabatt ska dras av på angivna priser.

Light source included


D14 TRAMA

luciano balestrini, paola longhi

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D14a ceiling/wall 220-240V~ 50/60Hz h 17 Ø 64 CE Ⓢ ⚠	1D14A0000020	alu	 3XLED E27  3X70W HSGSA E27 energy saver	4.268,00
	D14 a.pi. ceiling/wall 220-240V~ 50/60Hz h 16 Ø 50 CE Ⓢ ⚠	1D14A1PI0020	alu	 3XLED E27  3X42W HSGSA E27 energy saver	3.553,00
	D14 sa. suspension up and down dimmable trailing edge 220-240V~ 50/60Hz H 80/170 Ø 64 ceiling rose: Ø 18 x 4 CE Ⓢ ⚠	1D14SA0000020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	5.819,00

8 % rabatt ska dras av på angivna priser.

Light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

structure





	D97/1D cylindrical body direct/indirect light dimmable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 90 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/1D0020	matt alu	LED module 2 x 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	10.791,00
		1D970/1D0001	matt black		10.802,00
	D97/2D cylindrical body direct/indirect light dimmable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 120 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/2D0020	matt alu	LED module 2 x 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	11.682,00
		1D970/2D0001	matt black		11.748,00

panels for standard collection




	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600B1	light grey 01	2.629,00
		1D970C3600B2	medium grey 02	2.629,00
		1D970C3600B3	dark grey 03	2.629,00
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700B1	light grey 01	2.662,00
		1D970C3700B2	medium grey 02	2.662,00
		1D970C3700B3	dark grey 03	2.662,00

8 % rabatt ska dras av på angivna priser.








(light source included)

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900B1	light grey 01		2.915,00
		1D970C3900B2	medium grey 02		2.915,00
		1D970C3900B3	dark grey 03		2.915,00
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600B1	light grey 01		3.025,00
		1D970C4600B2	medium grey 02		3.025,00
		1D970C4600B3	dark grey 03		3.025,00
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700B1	light grey 01		3.256,00
		1D970C4700B2	medium grey 02		3.256,00
		1D970C4700B3	dark grey 03		3.256,00
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900B1	light grey 01		3.751,00
		1D970C4900B2	medium grey 02		3.751,00
		1D970C4900B3	dark grey 03		3.751,00

panels for melange collection (on request)



	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A1	light shade 07		2.827,00
		1D970C3600A2	medium shade 08		2.827,00
		1D970C3600A3	dark shade 12		2.827,00
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A1	light shade 07		2.860,00
		1D970C3700A2	medium shade 08		2.860,00
		1D970C3700A3	dark shade 12		2.860,00
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A1	light shade 07		3.168,00
		1D970C3900A2	medium shade 08		3.168,00
		1D970C3900A3	dark shade 12		3.168,00

8 % rabatt ska dras av på angivna priser. Light source included



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600A1	light shade 07		3.267,00
		1D970C4600A2	medium shade 08		3.267,00
		1D970C4600A3	dark shade 12		3.267,00
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700A1	light shade 07		3.564,00
		1D970C4700A2	medium shade 08		3.564,00
		1D970C4700A3	dark shade 12		3.564,00
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900A1	light shade 07		4.103,00
		1D970C4900A2	medium shade 08		4.103,00
		1D970C4900A3	dark shade 12		4.103,00
panels for solid collection (on request)					
	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A4	peach 06		2.827,00
		1D970C3600A5	orange 15		2.827,00
		1D970C3600A6	mustard 19		2.827,00
		1D970C3600A7	brick 29		2.827,00
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A4	peach 06		2.860,00
		1D970C3700A5	orange 15		2.860,00
		1D970C3700A6	mustard 19		2.860,00
		1D970C3700A7	brick 29		2.860,00
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A4	peach 06		3.168,00
		1D970C3900A5	orange 15		3.168,00
		1D970C3900A6	mustard 19		3.168,00
		1D970C3900A7	brick 29		3.168,00
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600A4	peach 06		3.267,00
		1D970C4600A5	orange 15		3.267,00
		1D970C4600A6	mustard 19		3.267,00
		1D970C4600A7	brick 29		3.267,00
		1D970C4600A8	brown 31		3.267,00

8 % rabatt ska dras av på angivna priser.


light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700A4	peach 06		3.564,00
		1D970C4700A5	orange 15		3.564,00
		1D970C4700A6	mustard 19		3.564,00
		1D970C4700A7	brick 29		3.564,00
		1D970C4700A8	brown 31		3.564,00
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900A4	peach 06		4.103,00
		1D970C4900A5	orange 15		4.103,00
		1D970C4900A6	mustard 19		4.103,00
		1D970C4900A7	brick 29		4.103,00
		1D970C4900A8	brown 31		4.103,00

kit plaquettes


	D97/31 kit plaquettes for closing panel L 30	1D970/310001	matt black		737,00
		1D970/310020	matt alu		737,00
	D97/32 kit plaquettes for closing panel L 45	1D970/320001	matt black		858,00
		1D970/320020	matt alu		858,00

optional lenses


	D97/4 2 lenses beam 36°/26° and mixer	1D970/400000			363,00
---	--	--------------	--	--	--------

8 % rabatt ska dras av på angivna priser. Light source included

Zile table





Zile floor





For the table version B0240D and floor version B02T40D, add the price of the structure to the shade.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

table version

	B0220 Table complete version on/off switch 220-240V~ 50/60Hz H 42 base Ø 18 shade Ø 20 CE □ ▼	1B020=200013	matt brick red	 LED E27	2.717,00
		1B020=200039	matt dove gray		2.717,00
		1B020=200001	matt black		2.717,00
		1B020=200002	matt white		2.717,00



	B0240D Table dimmable structure dimmer on board 220-240V~ 50/60Hz H 66 base Ø 30 CE □ ▼	1B020=40D013	matt brick red	 LED E27 dimmable	2.948,00
		1B020=40D039	matt dove gray		2.948,00
		1B020=40D001	matt black		2.948,00
		1B020=40D002	matt white		2.948,00

8 % rabatt ska dras av på angivna priser.


light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------



floor version



	B02T40D Floor dimmable structure dimmer on board 220-240V~ 50/60Hz H 171 base Ø 40 CE □ ▽	1B020T40D013	matt brick red		5.049,00
		1B020T40D039	matt dove gray		5.049,00
		1B020T40D001	matt black		5.049,00
		1B020T40D002	matt white		5.049,00


shade

	B02/2 shade for B0240D and B02T40D CE	1B020/200013	matt brick red	1.881,00
		1B020/200039	matt dove gray	1.881,00
		1B020/200001	matt black	1.881,00
		1B020/200002	matt white	1.881,00

suspension version

	B02S20 Suspension complete version 220-240V~ 50/60Hz L cable max 300 shade H 22,5 - Ø 20 CE ⊕ ▽	1B020S200013	matt brick red		1.903,00
		1B020S200039	matt dove gray		1.903,00
		1B020S200001	matt black		1.903,00
		1B020S200002	matt white		1.903,00

	B02S40 Suspension complete version 220-240V~ 50/60Hz L cable max 300 shade H 27,5 - Ø 40 CE ⊕ ▽	1B020S400013	matt brick red		3.146,00
		1B020S400039	matt dove gray		3.146,00
		1B020S400001	matt black		3.146,00
		1B020S400002	matt white		3.146,00

	B02/1 decentralization accessory CE	1B020/100013	matt brick red	165,00
		1B020/100039	matt dove gray	165,00
		1B020/100001	matt black	165,00
		1B020/100002	matt white	165,00

8 % rabatt ska dras av på angivna priser. Light source included