



1

STATLIGT RAMAVTAL - MÖBLER & INREDNING

DELOMRÅDE - Inredningsarmaturer - Avtalsnummer 23.3-8004-18:011

Muuto - Produktlista nr 4



8 % rabatt ska dras av på angivna priser.

Kontaktuppgifter

Kinnarps AB 521 88 Kinnarp Tel 0515-38 000

www.kinnarps.se

Kinnarps Interior - Showrooms

Alingsås	Kristineholmsvägen 12 441 39 ALINGSÅS tel. 0322-66 85 85
Arvika	Blästervägen 3 671 41 ARVIKA tel. 0570-71 17 70
Borås	Företagsgatan 14 (Viared) 504 94 BORÅS tel. 033-44 73 73
Enköping	Östra Järnvägsgatan 1 745 37 ENKÖPING tel. 0171-271 75
Eskilstuna	Gap Sundins Väg 2 633 46 ESKILSTUNA tel. 016-51 52 15
Falköping	521 88 KINNARP tel. 0515-380 35
Falun	Krontallsvägen 28 791 55 FALUN tel. 023-794 46 00
Gislaved	Regeringsgatan 14 332 30 GISLAVED tel. 0371-58 69 00
Gävle	Utmarksvägen 1 802 91 GÄVLE tel. 023-794 46 00
Göteborg	Ebbe Lieberathsgatan 30 412 65 GÖTEBORG tel. 031-703 27 00
Halmstad	Fyllebrovägen 16 302 60 HALMSTAD tel. 035-17 74 70
Helsingborg	Garnisonsgatan 22 254 66 HELSINGBORG tel. 042-38 83 00
Hudiksvall	Rönningevägen 2 824 34 HUDIKSVALL tel. 0650-991 91
Jönköping	Huskvarnavägen 80 554 54 JÖNKÖPING tel. 036-36 46 00
Kalmar	Dagövägen 3 393 54 KALMAR tel. 0480-880 50
Karlskrona	Järavägen 6 371 49 KARLSKRONA tel. 0455-307530

E-postadress för avrop: avrop.kammarkollegiet@kinnarps.se

Karlstad	Körkarlsvägen 5 653 46 KARLSTAD tel. 054-22 38 80
Kiruna	Triangelvägen 2 981 38 KIRUNA tel. 0980-804 00
Kristianstad	Karlsgatan 45 291 59 KRISTIANSTAD tel. 044-10 10 10
Lidköping	Skaragatan 44 531 33 LIDKÖPING tel. 0510-48 40 30
Linköping	Gillbergagatan 42 582 73 LINKÖPING tel. 013-36 48 00
Ljungby	Gängesvägen 6 341 31 LJUNGBY tel. 0372-818 20
Luleå	Midgårdsvägen 26 973 34 LULEÅ tel. 0920-101 70
Lycksele	Umevägen 1 921 45 LYCKSELE tel. 070-2200875
Malmö	Östra Hindbyvägen 63 213 74 MALMÖ tel. 040-14 34 20
Motala	Kyrkogatan 5 591 35 MOTALA tel. 0141-21 36 76
Norrköping	Koppargatan 24 602 23 NORRKÖPING tel. 011-31 30 00
Norrtälje	Danskes gränd 2 761 30 NORRTÄLJE tel. 08-556 910 00
Nyköping	Brunnsgatan 3 611 32 NYKÖPING tel. 0155-20 58 10
Skellefteå	Anderstorg 2 931 57 SKELLEFTEÅ tel. 0910-568 00
Skillingaryd	Götaströms Industriområde 568 00 SKILLINGARYD tel. 0370-37 55 90
Skövde	Norra Aspelundsvägen 1A 541 34 SKÖVDE

Kontakt avtalsfrågor: Upphandlingsgruppen 08-53691191

Stockholm	Fannys Väg 5 131 54 NACKA tel. 08-556 910 00
Sundsvall	Tegelvägen 18 853 50 SUNDSVALL tel. 060-17 46 40
Södertälje	Hantverksvägen 10 151 65 SÖDERTÄLJE tel. 08-550 664 55
Trollhättan	Betongvägen 11 461 38 TROLLHÄTTAN tel. 0520-48 85 85
Umeå	Cementvägen 16 906 21 UMEÅ tel. 090-18 17 00
Uppsala	Sylveniusgatan 4 754 50 UPPSALA tel. 018-65 17 00
Varberg	V. Vallgatan 2C 432 40 VARBERG tel. 0340-61 14 30
Visby	Skarphällsgatan 13 621 41 VISBY tel. 0498-20 27 47
Västervik	Storgatan 39 593 33 VÄSTERVIK tel. 0490-102 00
Västerås	Lysgränd 3 721 30 VÄSTERÅS tel. 021-10 82 00
Växjö	Sandvägen 8 352 45 VÄXJÖ tel. 0470-70 23 30
Ystad	Militärvägen 2 271 39 YSTAD tel. 0411-55 22 50
Örebro	Nastagatan 10 C 702 27 ÖREBRO tel. 019-20 92 30
Örnsköldsvik	Terminalvägen 11 891 51 ÖRNSKÖLDSVIK tel. 0660-812 00
Östersund	Splintvägen 3 831 72 ÖSTERSUND tel. 063-57 11 50

8 % rabatt ska dras av på angivna priser.

tel. 0500-44 51 30

LINEAR TABLE LAMP

		W 23,2 cm / 9.1" D IQ7 cm / 4.2"	
Shipper Colli	1		
Gross Weight (kg)	1.832		
Net Weight (kg)	1.3		
Warranty Period	5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22510	Black	SEK 3.826,IO	-
22511	Grey	SEK 3.826,IO	



AMBIT LAMP SERIES

"What defines our attraction to shapes? With the Ambit Lamp Series, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Lamp Series a timeless design that you'll never grow tired of while its handspun aluminum material and contrasting white inner makes for an elegant touch."

— TAF Studio



Designed by	TAF Studio / 2015, 2017, 2019 & 2021
Environment	Indoor
Country of Production	China
Cord Length	Pendant Lamp and Rail Lamp: 400 cm / 157.5" Wall Lamp: 250 cm / 98.4"
Bulb Included	Pendant Lamp Øl6,5 and Wall Lamp: Yes Pendant Lamp Ø55, Ø4O, Ø25 and Rail Lamp: No
Ceiling Cap Included	Pendant Lamp and Rail Lamp: Yes Wall Lamp: No
Dimmable Function	Rail lamp: Yes (can be dimmed with industry standard phasecut dimmers, if dimmable bulb is used)
	Ambit Øl6,5: Yes (can be dimmed with industry standard phasecut dimmers)
	Ambit Ø25, Ø4O and Ø55: Yes (can be dimmed with industry standard phasecut dimmers, if dimmable bulb is used)
Socket Size	Ambit Ø25 and Rail Lamp: El4 Ambit Ø40 and Ø55: E27 Ambit Øl6,5 and Wall Lamp: GX53
Description	Embodying the values of Scandinavian design, the Ambit Lamp Series is as timeless as it is contemporary. Made of hand-spun aluminum that has been hand-painted, the Ambit Lamp Series features clean lines and a white interior that heighten contrasts of its outside shade while enhancing the light emitted in any room of a home, office or commercial space. Use the design on its own or symmetric formations and vibrant clusters.
Material	Aluminum lamp shades. Made from old braizer traditions, the lamp shades are press spun by hand. Hereafter, the lamp shades are polished and painted by hand. PVC cord.




AMBIT LAMP SERIES

Cleaning δ Care	Rail Lamp: The rail for the Ambit Rail Lamp is cut from tubes that are adjusted to fit each other on a lathe machine. Rail made from cast and extruded aluminum.
	Wall Lamp: Arm fixture and wall mount piece for the Ambit Wall Lamp are made from aluminum. An extra wall bracket is included in the Ambit Wall Lamp that allows for the wiring to be integrated into the wall.
	Clean the lamp with a soft dry cloth. Always switch off the electricity before cleaning.
	TESTS & CERTIFICATIONS EU:
	IEC 60598-1 and IEC 60598-2-1 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU
	UK: BS EN 60598-1 and BS 4533-102.1, EN 60598-2-1 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019
	USA/Canada: UL STD. 1598 / CSA STD. C22.2 NO.25O.O
	Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.1 *Does not apply to Ambit Pendant Ø16.5 and Ambit Wall Lamp
	China: *GB 7000.201 and GB 7000.1
	*Please note that this certification does not apply for the Ambit Wall Lamp



AMBIT WALL LAMP





Shipper Colli	1
Gross Weight (kg)	1.734
Net Weight (kg)	1.04
Warranty Period	5 years

ltem No.	Color	Contract	Lead Time
		Price	

Ready-To-Ship

15311	Black	SEK 3.138,IO	-
15313	Grey	SEK 3.138,10	-
15314	Таире	SEK 3.138,10	-
15312	White	SEK 3.I38,IO	-

Extras


15804	Ambit / Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,30 -
15801	Ambit / Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O -
15803	Ambit Cord - Grey (per linear meter)	SEK 59,3O -
15806	Ambit Cord - Taupe (per linear meter)	SEK 59,30 -





BEAM TABLE LAMP

"The idea for the Beam Table Lamp came while renovating my childhood home. I had made a shelf to use as divider between the hallway and living room and needed a lamp that could at once throw light out into the living room and down the hallway. The Beam Table Lamp mimics a single ray of light that travels through a round tube with its dimmer allowing the user to change the volume of light omitted from both ends of the cylinder shape. Tweak the design to your personal needs through its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow. With the Beam Table Lamp, you can alter the volume of light omitted, change its direction by the turn of its base and place it on any shelf, table or windowsill for a new perspective on modern lighting."



- Tom Chung

Designed by	Tom Chung / 2018
Environment	Indoor
Country of Production	China
Cord Length	250 cm / 98.4"
Bulb Included	Yes
Dimmable Function	Yes
Description	The Beam Table Lamp is a versatile table lamp with a modern expression and intuitive user-friendliness. With light shone from both ends of a cylinder shape, the user can choose between three different volumes of light and gradually alter the volume of light emitted in each end through the turn of a playful dial. The Beam Table Lamp can be altered for any position with its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow in any home, offices, hotel room and educational areas.
Material	Body in anodized aluminum for a matte feel and vibrant look. Cord in PVC. It has a built-in energy efficient LED bulb. The lifetime of the LED bulb is defined as the time it takes until the light output/lumen maintenance reaches 90% (L90) of the initial output. The integrated bulb has a lifespan/lumen maintenance (L90) of 35,000 hours.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off electricity supply before cleaning.



BEAM TABLE LAMP

TESTS & CERTIFICATIONS

EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

The Eurasian Economic Union: TP TC OO4 and TP TC O2O

USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4



BEAM TABLE LAMP





Shipper ColliIGross Weight (kg)1.72Net Weight (kg)1.234Warranty Period5 years

ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
12124	Aluminum	SEK 2.536,IO	-

12121	Black	SEK 2.536,IO	-
12123	Green	SEK 2.536,IO	-
12122	Umber	SEK 2.536,IO	-



CONTROL TABLE LAMP

"The Control Table Lamp is a unique and playful lamp with references to hi-fi and industrial machinery. The light and dimmer is controlled by a switch, referencing volume controls, and is an inviting and simple way of interacting with the user. While designing the lamp, we were inspired by the idea of displaying the different lamp components on a serving plate—almost as a still life. It was a pragmatic approach to making a lamp by the simplest means, a reduced design beyond reduction."

— TAF Studio




Designed byTAF Studio / 2016EnvironmentIndoorCountry of ProductionChinaCord Length250 cm / 98.5"Bulb IncludedYesDimmable FunctionYesSocket SizeE97DescriptionThe Control Table Lamp places the iconic E97 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp problem situatized acgording to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values.MaterialClean with soft dry cloth only. Always switch off the electricity supply before cleaning.EUS EST & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 2018/25/EU ECO Design Directive - 2018/26/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2019/19/EUUK: B S EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016
Country of ProductionChinaCord Length250 cm / 98.5"Bulb IncludedYesDimmable FunctionYesSocket SizeE27DescriptionThe Control Table Lamp places the iconic E27 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values.MaterialThe lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC.Cleaning & CareClean with soft dry cloth only. Always switch off the electricity supply before cleaning.EU: EV Source Directive - 2010/55/EU ECO Design Directive - 2012/19/EC ROHS Directive - 2012/19/EUDirective - 2015/863 REACH Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Low Voltage Directive - 2012/19/EU
Cord Length250 cm / 98.5"Bulb IncludedYesDimmable FunctionYesSocket SizeE27DescriptionThe Control Table Lamp places the iconic E27 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values.MaterialThe lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC.Cleaning & CareClean with soft dry cloth only. Always switch off the electricity supply before cleaning.FSTS & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive - 245/2009/EC ROHS Directive - 2011/65/EU EC0 Design Directive - 245/2009/EC ROHS Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4 Low Voltage Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4
Bulb Included Yes Dimmable Function Yes Socket Size E97 Description The Control Table Lamp places the iconic E27 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values. Material The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC. Cleaning & Care Clean with soft dry cloth only. Always switch off the electricity supply before cleaning. EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (VDD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2016/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2019/95/EU WEEE Directive - 2019/19/EU UK: BS EN 60598-1 and EN 60598-2-4 UK: BS EN 60598-1 and EN 60598-2-4
Dimmable Function Yes Socket Size E27 Description The Control Table Lamp places the iconic E27 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values. Material The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC. Clean with soft dry cloth only. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive - 2011/65/EU ECO Design Directive - 2011/65/EU ECO Design Directive - 2011/65/EU ECO Design Directive - 2011/65/EU UK: BS EN 60598-1 and EN 60598-2-4 UK:
Socket Size E27 Description The Control Table Lamp places the iconic E27 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values. Material The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC. Cleaning & Care Clean with soft dry cloth only. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 20I4/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863 REACH Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863 REACH Directive - 20I2/19/EU UK: BS EN 60598-1 and EN 60598-2-4
Description The Control Table Lamp places the iconic E27 bulb in a modern context. With the user being able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values. Material The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC. Cleaning δ Care Clean with soft dry cloth only. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: EU EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4
able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values. Material The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC. Cleaning & Care Clean with soft dry cloth only. Always switch off the electricity supply before cleaning. TESTS & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4
Cleaning δ Care Clean with soft dry cloth only. Always switch off the electricity supply before cleaning. TESTS δ CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4
TESTS & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-1 and EN 60598-2-4
EU: EN 60598-I and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU UK: BS EN 60598-I and EN 60598-2-4
Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4 Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.4



CONTROL TABLE LAMP





21 cm / 8.3"

Shipper Colli	1
Gross Weight (kg)	1.4055
Net Weight (kg)	O.9125
Warranty Period	5 years

ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			

15410	Black	SEK 1.504,10	-
15412	Grey	SEK 1.504,10	-
15413	Red	SEK 1.504,10	-
15411	White	SEK 1.504,10	-



COSY IN GREY TABLE LAMP

"The idea for the Cosy In Grey was to create a lamp that created a spatial atmosphere within the room. I put my trust in the natural material of glass; its beauty and changing reflections. The Cosy In Grey Table Lamp expresses the beauty of electrical light in a modern form. Whether it be early mornings, during lunch or a cold night, the Cosy In Grey Table Lamp will bring a warm and friendly atmosphere to any space."

— Harri Koskinen



Designed by	Harri Koskinen / 2006
Environment	Indoor
Country of Production	China
Cord Length	260 cm / 102.25"
Bulb Included	No. Only use dimmable bulb.
Dimmable Function	Yes
Socket Size	E27
Description	With its modern shape in mouth-blown glass, the Cosy In Grey Table Lamp provides gentle lighting through its dimmable naked bulb, encased in smoked grey glass. Place the Cosy In Grey Table Lamp in any space for a new perspective on ambient lighting.
Material	The Cosy in Grey Table Lamp is handmade, mouth blown in colored soda lime glass, cut grinded and polished by hand. PVC cord with a dimmer, plastic socket and an internal clear plastic construction to secure cord and socket. Bulb not included.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
	TESTS & CERTIFICATIONS EU: EN 60598-1 and EN 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 WEEE Directive - 2012/19/EU
	UK: BS EN 60598-I and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019



COSY IN GREY TABLE LAMP

		23,2 cm / 9.1"	
Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	l 4.75 3.49 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
01033	Grey	SEK 2.317,70	-
Extras			
01040	LED Bulb	SEK 231,30	



EASE PORTABLE LAMP

"I wanted the Ease Portable Lamp to have a remarkable quality of light, striking a versatile balance between atmospheric and functional light — after all, that is the wonderful thing about a portable lamp — you can bring a distinct ambience to literally anywhere. I landed on the idea of the top and bottom gently touching, softly meeting each other. There is a sense of lightness to it. This feature allows a large surface to emit light, while the flared bottom firmly stabilizes it. It is these details that give the lamp a sort of human quality, making it a reliable friend."

- Johan van Hengel



14

Design by	Johan van Hengel / 2023
Environment	Indoor / Outdoor
Country of Production	China
Cord Length	90 cm / 35.4"
Bulb Included	Yes - Integrated, non replaceable LED
Dimmable Function	Yes - Three step dimming
Description	Inspired by shapes of traditional table lamps, the Ease Portable Lamp transforms this typology into a carriable size, suitable to take wherever. Ease offers a high-quality dimmable, no-glare light with three levels, striking a balance between atmospheric and functional light. The design has a distinct lightness to it, with the top and bottom gently touching. A slightly flared bottom mimics the lip of a vase in a grounding gesture that allows the base to be slimmer and easier to grab. Ease Portable Lamp is a humble friend with a strong character that works alone or in repetition in any setting; from the bedside, reading nook and home office to the restaurant or café table, co-working space or library.
Material	Battery-powered, dimmable and portable lamp with 8 hours of battery life on IOO [®] intensity, I6 hours on 50 [®] intensity and 29 hours on 25 [®] intensity. Body and lampshade made in injection-molded ABS plastic, with an integrated LED light source. Diffuser in opal acrylic. Charging dock made in injection-molded ABS plastic with USB-C cable. Lumen Maintenance (L7O): 52.000h. Lumen: 230Im on IOO [®] brightness. Kelvin: 2700K. CRI >90.
	and tested against solid foreign objects, such as dust ingress, as well as liquids, such as water splashes, from all angles.
Cleaning & Care	Clean with a moist cloth. If necessary, use a little dish soap on the cloth.
	EU: IEC 60598-1 and IEC 60598-2-1 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU Electromagnetic Compatibility (EMC) Directive - 2014/30/EU UK: BS EN 60598-1 and BS 4533-I02.1, EN 60598-2-1 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019
	Australia/New Zealand:


Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.4

EASE PORTABLE LAMP



Taupe

13,16 cm / 5.18"



1 Shipper Colli Gross Weight (kg) O.947 O.63 Net Weight (kg) 5 years Warranty Period

22742

ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22740	Black	SEK 1.762,10	-
22741	Grey	SEK 1.762,1O	-
22743	Light Blue	SEK 1.762,10	-

SEK 1.762,10



-

FOCUS TABLE LAMP

"The Focus Table Lamp is an everyday object with a sculptural appeal and an apparent function: it is a lamp and a pedestal where your favorite small objects may be placed and highlighted. Working with the appearance and the delicate dimensions, I tried to give the lamp a unique personality characterized by an embracing and protective nature. The focus is on the pedestal and the object which is placed on it. Therefore, all components are fixed in position. Personally, the pedestal, with a cone of ambient light, solved my problem of misplacing my keys. Now I always know where they are."



- Andreas Bergsaker

Designed by	Andreas Bergsaker / 2017
Environment	Indoor
Country of Production	China
Bulb Included	Yes
Dimmable Function	No
Socket Size	GUIO
Description	Scandinavian in its expression, the Focus Table Lamp highlights its ash wood body with black paint that allows for the texture of the wood to shine through. With a protruding base that is perfect for small items, the lamp fits seamlessly on a windowsill or shelf in need a bit of light.
Material	Focus Lamp's wooden components are shaped on a lathe machine. The electrical parts are hidden inside the lamps components, which are glued together to hide that they were ever apart. Thereafter, the lamp is painted. Ash wood and PVC cord.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
	FESTS & CERTIFICATIONS EU:EN 60598-1 and EN 60598-2-4Low Voltage Directive (LVD) - 2014/35/EUECO Design Directive - 245/2009/ECROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863REACH Directive - EC/1907/2006WEEE Directive - 2012/19/EUUK:BS EN 60598-1 and EN 60598-2-4Electrical Equipment (Safety) Regulations 2016Electrical Equipment (Safety) Regulations 2016The Restriction of the Use of Certain Hazardous Substances in Electrical and ElectronicEquipment Regulations 2012The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EUExit) Regulations 2019



FOCUS TABLE LAMP



LEAF LAMP SERIES

"Combining a light and elegant design with an energy-efficient LED technology, the Leaf Lamp Series has a clean and refined expression. The asymmetric geometry of the design gives it an organic and friendly appearance, inspired by the leaves on a tree. Turn the Leaf Lamp according to your needs and discover how the lamp will subtly transform its shape, adding a graphic and gentle light silhouette to any space."

– Broberg δ Ridderstråle




Designed by	Broberg δ Ridderstråle / 2012
Environment	Indoor
Country of Production	China
Cord Length	180 cm / 71''
Bulb Included	Yes
Dimmable Function	Yes
Description	With its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere.
Material	Aluminum, brass, colored PVC cord.
	Leaf is a result of a process combining turned and casted aluminum and steel, with a strong powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35.000 hours.
Cleaning δ Care	Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning.
	TESTS & CERTIFICATIONSEU:IEC 60598-1 and IEC 60598-2-4Low Voltage Directive (LVD) - 2014/35/EUECO Design Directive - 245/2009/ECROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863REACH Directive - EC/1907/2006WEEE Directive - 2012/19/EUUK:BS EN 60598-1 and EN 60598-2-4Electrical Equipment (Safety) Regulations 2016Electromagnetic Compatibility Regulations 2016The Restriction of the Use of Certain Hazardous Substances in Electrical and ElectronicEquipment Regulations 2012The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EUExit) Regulations 2019USA/Canada:UL STD. 153 / CSA STD. C22.2 NO.250.4Australia/New Zealand:

Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.4

FOR MORE MATION VISIT NUMBER OF A SKA dras av på angivna priser.

LEAF TABLE LAMP



Shipper ColliIGross Weight (kg)2.44Net Weight (kg)1.8Warranty Period5 years

ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			

-	•		
13422	Black	SEK 2.536,IO	-
13423	Copper Brown	SEK 2.536,IO	-
13424	Dark Green	SEK 2.536,IO	-
13420	Grey	SEK 2.536,IO	-
13421	White	SEK 2.536,IO	-



LEAF FLOOR LAMP

2.8

5 years

White

Net Weight (kg)

Warranty Period

13431

		19 cm / 8.75"
Shipper Colli Gross Weight (kg)	l 4.793	

Item No. Color Contract Lead Time Price Ready-To-Ship 13432 SEK 3.482,IO Black -13433 Copper Brown SEK 3.482,IO -13434 Dark Green SEK 3.482,IO -13430 Grey SEK 3.482,1O -SEK 3.482,IO -



LINEAR LAMP SERIES

"The Linear Lamp Series is designed from the idea of creating smaller atmospheres through modern light, bringing a sense of intimacy to larger spaces. With their elegant expression, subtle details and inherent functionality, the designs create space for both being and working on your own as well as making for a friendly environment when in the company of others. Use the Linear Lamp Series in any space in need of modern, functional lighting."

— Thomas Bentzen



Designed by	Thomas Bentzen / 2020
Environment	Indoor
Country of Production	China
Cord Length	Table Lamp: 250 cm / 98.4". Mounted Lamp: 150 cm / 59.1". Pendant Lamp: 400 cm / 157.5"
Bulb Included	Yes - integrated LED
Dimmable Function	Yes: Table Lamp and Mounted Lamp / No: Pendant Lamp
Description	Designed from the idea of creating smaller spaces within larger settings, the Linear Lamp Series by Thomas Bentzen is created with subtlety at its heart—simple lines, inviting functionalities and dimmable light that can be adjusted to any setting. The Linear Table δ Mounted Lamps hint toward the archetypal library lamp with a modern expression, paired with the extensive functionality of dimmability. Available in two sizes, the Linear Mounted Lamp brings a friendly canopy of light to any space.
Material	Linear Pendant Lamp: Powder coated lamp head in pressure die-casted and extruded aluminum.
	Linear Table Lamp & Linear Mounted Lamp: Powder coated lamp head in extruded aluminum. Diffuser in polycarbonate. PVC cord.
Cleaning δ Care	Clean with a moist cloth. If necessary, use a little dish soap on the cloth.



LINEAR TABLE LAMP

		W 23,2 cm / 9.1" D IQ,7 cm / 4.2"	
		I6'2 cm/ 6'2. 16'2 cm/ 6'2.	
Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	l 1.832 1.3 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22510	Black	SEK 3.826,IO	
22511	Grey	SEK 3.826,IO	



PITON PORTABLE LAMP

"My idea for Piton started from the desire to create a rechargeable portable lamp that could be adapted in a multitude of ways while functioning in various environments. I wanted the design to fulfill the inherent needs of a torch; providing security and warmth while clearly illuminating your field of vision. Piton takes its name from a climbing apparatus that is jammed into cracks and crevices on mountainsides to which the climber can attach hooks, tools and ropes while rigging it in various positions; an element that is also present in the design of the Piton Portable Lamp."



– Tom Chung

Designed by	Tom Chung / 2O22
Environment	Indoor / Outdoor
Country of Production	China
Cord Length	300 cm textile USB cable (no power adapter included)
Bulb Included	Yes - integrated LED
Dimmable Function	Yes - Continuous
Description	Piton is an untraditional take on the battery-powered portable lamp, playfully referencing the archetypal flashlight. Refined anodized extruded aluminum enhances its elegant form and distinct functionality inspired by tools used for mountain climbing. It is a versatile ambient light with 6 hours of battery life on IOO [®] brightness and I3,5 hours on 5O [®] brightness that can be used lying, standing, tilting on a shelf or suspended, depending on the space or spot you want to illuminate, effortlessly moving between indoors and outdoors.
Material	Battery-powered portable lamp with 6 hours of battery life on IOO8 brightness and I3,5 hours on 5O8 brightness. Continuous dim function. Body made from anodized extruded aluminum. Lamp shade made in injection molded plastic with an integrated and replaceable LED light bulb. Comes with a woven fabric USB-C cable for charging.
	The Piton Portable Lamp is suitable for outdoor use with an IP54 rating. The lamp is protected and tested against solid foreign objects, such as dust ingress, as well as liquids, such as water splashes, from all angles.
Cleaning δ Care	Clean with a moist cloth. If necessary, use a little dish soap on the cloth. Always switch off the electricity supply before cleaning.
	EU: ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2019/05/EU amended RoHS 3 Directive 2015/863 REACH Directive - 2019/12/006 WEEE Directive - 2012/19/EU Electromagnetic compatibility - EN IEC 55015 / EN IEC 61000 / EN 61547 UK: The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit Regulations 2019 Electromagnetic compatibility - BS EN 6100 / BS EN IEC 55015 / BS EN 61547 Australia/New Zealand: AS/NZS 60598.1 / 60598.2.4 AS/NZS 61347.1 / 61347.2.13 IEC 7862778

FOR MORE THATION VISIT PUTO COME Ska dras av på angivna priser.

UTO

PITON PORTABLE LAMP

		13,2 cm / 5.2"	
Shipper Colli	1		
Net Weight (kg)	O.539		
Warranty period	5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22581	Aluminum	SEK 1.973,7O	-
22580	Black	SEK 1.973,70	-



POST LAMP SERIES

"The Post Lamp Series came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp's light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Lamp Series represents a new perspective through its graphic character and forward-thinking functionality."

— Earnest Studio



Designed by	Earnest Studio / 2020
Environment	Indoor
Country of Production	China
Cord Length	Lighting units: 250 cm / 98.4'' / Power Hub: 200 cm / 78.7''
Bulb Included	Yes
Dimmable Function	Yes
	The Post Lamp Series is an innovative lighting design with an archetypal appearance, graphic character and forward-thinking functionalities. Exploring the utmost flexibility of a magnetic joint, the user can position, dim and turn the lamp according to individual needs. Arrange the cord of the design in linear or playful formations on the wall, using its cable drop. Additional lighting units can be purchased as spare part and plugged into power hub.
Description	Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffsuer. Power hub in powder coated plastic with PVC cord.
Material	Post Wall Lamp: Wall mounting bracket in powder coated steel. Wall cable drops in powder coated steel with magnet and repositionable adhesive tape.
	Post Floor Lamp: Base in powder coated steel. Cable drops in powder coated plastic with magnet.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
	TESTS & CERTIFICATIONS EU: IEC 60598-1 and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU
	UK: BS EN 60598-1 and EN 60598-2-4 Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 The Eurasian Economic Union: TP TC OO4 and TP TC O20 USA/Canada: UL STD, 153 / CSA STD, C22.2 NO.250.4

FOR MORE MARTION VISIT NUMBER OF A SKA dras av på angivna priser.

POST WALL LAMP

		5,4 cm / 2.1"	
Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	l I.O5 O.55 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22381	Black	SEK 2.536,10	-
Extras			
22509	Extra Wall Mount - Black	SEK 210,70	-
22499	Extra Cable Drops - Black	SEK 270,90	-
22382	Extra Lighting Unit - Black	SEK 2.192,10	-





POST FLOOR LAMP

		95 cm / 3.7"	
Shipper Colli	1		
Gross Weight (kg)	11.4		
Net Weight (kg)	8.579		
Warranty Period	5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22600	Black	SEK 6.015,70	-
Extras			
22386	Extra Cable Drops - Black	SEK 270,90	-
22382	Extra Lighting Unit - Black	SEK 2.192,10	-





RIME PENDANT LAMP

"Designing simple things is often one of the hardest things to do. We wanted to create a simple lamp with a glass shape, giving it a soft expression while making its top and pendant tube as subtle as possible. We were inspired by the shape of acorns for the gentle lines of the pendant while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for the light to shine slightly through with a refined touch. The Rime Pendant Lamp brings a timeless yet modern perspective to the archetypal light through its translucent shade and graphic form."



— TAF Studio

Designed by	TAF Studio / 2020
Environment	Indoor
Country of Production	Poland
Cord Length	400 cm / 157.5"
Bulb Included	Ø12 and Ø18: Yes / Ø25, Ø37 and Ø45: No
Dimmable Function	Yes - If dimmable bulb is used
Socket Size	Øl2 and Øl8: G9 / Ø25: El4 / Ø37 and Ø45: E27
Ceiling Cap Included	Yes - for pendant lamp Øl2, Øl8 and Ø25: Ø9 / 3.5" H 5,6 cm / 2.2 Ø37 and Ø45: Øll / 4.3" H 3,5 / I.4"
Description	The Rime Lamp Series brings an elegant perspective to the glass light through its semitrans- parent glass that has been sandblasted for a refined expression. The design features a characteristic form, inspired by the shape of acorns, complemented by its powder coated elements for a subtle touch. Kindly note that the availability of sizes and/or colors of this product are subject to regional stock levels.
Material	Pendant: Mouth-blown glass shade. Aluminum, powder coated top-piece and pendant tube. PVC cord.
	Wall lamp: Mouth-blown glass shade. Consol arm in aluminum, pressure die-casted and powder coated.
	Wall bracket in steel and chrome plated.
Cleaning δ Care	Clean with a moist cloth. If necessary, use a little dish soap on the cloth. Always switch off the electricity supply before cleaning.



RIME PENDANT LAMP

TESTS & CERTIFICATIONS

EU: IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

USA/Canada*: UL STD. 1598 / CSA STD. C22.2 NO.250.0

Australia/New Zealand**: AS/NZS 60598.I and AS/NZS 60598.2.I

* Does not apply to Rime ØI2 and Rime Wall

** Does not apply to Rime Wall



RIME WALL LAMP



Shipper com	•
Gross Weight (kg)	O.694
Net Weight (kg)	O.3
Warranty Period	5 years

ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22427	Black	SEK 3.005,70	-

22428	Grey	SEK 3.005,70	-
22429	Orange	SEK 3.005,70	-
22426	White	SEK 3.005,70	



TIP LAMP SERIES

"The Tip Lamp Series is a simplistic and friendly design featuring a characteristic architectural silhouette. During the design process, we focused on polishing every single detail alongside the design's functionality. I wanted to reduce the design to the very essence of its purpose—intending to create a product that anyone would understand and be able to use in their daily lives. Its molded body gives the Tip Lamp Series a clean and precise look, highlighting its appearance of quality."





Designed by	Jens Fager / 2017 and 2020
Environment	Indoor
Country of Production	China
Cord Length	250 cm / 98.5"
Bulb Included	Yes - integrated LED
Dimmable Function	Yes
Description	Created from the idea of stripping a design down to its essentials, the Tip Lamp Series is an example of simple, functional design with careful attention to detail. Offering direct as well as ambient light, the lamp's adjustable head feature an opal diffuser and dimmer function that effortlessly alters the volume of light.
Material	Casted and extruded aluminum. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L9O BIO 35.000 hours. Cord in PVC.
Cleaning δ Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.
	TESTS & CERTIFICATIONS EU: Tip Table / Tip Floor: IEC 60598-I and IEC 60598-2-4 Tip Wall: IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended ROHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU
	 UK: Tip Table / Tip Floor: BS EN 60598-I and EN 60598-2-4 Tip Wall: BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 USA/Canada: Tip Table & Tip Wall: UL STD. 153 / CSA STD. C22.2 NO.250.4 Tip Wall: UL STD. 1598 / CSA STD. C22.2 NO.250.0 Australia/New Zealand: Tip Table & Tip Wall: AS/NZS 60598.I and AS/NZS 60598.2.4 Tip Wall: AS/NZS 60598.I and AS/NZS 60598.2.1

FOR MODIFICATION VISIT NUTLOCONT Ska dras av på angivna priser.

TIP TABLE LAMP

		Ø16 cm / 6.25"
Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	l 2.35 I.5 5 years	

Color	Contract Price	Lead Time
Black	SEK 2.536,IO	-
Copper Brown	SEK 2.536,IO	-
Grey	SEK 2.536,IO	-
White	SEK 2.536,IO	-
	Black Copper Brown Grey	Price Black SEK 2.536,IO Copper Brown SEK 2.536,IO Grey SEK 2.536,IO



TIP FLOOR LAMP

		32 cm / 12.6"	
Shipper Colli Gross Weight (kg) Net Weight (kg) Warranty Period	l 5.313 2.6 5 years		
ltem No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22317	Black	SEK 4.037,70	
22316	Grey	SEK 4.037,70	
22318	White	SEK 4.037,70	





TIP WALL LAMP





Shipper Colli	1
Gross Weight (kg)	O.75I
Net Weight (kg)	O.48
Warranty Period	5 years

ltem No.	Color	Contract Price	Lead Time

Ready-To-Ship

22326	Black	SEK 1.762,1O	-
22328	Copper Brown	SEK 1.762,10	-
22325	Grey	SEK 1.762,10	-
22327	White	SEK 1.762,10	-

