

20% rabatt ska dras av på angivna priser



Statligt ramavtal - Möbler och inredning

Delområde: Inredningsarmaturer

Dnr 23.3.-8004-18:034

Produktlista nr: 3

Luceplan

2020



20% rabatt ska dras av på angivna priser

Kontaktuppgifter

Lokala kontor och utställningar:

Stockholm

Regeringsgatan 66
103 88 Stockholm

Peter Almgren
076-533 50 43
peter.almgren@senab.com

Göteborg

Fiskhamngatan 6C
414 58 Göteborg

Lina Lorentzon
076-533 51 48
lina.lorentzon@senab.com

Malmö

Fersens väg 3
211 42 Malmö

Jessica Leonardsson
076-533 53 32
jessica.leonardsson@senab.com

Uppsala

Stationsgatan 32 C
753 40 Uppsala

Stina Lawyer
076-533 50 58
stina.lawyer@senab.com

Helsingborg

Järnvägsгатan 57
252 18 Helsingborg

Bosse Weberg
076-533 53 41
bosse.weberg@senab.com

Umeå

Storgatan 41
903 25 Umeå

Frida Bergström
072-050 95 84
frida.bergstrom@senab.com

Luleå

Timmermansgatan 4
972 33 Luleå

Helena Öberg
076-502 02 05
helena.oberg@senab.com

Gävle

Nygatan 28
803 11 Gävle

Cecilia Sjöblom
076-501 10 93
cecilia.sjoblom@senab.com

Hedemora

Åsgatan 68
776 30 Hedemora

Michael Andersson
076-501 10 95
michael.andersson@senab.com

Edsbyn

Karls väg 2
828 25 Edsbyn

Ronny Fagerhov
070-224 67 44
ronny.fagerhov@senab.com

Jönköping

Västra Storgatan 19A
553 15 Jönköping

Pia Heldt
076-533 51 57
pia.heldt@senab.com

Norrköping

Sankt Persgatan 19
601 86 Norrköping

Jan Magnusson
076-945 19 36
jan.magnusson@senab.com

Sundsvall

Storgatan 4
852 30 Sundsvall

Jonas Westerlund
076-502 02 04
jonas.westerlund@senab.com

Price List

2020/21

Index

Agave	1	Costanza LED	24	Fortebraccio LED	49	Pétale	75
Aircon	2	Lady Costanza	26	Garbí	50	Plissé	77
Amisol	2	Grande Costanza	27	GlassGlass	51	Pod Lens	78
Archetype	3	Grande Costanza Air	28	Goggle	52	Silenzio	79
Ascent	4	Counterbalance	29	Honeycomb	53	Sky	81
Bap LED	4	Counterbalance Spot	29	Hope	54	Soleil Noir	81
Berenice	6	Counterbalance Floor	30	Illan	56	Stochastic	82
Berenice LED	7	Curl	30	Illusion	57	Strip	83
Blow	8	Diade	31	Ivy	58	Tango	83
Bulbullia	9	Diade Floor	33	Lane	59	Titania	84
Cappuccina	10	E04 Ceiling	35	Lightdisc	59	Queen Titania	84
Carrara	11	E04 Wall	36	Lita	60	Tivedo	85
Chichibio	11	E04 Suspension	37	Lola	65	Trama	85
Compendium	12	E06	40	Luthien	65	Trypta	86
Compendium Hue	14	Ecran In&Out	42	Mesh	66		
Compendium Circle	15	Farel	42	Metropoli	70	Packaging	91
Compendium Plate	17	Fienile	43	Minimini	72	Condition of sale	101
Costanzina	18	Fly-too	46	Miranda	73		
Costanza	20	Fortebraccio	47	Otto Watt	74		

20% rabatt ska dras av på angivna priser

Legenda

☐ Light source included

h Height

L Length

d Depth

∅ Diameter

EEL Energy Efficiency Label

▽ Fixture fit for direct assembly on normally inflammable surfaces.

IP40 Appliance protected against ingress of solid objects greater than 1.0 mm.

IP65 Dust-tight.
Protected against water jets.

⊕ Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.

☐ Device in which the protection against electric shock is based not only on basic insulation but also on additional security measures such as double insulation or strengthened insulation.

⚡ Device in which the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.

(*) LED module is not replaceable









The product FSC® certified is made in certified wood FSC® (Forest Stewardship Council®), from forests managed in a correct, responsible way. Look for our FSC® certified products.




set of color filters included (red, yellow, blue and cream), superposable, generate the lamp's hue.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

20% reduction on already discounted price


	D49/17s suspension H 100 - 300 Ø 17 ceiling rose: Ø 14 x h 4 220-240V~ 50/60Hz CE □ ▽	1D4917S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	2.487
---	--	--------------	-----------------------------	--	----------------	-------



	D49/26s suspension D49/26 s. H 100 - 300 Ø 26 ceiling rose: Ø 14 x h 4 220-240V~ 50/60Hz CE □ ▽	1D4926S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	2.963
---	---	--------------	-----------------------------	--	----------------	-------

	D49/70s suspension H 100 - 300 Ø 70 ceiling rose: Ø 14 x h 4 220-240V~ 50/60Hz CE □ ▽	1D4970S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	3.178
--	--	--------------	-----------------------------	---	----------------	-------

accessories




20% reduction on already discounted price

	D49/01 off-center rose Ø 14	1D49/0100002	white			548
---	--	--------------	-------	--	--	-----

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
40% reduction on already discounted price						
	D50 suspension electronic ballast EEI A2 230V~ 50Hz H 50-200 Ø 100 ceiling rose: Ø 14 x 4 CE □ ▽	1D5000000000	neutral		A	3.366

D91 AMISOL

daniel rybakken



+

=


structure reflector/diffuser complete lamp


Calculate the price of the lamp adding the structure to the reflector/diffuser disk.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

structure


	D91S suspension dimmable push/DALI cable l 3 m ceiling rose: Ø 18 x h 4 CE ⊕ ▽	1D910S000002	light grey	LED 53W 3000K CRI90 □	A++ (*)	5.882
---	--	--------------	------------	--------------------------------	-------------	-------

reflector disk/diffuser

		1D910/100002	opal			4.972
	D91/1 disk Ø 75	1D910/100020	silver			5.193
		1D910/100030	gold			5.193

		1D910/200002	opal			6.092
	D91/2 disk Ø 110	1D910/200020	silver			6.489
		1D910/200030	gold			6.489


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
accessory						
	D91/OAAR anti-rotation accessory	1D91/OAAR000				576

D68 ARCHETYPE







goodmorning technology

Lamp body and suspension cable are the same colour

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D68C suspension Ø 31, h 23 cable l 3 m CE ⚡	1D680C000002	white	LED 15W 2700K CRI90 <input type="checkbox"/>	A (*)	3.588
		1D680C000023	sky blue			3.588
		1D680C000001	black			3.588
		1D680C000007	red			3.588


ceiling rose

	D68/1T ceiling rose dimnable phase cut Ø 19 x 6 220-240V~ 50/60Hz CE ⚡	1D680/1T0002	white		A	2.208
	D68/1D ceiling rose dimnable push/DALI Ø 19 x 6 220-240V~ 50/60Hz CE ⚡	1D680/1D0002	white			2.820



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D78 table dimmer on board h max 65 base 17 x 17 testa Ø 8,5 CE  	1D780=000001	black	LED 11W 2700K CRI90 <input type="checkbox"/>	A (*)	4.925
	D78pt fixing pin dimmer on board H max 64 fixing pin (H max 5,7) head Ø 8,5 CE  	1D780PT00001	black	LED 11W 2700K CRI90 <input type="checkbox"/>	A (*)	4.704

D19 BAP LED

alberto meda, paolo rizzatto




Calculate the price of the lamp adding the body to the holder (base, counter attachment, wall attachment)

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D19L.LED dimmer on board arm l 50 head 30 x 2 x 2 100-240V~ 50/60Hz CE  	1D19LL000002	white	LED 12W 2700K CRI85 <input type="checkbox"/>	A (*)	1.670





40% reduction on already discounted price


accessories

40% reduction on already discounted price































	D19/1 table base 25,4 x 14,5 cm	1D19/1N00002	white			418
---	---	--------------	-------	--	--	-----

20% rabatt ska dras av på angivna priser







Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D19/2 surface mount Ø 8	1D19/2000002	white			102
	D19/3 wall bracket 4,5 x 4,5	1D19/3000002	white			102
	D19/8 desk joint	1D19/8000002	white			297
	D19/9 clamp h 7 (thickness, max 7,5 cm)	1D19/9000002	white			384



Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D12EL table on/off switch electronic ballast 12V arms l 45 + 45 base Ø 15 CE  	1D120=00E020	alu	 LED 2W G4 3000K <input type="checkbox"/>  30W - 12V HSGST GY6.35	A+	3.564
		1D120=00E001	black	 30W - 12V HSGST GY6.35	B	3.564
	D12ELpt table on/off switch electronic ballast 12V fixing pin (max 5,7) arms l 45 +45 CE  	1D120=0PE020	alu	 LED 2W G4 3000K <input type="checkbox"/>  30W - 12V HSGST GY6.35	A+	3.216
		1D120=0PE001	black	 30W - 12V HSGST GY6.35	B	3.216
	D12ELpi table on/off switch electronic ballast 12V arms l 30 +30 base Ø 13,5 CE  	1D120=P0E020	alu	 LED 2W G4 3000K <input type="checkbox"/>  30W - 12V HSGST GY6.35	A+	3.396
		1D120=P0E001	black	 30W - 12V HSGST GY6.35	B	3.396
	D12ELt floor on/off switch electronic ballast 12V arms l 80 +30 base Ø 15 CE  	1D120T00E001	black	 LED 2W G4 3000K <input type="checkbox"/>  30W - 12V HSGST GY6.35	A+	3.864
		1D120T00E020	alu	 30W - 12V HSGST GY6.35	B	3.876
	D12 ELa45 wall on/off switch electronic ballast 12V arms l 45 +45 CE  	1D120A45E001	black	 LED 2W G4 3000K <input type="checkbox"/>  30W - 12V HSGST GY6.35	A+	3.060
		1D120A45E020	alu	 30W - 12V HSGST GY6.35	B	3.084

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D12ELapi wall on/off switch electronic ballast 12V arms l 30 +30	1D120AP0E001	black	 LED 2W G4 3000K	A+ B	2.976
		1D120AP0E020	alu	 30W - 12V HSGST GY6.35		3.000
  						

reflectors





	D12/4 glass reflector	1D120/4/1503	satin white			564
		1D120/4/1524	rose			564
		1D120/4/1527	yellow			564
		1D120/4/1537	sage green			564
	D12/5 metal reflector	1D120/5/1520	alu			396
		1D120/5/1501	black			396
		1D120/5/1530	brass			396

D12 BERENICE LED

alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

20% reduction on already discounted price

	D12LED table on/off switch 24V dc arms l 45 + 45 base Ø 15	1D120=NCL020	alu	 LED 8W 3000K CRI80	A (*)	3.052
	D12ptLED table on/off switch 24V dc fixing pin (max 57 mm) arms l 45 +45	1D120=NPL020	alu	 LED 8W 3000K CRI80	A (*)	2.945



body







methacrylate blades











complete lamp


Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D28 ceiling dimnable push dim remote control h 40 Ø 24 220-240V~ 50/60Hz CE ⊕ ▼	1D280000002	opal	  	A+ A++ A B D	5.322

accessories




	D28/1 methacrylate blades set Ø 140	1D280P000000	transparent			1.032
		1D280P000088	multicolour (blue, green, orange)			1.032
	D28/2 methacrylate screenprinted blades set Ø 140	1D280P200000	transparent			1.140
	D28 r infrared remote control	1D280R000000				732




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D95A3 wall dimmbable phase cut 220-240V~ 50/60 Hz 37 x 31 depth 7 CE □ ▽	1D950A300002	white	LED 17W 2700K CRI90 □	A++ (*)	4.272
	D95A3D wall dimmbable push/DALI 220-240V~ 50/60 Hz 37 x 31 depht 7 CE □ ▽	1D950A3D0002	white	LED 16W 2700K CRI90 □	A++ (*)	4.344
	D95A5 wall dimmbable phase cut 220-240V~ 50/60 Hz 62 x 37 depth 7 CE □ ▽	1D950A500002	white	LED 27W 2700K CRI90 □	A++ (*)	6.384
	D95A5D wall dimmbable push/DALI 220-240V~ 50/60 Hz 62 x 37 spessore 7 CE □ ▽	1D950A5D0002	white	LED 26W 2700K CRI90 □	A++ (*)	6.456
connection kit						
	D95/3 mechanical connection kit + template only for D95A5 / D95A5D	1D950/030002				1.800






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

40% reduction on already discounted price


	D88W table dimmer on board h 57 base Ø 20	1D880=DW0004	glacier light grey	LED 12W 2700K CRI 90	<input type="checkbox"/>	A (*)	2.403
<p>CE  </p>							

	D88TW floor foot dimmer h 150 base Ø 30	1D880TDW0004	glacier light grey	LED 12W 2700K CRI 90	<input type="checkbox"/>	A (*)	3.137
<p>CE  </p>							




	D88SW suspension dimmer trailing edge 220-240V~ 50/60Hz H 60 - 350 ceiling rose: Ø 19 x 6	1D880SW00004	glacier light grey	LED 15W 2700K CRI 90	<input type="checkbox"/>	A (*)	2.068
<p>CE  </p>							

shades + accessories

40% reduction on already discounted price



	D88/1 small shade tissue coupled with polycarbonate (for table and suspension version) Ø 36 h 20	1D8801000003	cream				1.010
		1D8801000028	brown/pluie				1.010
		1D8801000011	green/cochenille				1.010

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D88/2 large shade tissue coupled with polycarbonate (only for floor and suspension version) Ø 45 h 22,5	1D8802000003	cream			1.199
		1D8802000028	brown/pluie			1.199
		1D8802000011	green/cochenille			1.199
	D88/3 anti fall accessory for D88/1	1D8803000000				257
	D88/4 anti fall accessory for D88/2	1D8804000000				391




D38 CARRARA

alfredo häberli


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D38L floor foot dimmer 220-240V~ 50/60Hz H 185 base Ø 20,5	1D380DL00002	white	LED 45W 3000K CRI 80 	A++ (*)	15.330
		1D380DL00001	matt black			15.330

D37 CHICHIBIO





amedeo g. cavalcini, domenico perrucci

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D37 floor foot dimmer H 220/330 base Ø 29 220-240V~ 50/60Hz	1D370D000004	white diffuser alu stem	 LED E27 dimmable  205W HSGST E27 energy saver	A+ A++ A D	2.018



45% reduction on already discounted price





Calculate the price of the lamp adding the structure to the base to the floor version or the ceiling rose at the suspension version.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81NT floor extruded aluminium foot dimmer 3000K h 164 CE 	1D81NT000001	black	LED 43W 3000K CRI 90 <input type="checkbox"/>	A (*)	5.602
		1D81NT000020	alu			5.602
		1D81NT000030	brass			5.602
	D81NTW floor extruded aluminium foot dimmer 2700K h 164 CE 	1D81NTW00001	black	LED 43W 2700K CRI 90 <input type="checkbox"/>	A (*)	5.602
		1D81NTW000020	alu			5.602
		1D81NTW000030	brass			5.602




base for floor version

	D81/1N base foot dimmer 220-240V~ 50/60Hz h 16,8 Ø 14 CE <input type="checkbox"/> 	1D81N/100001	black			2.988
---	--	--------------	-------	--	--	-------




suspension structure




	D81B suspension extruded aluminium 3000K l 162,5 H 15 - 300 CE 	1D810B000020	alu	LED 29W 3000K with D81/7T <input type="checkbox"/>	A (*)	5.485	
		1D810B000001	black			LED 43W 3000K with D81/7D	5.485
		1D810B000030	brass			CRI 90	5.485

20% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81BW suspension extruded aluminium 2700K l 162,5 H 15 - 300 CE 	1D810BW00020	alu	LED 29W 2700K with D81/7T	 A (*)	5.485
		1D810BW00001	black	LED 43W 2700K with D81/7D		5.485
		1D810BW00030	brass	CRI 90		5.485


ceiling rose

	D81/7D dimnable push/DALI 220-240V~ 50/60Hz 18 x13 x 4 CE  	1D810/7D0000	white			2.556
---	--	--------------	-------	--	--	-------

	D81/7T dimnable phase cut 18 x13 x 4 CE  	1D810/7T0000	white			1.548
---	--	--------------	-------	--	--	-------


accessoires


	D81/2 accessory for mechanical joining 180°	1D810/200001				240
--	---	--------------	--	--	--	-----

	D81/3 Accessory Kit for mechanical joining T or 90°	1D810/300001				564
--	---	--------------	--	--	--	-----

20% rabatt ska dras av på angivna priser

Bridge and Hue dimmer switches are not included. Find your local retailer at www2.meethue.com

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81SH suspension extruded aluminium tunable white (HUE bridge/dimmer switch excluded) l 162,5 H 15 - 300 ceiling rose: 18 x13 x 4 CE ⊕ ▼	1D810S0H0020	alu			9.175
		1D810S0H0001	black	LED 43W 2200-6500K <input type="checkbox"/> CRI 80	A+ (*)	9.175
		1D810S0H0030	brass			9.175



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------





3000K versions

	D81C07 aluminium suspension Ø 72 H 15 - 500 CE	1D810C070020	alu	LED 52W 3000K CRI 90	A (*)	13.318
		1D810C070001	black			13.318
		1D810C070030	brass			13.318
	D81C11 aluminium suspension Ø 110 H 15 - 500 CE	1D810C110020	alu	LED 75W 3000K CRI 90	A (*)	14.475
		1D810C110001	black			14.475
		1D810C110030	brass			14.475
	D81C20 aluminium suspension Ø 200 H 15 - 500 CE	1D810C200020	alu	LED 125W 3000K CRI 90	A (*)	23.151
		1D810C200001	black			23.151
		1D810C200030	brass			23.151

20% rabatt ska dras av på angivna priser



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D81C07W aluminum suspension Ø 72 H 15 - 500   	1D810C07W020	alu	LED 52W 2700K CRI 90 <input type="checkbox"/>	A (*)	15.024
		1D810C07W001	black			15.024
		1D810C07W030	brass			15.024
	D81C11W aluminium suspension Ø 110 H 15 - 500   	1D810C11W020	alu	LED 75W 2700K CRI 90 <input type="checkbox"/>	A (*)	17.304
		1D810C11W001	black			17.304
		1D810C11W030	brass			17.304
	D81C20W aluminium suspension Ø 200 H 15 - 500   	1D810C20W020	alu	LED 125W 2700K CRI 90 <input type="checkbox"/>	A (*)	28.656
		1D810C20W001	black			28.656
		1D810C20W030	brass			28.656
ceiling rose						
	D81/4 ceiling rose dimmable push/DALI 60W 220-240V~ 50/60 Hz for D81C07 Ø 24 x 5   	1D810/400000	white			3.165
	D81/5 ceiling rose dimmable push/DALI 100W 220-240V~ 50/60 Hz for D81C11 Ø 33 x 6   	1D810/500000	white			3.606
	D81/6 ceiling rose dimmable push/DALI 150W for D81C20 Ø 33 x 6   	1D810/600000	white			4.027

20% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
remote drivers						
	D81/10 remote driver dimnable push/DALI 60W for D81C07 220-240V~ 50/60 Hz	1D810/100000				1.752
	D81/11 remote driver dimnable push/DALI 100W for D81C11 220-240V~ 50/60 Hz	1D810/110000				2.052
	D81/12 remote driver dimnable push/DALI 150W for D81C20 220-240V~ 50/60 Hz	1D810/120000				2.036
	D81/8 optional remote drivers cover for multiple configurations (up to 3) Ø 40 x 6	1D810/800002				1.968

D81P COMPENDIUM PLATE


daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.	
complete lamps							
	D81P aluminium wall/ceiling dimnable phase cut push/DALI Ø 56 h 7	1D810P000020	alu			10.014	
		1D810P000001	black	LED 75W 2700K CRI 90	<input type="checkbox"/>	A+ (*)	10.014
		1D810P000030	brass				10.014
	D81PS suspension aluminium dimnable phase cut push dim/DALI Ø 56 H max 300 ceiling rose Ø 27 x 5	1D810POS0020	alu			10.285	
		1D810POS0001	black	LED 75W 2700K CRI 90	<input type="checkbox"/>	A+ (*)	10.285
		1D810POS0030	brass				10.285

light source included



body



shade



complete lamp





Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
LED Bulbs included in the complete version LED.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

30% reduction on already discounted price of the structure finish off white

	D13pic. LED table on/off switch h 51 base 14x14 CE □ ▼	1D13=NPLC020	complete version alu body white shade	LED 7W E14 □	A+ A++ A D	2.400
	D13pi table on/off switch h 51 base 14x14 CE □ ▼	1D13=NP00003 1D13=NP00020 1D13=NP00017 1D13=NP00030	off white alu black brass	LED E14 12W FB E14 energy saver 42W HSG5A E14	A+ A++ A D	1.305 1.812 1.812 2.640
	D13pipt table on/off switch with fixing pin (H table max 5,7) h 51 CE □ ▼	1D13PNP00020	alu	LED E14 12W FB E14 energy saver 42W HSG5A E14	A+ A++ A D	1.632
	D13api wall on/off switch h 54 d 28 CE □ ▼	1D13ANP00020 1D13ANP00017	alu black	LED E14 12W FB E14 energy saver 42W HSG5A E14	A+ A++ A D	1.788 1.788


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13spi suspension up and down on/off switch H 100 - 250 ceiling rose: Ø 12 x 3	1D13SNP00002	white counterweight	 LED E14  12W FB E14 energy saver  42W HSG5A E14	A+ A++ A D	1.716


shade

	D13pi/1/4 shade ø 26 packing: 4 items the price refers to the single article	1D13=1P11N02	white			456
---	--	--------------	-------	--	--	-----

shades for Mezzo Tono collection


	D13 pi/1/2 shade ø 26 packing: 1 item	9D1331437734	mistic white			540
		9D1331437738	soft skin			540
		9D1331437739	shaded stone			540
		9D1331437724	edgy pink			540
		9D1331437737	comfort green			540

shades for Radieuse collection

	D13pi/1/2 shade ø 26 packing: 1 item	9D1331437736	petroleum blue			540
		9D1331437706	smart yellow			540
		9D1331437708	primary red			540
		9D1331437705	concrete grey			612
		9D1331437701	liquorice black			612

accessories

	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white			444
	D13/50 wall mount accessory for D13 a.pi	9D1350620720	alu			612
		9D1350620701	black			612



























Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------





30% reduction on already discounted price of the structure finish off white





	D13 c table telescopic sensor dimmer on board H 76/110 base 18x18 220-240V~ 50/60Hz CE □ ▼	1D13N=00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable 105W HSGSA E27 energy saver	A+ A++ A D	4.560
	D13 table telescopic sensor dimmer on board 220-240V~ 50Hz H 76/110 base 18x18 CE □ ▼	1D13N=000003 1D13N=000020 1D13N=000017 1D13N=000030	off white alu black brass	 LED E27 dimmable 105W HSGSA E27 energy saver	A+ A++ A D	2.176 3.420 3.420 4.596
	D13i table telescopic on/off switch base 18x18 H 76/110 CE □ ▼	1D13N=010003 1D13N=010020	off white alu	 LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	1.831 2.820
	D13if table fixed on/off switch H 80 base 18x18 CE □ ▼	1D13N=01F020 1D13N=01F003	alu off white	 LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	2.640 2.736




20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13pt table telescopic sensor dimmer on board 220-240V~ 50Hz with fixing pin (H table max 5,7) H 76/110 CE □ ▽	1D13NPT00020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	2.928
	D13pti table telescopic on/off switch with fixing pin (h table max 57 mm) H 76/110 CE □ ▽	1D13NPT10020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	2.376
	D13 tc floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18 CE □ ▽	1D13NT00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	4.680
	D13 t floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18 CE □ ▽	1D13NT000003	off white	 LED E27 dimmable  105W HSGSA E27 energy saver	A+	2.294
		1D13NT000020	alu		A++	3.552
		1D13NT000017	black		A	3.552
		1D13NT000030	brass		D	4.680
	D13ti floor telescopic on/off switch h 120/160 base 18x18 H 120/160 base 18x18 CE □ ▽	1D13NT010003	off white	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++	1.956
		1D13NT010020	alu		A D	3.036
	D13tif floor fixed on/off switch h 153 base 18x18 CE □ ▽	1D13NT01F003	off white	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++	1.854
		1D13NT01F020	alu		A D	2.868
	D13a wall telescopic sensor dimmer on board H 76/110, d 44/57 220-240V~ 50Hz CE □ ▽	1D13NA000020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	2.976


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13aif wall fixed on/off switch H 80 S 46 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NA01F020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	2.304


	D13s suspension telescopic H 100/150 ceiling rose: Ø 7 x 4 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NS000020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	2.472
---	---	--------------	-----	---	---------------------	-------

	D13sas suspension up and down H 100/250 ceiling rose: Ø 12 x 3 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NSA20020	counterweight steel mat chrome	 LED filament E27  105W HSGSA E27 energy saver	A+ A++ A D	1.836
---	---	--------------	-----------------------------------	--	---------------------	-------


shade

	D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002	white			816
---	--	--------------	-------	--	--	-----




shades for Mezzo Tono collection


	D13/1/2 shade Ø 40 packing: 1 item	9D1301511734	mistic white			1.212
		9D1301511738	soft skin			1.212
		9D1301511739	shaded stone			1.212
		9D1301511724	edgy pink			1.212
		9D1301511737	comfort green			1.212

shades for Radieuse collection





	D13/1/2 shade Ø 40 packing: 1 item	9D1301511736	petroleum blue			1.212
		9D1301511706	smart yellow			1.212
		9D1301511708	primary red			1.212
		9D1301511705	concrete grey			1.452
		9D1301511701	liquorice black			1.452

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
accessories						
	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white			444
	D13/50 wall mount accessory for D13a - D13aif	9D1350620720	alu			612
		9D1350620701	black			612
	D13/91 diffuser accessory lamping not included packing: 4 items the price refers to the single article only with halogen bulbs	1D13N/910000	white			216



Calculate the price of the lamp adding the cost of the body to the shade.
Luminous flux data in combination with the lampshade finish are available on data sheets. www.luceplan.com

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13iL table telescopic on/off switch H76/110 base 18x18 220-240V~ 50/60Hz CE □ ▽	1D13L=010020	alu	LED 23W 2700K □	A (*)	5.040
	D13tL floor telescopic on/off switch H 120/160 base 18x18 220-240V~ 50/60Hz CE □ ▽	1D13LT010020	alu	LED 23W 2700K □	A (*)	4.983
	D13sasL suspension up and down dimmer trailing edge wall control H 100/250 220-240V~ 50/60Hz ceiling rose: Ø 20 x 6 CE ⊕ ▽	1D13LSA00020	counterweight steel mat chrome	LED 23W 2700K □	A (*)	3.948
	D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002	white			816

shades


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


shades for Mezzo Tono collection


	D13/1/2 shade Ø 40 packing 1 item	9D1301511734	mistic white			1.212
		9D1301511738	soft skin			1.212
		9D1301511739	shaded stone			1.212
		9D1301511724	edgy pink			1.212
		9D1301511737	comfort green			1.212

shades for Radieuse collection

	D13/1 /2 shade Ø 40 packing 1 item	9D1301511736	petroleum blue			1.212
		9D1301511706	smart yellow			1.212
		9D1301511708	primary red			1.212
		9D1301511705	concrete grey			1.452
		9D1301511701	liquorice black			1.452




accessories

	D13/25 off-center ceiling rose Ø 12 x 3	9D1325476800	white			444
--	---	--------------	-------	--	--	-----













Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13E d. floor telescopic dimmer on board dimmer Hh 217 - 250 H min 130 - 140 base 36 x 36 220-240V~ 50Hz CE □ ▼	1D13GED00020	alu	LED E27 dimmable	A+	10.582
		1D13GED00017	black	105W HSGSA E27 energy saver	A++ A D	10.639
	D13E i. floor telescopic on/off switch H 217 - 250 H min 130 - 140 base 36 X 36 220-240V~ 50Hz CE □ ▼	1D13GEI00020	alu	LED E27 dimmable	A+	10.269
		1D13GEI00017	black	105W HSGSA E27 energy saver	A++ A D	10.269
	D13Ea d. wall version telescopic dimmer on board H 215 - 248 220-240V~ 50Hz CE □ ▼	1D13GEDA0020	alu	LED E27 dimmable	A+	9.281
				105W HSGSA E27 energy saver	A++ A D	
	D13Ea i. wall version telescopic on/off switch H 215 - 248 CE □ ▼	1D13GEIA0020	alu	LED E27 dimmable	A+	7.690
				105W HSGSA E27 energy saver	A++ A D	
	D13E sas suspension H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▼	1D13GESA0020	alu	LED E27 dimmable	A+	2.052
				105W HSGSA E27 energy saver	A++ A D	

20% rabatt ska dras av på angivna priser





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13E/1 D13E/1 shade Ø 50, h 35	1D13GE/01002	white			1.752
		1D13GE/01039	shaded stone			2.052
		1D13GE/01008	primary red			2.652
		1D13GE/01001	black			2.880
	D13/25 off-center ceiling rose	9D1325476800	white			444
	D13/91 diffuser accessory lamping not included packing: 4 items the price refers to the single article only with halogen bulb	1D13N/910000	white			216

D13G. GRANDE COSTANZA

paolo rizzato





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13Gt floor telescopic sensor dimmer 220-240V~ 50Hz Ø 70, H 175 - 235 base 36x36 CE □ ▼	1D13GTDH0020	alu stem white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	A+ A++ A D	11.740
	D13Gti floor telescopic on/off switch Ø 70, H 175 - 235 base 36x36 CE □ ▼	1D13GTIH0020	alu stem white shade	 3xLED E27  3x20W FB E27  3x70W HSGSA E27 energy saver	A+ A++ A D	11.635
	D13Gs suspension sensor dimmer 220-240V~ 50Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3 CE □ ▼	1D13GSDH0020	white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	A+ A++ A D	6.407

20% rabatt ska dras av på angivna priser





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13Gsi suspension 220-240V~50Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3	1D13GSIH0020	white shade	 3x LED E27  3x 20W FB E27  3x 70W HSGSA E27 energy saver	A+ A++ A D	6.022

D13G GRANDE COSTANZA OPEN AIR

paolo rizzatto

			
body	shade	base stake fixed base	complete lamp



Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13G.air floor outdoor on/off switch Ø 2,1, h 221	1D13GT/00020	alu	 LED E27  23W FBT E27  205W HSGST E27 energy saver	A+ A++ A D	8.029 8.029
		1D13GT/00013	rust			

shade and accessories


	D13G/1 shade Ø 70, h 49	1D13GP/01002	white (indoor only)		2.772
		1D13GP/01028	off-white		3.768
		1D13GP/01013	rust		3.768
		1D13GP/01011	green		3.768
	D13G.air/2 base l 36x36, h 2	1D13GT/02020	alu		3.876
		1D13GT/02013	rust		3.876

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D13G.air/3 stake for inserting into the soil Ø base 6 Ø 2,1, h 50,7	1D13GT/03020	alu			1.188
	D13G.air/4 fixed base for dowels Ø 12, h 1,25	1D13GT/04020	alu			1.188
		1D13GT/04013	rust			1.188


D73 COUNTERBALANCE

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D73N wall step dimmer (0%/50%/100%) 220-240V~ 50/60Hz l 191,6 head Ø 8,5	1D73N0000003	white	LED 16W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	8.283
		1D73N0000001	black			8.283

D73a COUNTERBALANCE SPOT





daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D73NA ceiling/wall dimmable trailing edge l 27,9 head Ø 8,5 220-240V~ 50/60Hz	1D73NA000003	white	LED 13W 2700K CRI 90 <input type="checkbox"/>	A (*)	4.524
		1D73NA000001	black			4.524




D73t COUNTERBALANCE FLOOR daniel rybakken


20% rabatt ska dras av på angivna priser

Calculate the price of the lamp adding the cost of the structure to the base.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D73NT floor step dimmer (0%/50%/100%) 220-240V~ 50/60Hz h 170 CE  	1D73NT000001	black	LED 16W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	5.052
	D73/1 base h 24 Ø 14,5 CE	1D730/100001	black			2.208

D76 CURL sebastian bergne

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D76N1 table dimmer on board l 21 h 26 CE  	1D760N100003	white	LED 8W 3000K CRI 80 <input type="checkbox"/>	A (*)	3.252
		1D760N100018	mirror			3.252



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

optics 120 cm

	<p>D93SDDC direct optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz</p> <p>CE ⊕ ▼</p>	1D930SDDC020	alu	LED 54W 3000K CRI 80	<input type="checkbox"/> A++ (*)	9.713
--	---	--------------	-----	----------------------------	-------------------------------------	-------







	<p>D93SDIC direct/indirect optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz</p> <p>CE ⊕ ▼</p>	1D930SDIC020	alu	LED 54W + LED 29W 3000K CRI 80	<input type="checkbox"/> A++ (*)	11.650
--	--	--------------	-----	---	-------------------------------------	--------

	<p>D93SFIC direct/indirect optic 3000K with anti-glare dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz</p> <p>CE ⊕ ▼</p>	1D930SFIC020	alu	LED 54W + LED 29W 3000K CRI 80	<input type="checkbox"/> A++ (*)	11.431
--	--	--------------	-----	---	-------------------------------------	--------



sound-absorbing panels 120 cm

		1D93010000A1	white/black			11.784
	D93/1 Pair of panels 120 x 60	1D93010000A2	white/blue			11.784
		1D93010000A4	white/beige			11.784

20% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
support kit						
	D93/5 Kit 4 supports positioning vertical panels recommended for D93SDDC	1D9305000020	alu			1.380
	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu			2.400
optics 180 cm						
	D93SDDL direct optic 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ⊕ ▽	1D930SDDL020	alu	LED 80W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	12.093
	D93SDIL direct/indirect optic 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz	1D930SDIL020	alu	LED 80W + LED 46W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	12.546
	D93SFIL direct/indirect optic with anti-glare 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ⊕ ▽	1D930SFIL020	alu	LED 80W + LED 46W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	11.608
sound-absorbing panels 180 cm						
		1D93030000A1	white/black			18.762
	D93/3 Pair of panels 180 x 60	1D93030000A2	white/blue			18.762
		1D93030000A4	white/beige			18.762

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
Support kit						
	D93/7 Kit 6 supports positioning vertical panels recommended for D93SDDL	1D9307000020	alu			2.040
	D93/8 Kit 6 supports positioning horizontal panels	1D9308000020	alu			3.468



D93T DIADE FLOOR

monica armani




base + stem + optic + panels + Kit orizzontal support = complete lamp


Calculate the price of the lamp adding the structure, to the optic, to the panels and to the support kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
base						
	D93/11 base 60 x 50 x 1	1D9311000020	alu			3.264
stem						
	D93/10 stem 220-240V~ 50/60 Hz L 215 CE Ⓢ ⚡	1D9310000020	alu			5.835


20% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
optic						
	D93TFIC anti glare 3000K optic dimmer on board 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D930TFIC020	alu	LED 54W + LED 29W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	8.546

sound-absorbing panels

	D93/1 Pair of panels 120 x 60 CE	1D93010000A1	white/black			11.784
		1D93010000A2	white/blue			11.784
		1D93010000A4	white/beige			11.784

support kit

	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu			2.400
--	---	--------------	-----	--	--	-------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04200 ceiling h 27,9 Ø 7 direct light CE	1E0400200001	matt black			1.260
		1E0400200002	matt white			1.260
		1E0400200020	matt alu			1.260
		1E0400200030	matt brass			1.260
	E04220 ceiling h 37,2 Ø 13,4 direct light CE	1E0400220001	matt black			1.716
		1E0400220002	matt white			1.716
		1E0400220020	matt alu			1.716
		1E0400220030	matt brass			1.716

E04240



2 x LED optic
or



2 x RETROFIT optic



body

complete lamp

E04250 (with LED optic)



2 x LED optic



body

complete lamp

E04250 (with RETROFIT optic)



1 x RETROFIT optic





top cover




body

complete lamp

calculate the price of the lamp adding the structure to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04240 wall direct/indirect light h 46,5 Ø 7 CE	1E0400240001	matt black			1.932
		1E0400240002	matt white			1.932
		1E0400240020	matt alu			1.932
		1E0400240030	matt brass			1.932
	E04250 wall direct and direct/indirect light h 46,5 Ø 13,4 CE	1E0400250001	matt black			2.316
		1E0400250002	matt white			2.316
		1E0400250020	matt alu			2.316
		1E0400250030	matt brass			2.316


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E0401 top cover	1E040/010001	black			252

e04 SUSPENSION


habits studio

E04270-E04290




body + 1 x LED optic or 1 x RETROFIT optic + 5-pole ceiling rose kit = complete lamp

E04280





body + 2 x LED optic or 2 x RETROFIT optic + 5-pole ceiling rose kit = complete lamp


Calculate the price of the lamp adding the structure to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04270 suspension direct light h 27,9 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400270001	matt black			2.136
		1E0400270002	matt white			2.136
		1E0400270020	matt alu			2.136
		1E0400270030	matt brass			2.136




20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E04280 suspension direct/indirect light h 46,5 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400280001	matt black			2.112
		1E0400280002	matt white			2.112
		1E0400280020	matt alu			2.112
		1E0400280030	matt brass			2.112
	E04290 suspension direct light h 37,2 Ø 13,4 L cable max 3 m ceiling rose: Ø 12 x 3 CE	1E0400290001	matt black			2.472
		1E0400290002	matt white			2.472
		1E0400290020	matt alu			2.472
		1E0400290030	matt brass			2.472

accessories


	EA1096 5-pole ceiling rose kit ceiling rose: Ø 12 x 3 CE	1EA100096000	white			204
---	--	--------------	-------	--	--	-----

optics for E04 ceiling, wall e suspension.

	E041M medium beam optic 45° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE ⊕	1E040/1M0000		COB LED module 12W 2700K CRI 90 <input type="checkbox"/>	A++	2.100
	E041W large beam optic 60° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE ⊕	1E040/1W0000		COB LED module 12W 2700K CRI 90 <input type="checkbox"/>	A++	2.100
	E042M medium beam optic 45° dimmable push/DALI for body Ø 13.4 220-240V~ 50/60Hz CE ⊕	1E040/2M0000		COB LED module 19W 2700K CRI 90 <input type="checkbox"/>	A++	2.652

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E042W large beam optic 56° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/2W0000		COB LED module 19W 2700K <input type="checkbox"/> CRI 90	A++	2.652
	E043M medium beam optic 30° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz	1E040/3M0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.220
	E043W large beam optic 42° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz	1E040/3W0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.220
	E044M medium beam optic 20° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/4M0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.904
	E044W large beam optic 46° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/4W0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	2.904
	E041R optic retrofit dimmable phase cut for bodies Ø 7 220-240V~ 50/60Hz	1E040/1R0000		 LED retrofit GU10	A+ A++ A	852
	E042R optic retrofit dimmable phase cut for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/2R0000		 LED retrofit G53	A+ A++ A	1.788



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

bodies for LED optics

	E06100 ceiling fixture h 40 Ø 7 CE	1E0600100001	matt black			3.324
		1E0600100002	matt white			3.324
		1E0600100020	matt alu			3.324
		1E0600100030	matt brass			3.324


	E06150 electrified track fixture h 40 Ø 7 CE	1E0600150001	matt black			3.756
		1E0600150002	matt white			3.756
		1E0600150020	matt alu			3.756
		1E0600150030	matt brass			3.756


LED optics

	E061M medium beam optic 45° 220-240V~ 50/60Hz CE	1E060/1M0000			LED module COB 11W 2700K CRI 90 <input type="checkbox"/>	A++	1.332
--	--	--------------	--	--	---	-----	-------


	E061W large beam optic 60° 220-240V~ 50/60Hz CE	1E060/1W0000			LED module COB 11W 2700K CRI 90 <input type="checkbox"/>	A++	1.332
--	---	--------------	--	--	---	-----	-------

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E062M medium beam optic 45° 220-240V~ 50/60Hz	1E060/2M0000		LED module 11W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	A++	1.512
CE ⊕						



	E062W large beam optic 60° 220-240V~ 50Hz	1E060/2W0000		LED module dim to warm <input type="checkbox"/> 11W 1800K - 3000K CRI 90	A++	1.512
CE ⊕						

bodies for retrofit optics

	E06200 ceiling fixture h 40 Ø 7	1E0600200001	matt black			3.048
		1E0600200002	matt white			3.048
		1E0600200020	matt alu			3.048
		1E0600200030	matt brass			3.048
CE						

	E06250 electrified track fixture h 40 Ø 7	1E0600250001	matt black			3.516
		1E0600250002	matt white			3.516
		1E0600250020	matt alu			3.516
		1E0600250030	matt brass			3.516
CE						

retrofit optic

	E041R optic retrofit for bodies Ø 7 220-240V~ 50/60Hz	1E040/1R0000		 LED retrofit GU10	A+ A++ A	852
CE ⊕						

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D67PLN1 wall/outdoor 220-240V~ 50Hz Ø 18,5 D 14,5 CE □ IP65	1D670PN10002	opal white	LED 8W 3000K CRI 80 <input type="checkbox"/>	A (*)	2.196
		1D670PN10034	sand			2.196

D96 FAREL

diego sferrazza

optics + suspension cables + finishing rings

sound-absorbing body

complete lamp

Calculate the price of the lamp adding the cost of the optic and to the sound-absorbing body.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


optics

	D96/1D1 optic dimmable push/DALI optics + suspension cables + finishing rings 220-240V~ 50Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE ⊕ ▽	1D960/1D0020	alu	COB LED module 23W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	6.162
		1D960/1D0001	black			6.162
		1D960/1D0030	brass			6.162

	D96/1D3 optic dimmable push/DALI optics + suspension cables + finishing rings 220-240V~ 50Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE □ ▽	1D960/3D0020	alu	COB LED module 23W 3000K CRI 90 <input type="checkbox"/>	A++ (*)	7.056
		1D960/3D0001	black			7.056
		1D960/3D0030	brass			7.056

	D96/1DW optic dimmable phase cut dim-to-warm optics + suspension cables + finishing rings 220-240V~ 50Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE ⊕ ▽	1D960/1DW020	alu	LED module 25W dim to warm 3000K → 1800K CRI 97 <input type="checkbox"/>	A++ (*)	6.974
		1D960/1DW001	black			6.974
		1D960/1DW030	brass			6.974


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
sound-absorbing body						
	D96C acoustic material and flame-retarded fabric Ø 80 h 40 cm CE	1D960C0000A3	dark grey/ raw white			7.780
		1D960C0000E2	aquamarine/ raw white			7.780
		1D960C0000A2	light grey/ dark grey			7.780
		1D960C0000B2	rust			7.780

D98 FIENILE




daniel rybakken

Outdoor version




optic + structure = complete lamp





Suspension version: multiple configurations scheme

A	D98SC2 3000K D98SW2 2700K	
B	D98SC3 3000K D98SW3 2700K	
C	D98SC4 3000K D98SW4 2700K	


Calculate the price of the lamp adding the structure to the optic


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.	
	D98=W1 table dimmer on board 24V dc L 45 x W 15 x H 22 CE	1D980=W10024	rose			11.988	
		1D980=W10028	prosecco	LED 19W 2700K CRI 90	<input type="checkbox"/>	A++ (*)	11.988
		1D980=W10036	forest green				11.988

20% rabatt ska dras av på angivna priser



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
optic for outdoor version (the lamp is supplied without power supply)						
	D98TM1 floor outdoor dimmable push/DALI L 45 x W 28 x H 32	1D980TM10020	light grey	LED 17W 3000K CRI 90 <input type="checkbox"/>	A++ (*)	4.956
		1D980TM10005	dark grey			4.956
   IP65						



structures for outdoor version

	D98/2 floor outdoor L 45 x W 28 x H 32	1D980/020020	light grey			3.360
		1D980/020005	dark grey			3.360





	D98/3 floor outdoor L 45 x W 28 x H 72	1D980/030020	light grey			3.792
		1D980/030005	dark grey			3.792

remote drivers (the junction box is recommended watertight IP68)


	D98/5 remote driver on/off	1D980/050000				576
 IP20						

	D94/1 remote driver 1 body dimmable push/DALI 220-240V~ 50/60Hz	1D940/100000				1.080
 IP20						



suspension, complete version


	D98SC1 suspension dimmable push/DALI L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5	1D980SC10002	white	LED 52W 3000K CRI 90 <input type="checkbox"/>	A++ (*)	17.112
		1D980SC10005	dark grey			17.112
  						



20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D98SW1 suspension dimmable push/DALI L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5	1D980SW10002	white	LED 52W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	17.112
		1D980SW10005	dark grey			17.112
						



bodies for multiple configurations. This configurations can be composed according to the scheme shown

	D98SC2 suspension initial lamp (A) dimmable L 120 x W 28 x H 2.7	1D980SC20002	white	LED 46W 3000K CRI 90 <input type="checkbox"/>	A++ (*)	15.984
		1D980SC20005	dark grey			15.984
						


	D98SW2 suspension initial lamp (A) dimmable L 120 x W 28 x H 2.7	1D980SW20002	white	LED 46W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	15.984
		1D980SW20005	dark grey			15.984
						

	D98SC3 suspension intermediate lamp (B) dimmable L 120 x W 28 x H 2.7	1D980SC30002	white	LED 46W 3000K CRI 90 <input type="checkbox"/>	A++ (*)	15.552
		1D980SC30005	dark grey			15.552
						


	D98SW3 suspension intermediate lamp (B) dimmable L 120 x W 28 x H 2.7	1D980SW30002	white	LED 46W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	15.552
		1D980SW30005	dark grey			15.552
						

	D98SC4 suspension terminal lamp (C) dimmable L 120 x W 28 x H 2.7	1D980SC40002	white	LED 46W 3000K CRI 90 <input type="checkbox"/>	A++ (*)	15.516
		1D980SC40005	dark grey			15.516
						

20% rabatt ska dras av på angivna priser



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D98SW4 suspension terminal lamp (C) dimmable L 120 x W 28 x H 2.7 CE Ⓢ ⚠	1D980SW40002	white	LED46W 2700K CRI 90 <input type="checkbox"/>	A++ (*)	15.516
		1D980SW40005	dark grey			15.516

ceiling rose for multiple suspensions


	D98/4 ceiling rose dimmable push/DALI for multiple configurations up to 4 bodies 36 x 5,3 x 13,5 CE Ⓢ	1D980/040000	white			4.344
---	--	--------------	-------	--	--	-------


D84a FLY-TOO

consuline

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D84a wall dimmable with wall control 220-240V~ 50/60Hz Ø 20,5 l 27,4 CE Ⓢ ⚠	1D840A000002	aged white/ aged white	LED 26W 3000K CRI 80 <input type="checkbox"/>	A (*)	4.728
		1D840A000038	aged white/ tanned skin			4.728
		1D840A000001	ultramatt black/ aged white			4.728
	D84a/01 wall remote driver version Ø 20,5 h 13,7 CE Ⓢ ⚠	1D840A010002	aged white/ aged white	LED 26W 3000K CRI 80 <input type="checkbox"/>	A (*)	4.056
		1D840A010038	aged white/ tanned skin			4.056
		1D840A010001	ultramatt black/ aged white			4.056

accessory

	D84/1 remote independent driver for D84a/01	1D840/100000				576
---	--	--------------	--	--	--	-----







Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D33N.100 table/wall on/off switch 220-240V~ 50/60Hz arms l 44 + 35,5 head Ø 16 CE □ ▽	1D33N2GI00AA	metal	LED filament E27	A+	2.052
		1D33N2GI0002	white	70W HSGSA E27 energy saver	A++ A	2.172
		1D33N2GI0001	black soft-touch		D	2.400
	D33Nt.100 floor on/off switch 220-240V~ 50/60Hz arms l 35,5 h 92 head Ø 16 CE □ ▽	1D33NTGI00AA	metal	LED filament dimmiabile E27	A+	2.544
		1D33NTGI0001	black soft-touch	70W HSGSA E27 energy saver	A++ A	2.796
		1D33NTGI0002	white		D	2.820
	D33Nsp.60 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz s 36 head Ø 11 CE □ ▽	1D33NSPI00AA	metal	LED E14	A+	1.524
		1D33NSPI0002	white	28W Spot R50 E14 energy saver	A++ A	1.572
		1D33NSPI0001	black soft-touch	42W HSGSA E14 energy saver	D	1.704
	D33Nsp.100 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz s 36 head Ø 16 CE □ ▽	1D33NSGI00AA	metal	LED filament E27	A+	1.596
		1D33NSGI0002	white	70W HSGSA E27 energy saver	A++ A	1.692
		1D33NSGI0001	black soft-touch		D	1.812




accessories

	D33N/01 base Ø 23,6	1D33N/010002	white			984
		1D33N/01000A	metal			984
		1D33N/010001	black soft-touch			1.032

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D33N/03 universal joint h 11,8	1D33N/03000A	metal			396
	D33N/04 clamp h 1 - 6,5	1D33N/04000A	metal			396
	D33N/05 fixing pin Ø 12,5	1D33N/05000A	metal			624




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D33N.led table/wall on/off switch 24V dc arms l 44 + 35.5 head Ø 8,9 CE  	1D33N2LIR0AA	metal	LED 9W 3000K CRI 80 	A (*)	3.504
		1D33N2LIR002	white			3.564
		1D33N2LIR001	black soft-touch			3.708

accessories



	D33N/01 base Ø 23,6	1D33N/010002	white			984
		1D33N/01000A	metal			984
		1D33N/010001	black soft-touch			1.032
	D33N/03 universal joint h 11,8	1D33N/03000A	metal			396
	D33N/04 clamp h 1 - 6,5	1D33N/04000A	metal			396


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D33N/05 fixing pin Ø 12,5	1D33N/05000A	metal			624

D90 GARBÌ

david dolcini

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D90NW wall dimmer trailing edge 220-240V~ 50/60Hz 20 x 14 x 16 CE ⊕ ▽	1D90NAW00002	white	LED 34W 2700K CRI 90 <input type="checkbox"/>	A (*)	3.108
	D90NC wall dimmer trailing edge 220-240V~ 50/60Hz 20 x 14 x 16 CE ⊕ ▽	1D90NAC00002	white	LED 34W 3000K CRI 90 <input type="checkbox"/>	A (*)	3.108



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------

D31G structure, 40% reduction on already discounted price

	D31P suspension H max 124 ceiling rose: Ø 13 x 19 220-240V~ 50/60Hz CE Ⓢ ⚠	1D31PH000020	alu	 	A+ A++ A D	2.820
--	--	--------------	-----	--------------	---------------------	-------

	D31G suspension H max 124 ceiling rose: Ø 13 x 19 220-240V~ 50/60Hz CE Ⓢ ⚠	1D31GH000020	alu	 	A+ A++ A D	1.650
--	--	--------------	-----	--------------	---------------------	-------





glass and accessories

D31G/2 glass, 40% reduction on already discounted price

	D31P/1 H 27 Ø 33	1D31P/010002	opal			2.724
--	----------------------------	--------------	------	--	--	-------





	D31P/2 H 33 Ø 39	1D31P/020002	opal			4.272
--	----------------------------	--------------	------	--	--	-------

20% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	1D31P/5 H 43 Ø 40	1D31P/050002	opal			4.608
	D31P/9 H 30,6 Ø 22,5	1D31P/090002	opal			1.680
	D31G/2 H25 Ø29	1D31G/020000	transparent sand-blasted			1.610
	D31/1 extra cable 4 m	1D31/0100020				1.380

D52 GOGGLE





ross lovegrove

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D52 ceiling 220-240V~ 50/60Hz h 32, l 18, s 14 CE □ ▽ IP40	1D5200000031	iridescent	 LED 6W E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	808


20% reduction on already discounted price




Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the suspension kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D70K/3N1 suspension dimnable trailing edge 220-240V~ 50/60Hz H 60 - 250 ceiling rose: Ø 15 x 5	1D701K300002	complete version 3 bodies glossy white + 1 module LED + suspension kit	LED 25W 3000K CRI 80 <input type="checkbox"/>	A (*)	6.185
	D70K/4N1 suspension dimnable trailing edge 220-240V~ 50/60Hz H 60 - 250 ceiling rose: Ø 15 x 5	1D701K400002	complete version 4 bodies glossy white + 2 modules LED + suspension kit	LED 50W 3000K CRI 80 <input type="checkbox"/>	A (*)	9.453
	D70C/1 3 bodies + attachments h module 8, l 30,5, d 24	1D7001000002	glossy white			816
	D70C/3 3 bodies + attachments h module 8, l 30,5, d 24	1D7003000002	glossy white			2.328


optics


	D70L/1N1 LED version dimnable trailing edge structure 3 modules 220-240V~ 50/60Hz	1D701L100000	satin finish aluminium ceiling rose white	LED 25W 3000K CRI 80 <input type="checkbox"/>	A (*)	3.504
---	--	--------------	---	---	-----------	-------

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D70L/2N1 LED version dimnable trailing edge structure 6 modules 220-240V~ 50/60Hz CE ⊕ ▽	1D701L200000	satin finish aluminium ceiling rose white	LED 50W 3000K CRI 80 <input type="checkbox"/>	A (*)	5.765





accessories





	D70S suspension kit 4 steel cables	1D7002000002	white			1.020
--	---	--------------	-------	--	--	-------





	D70A kit 5 hooks	1D7005000002	white			444
---	----------------------------	--------------	-------	--	--	-----

D66 HOPE





francisco gomez paz, paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D66/12 suspension 220-240V~ 50/60Hz H max 270 Ø 61 ceiling rose: Ø 12 x 3 CE □ ▽	1D6612S00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	9.756




	D66/18 suspension 220-240V~ 50/60Hz H max 270 Ø 72 ceiling rose: Ø 12 x 3 CE □ ▽	1D6618S00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	12.965
---	---	--------------	-----------------------------	---	---------------------	--------

	D66/42 suspension 220-240V~ 50/60Hz H 50 - 410 Ø 110 ceiling rose: Ø 16 x 4 CE ⊕ ▽	1D6642S00000	transparent methacrylate	 3x LED E27  3x 23W FB E27  3x 105W HSGSA E27 energy saver	A+ A++ A D	39.091
---	---	--------------	-----------------------------	--	---------------------	--------




20% rabatt ska dras av på angivna priser





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D66/105 suspension 220-240V~ 50/60Hz H 60 - 930 Ø 200 ceiling rose: Ø 16 x 4	1D66105S0000	transparent methacrylate	 5x LED E27  5x 23W FB E27  5x 105W HSGSA E27 energy saver	A+ A++ A D	113.239





for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).

	D66/18td body foot dimmer 220-240V~ 50/60Hz Ø 72	1D6618TD0000	transparent methacrylate	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	13.211
---	---	--------------	-----------------------------	---	---------------------	--------





	D66/18T.1 ground rod h 164	1D6618T01019	stainless steel			5.602
--	---	--------------	-----------------	--	--	-------

	D66/3a wall dimmable 220-240V~ 50/60Hz l 43 d 28,5 Ø 48	1D6603A00000	transparent methacrylate	 LED dimmable R7s Ømax: 22 mm (L=78 mm)  120W HDG R7s (L=78 mm)	A+ A++ A C	3.504
---	--	--------------	-----------------------------	---	---------------------	-------


	D66/8a wall 220-240V~ 50/60Hz l 49 d 45,6 Ø 61	1D6608A00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	7.527
---	--	--------------	-----------------------------	---	---------------------	-------

	D66/12p ceiling 220-240V~ 50/60Hz Ø 69 h 41,5	1D6612P00000	transparent methacrylate	 3 x LED E14  3 x 12W FB E14  3 x 42W HSGSA E14 energy saver	A+ A++ A D	10.946
---	--	--------------	-----------------------------	--	---------------------	--------

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D66/30p ceiling 220-240V~ 50/60Hz Ø 109 h 64	1D6630P00000	transparent methacrylate	 3xLED E27  3x 23W FB E27  3x105W HS6SA E27 energy saver	A+ A++ A D	27.073

kit for special composition





	D66/KT kit for special composition	9D6600000000				3.288
---	---	--------------	--	--	--	-------

D82 ILLAN





The mark of
responsible forestry
FSC® C151310

Zsuzsanna Horvath


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D82S1 suspension dimnable phase cut 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS100099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	A+	8.640
	D82S1D suspension dimnablepush/DALI 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS1D0099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	A+	9.144
	D82S2 suspension dimnable phase cut 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS200099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	A+	11.004
	D82S2D suspension dimnablepush/DALI 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS2D0099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	A+	11.544


20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D82S3 suspension dimmable phase cut 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS300099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	A+	12.996
	D82S3D suspension dimmable push/DALI 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6	1D82YS3D0099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	A+	13.536


D80 ILLUSION

francisco gomez paz


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D80 wall/ceiling dimmable trailing edge 23 x 23 x 4 220-240V~ 50/60 Hz	1D800A000002	structure white transparent polycarbonate screen	LED 17W main power 3000K CRI 80 <input type="checkbox"/>	A (*)	3.384



structure



remote driver











complete lamp

Calculate the price of the lamp by adding the cost of the structure to the cost of the remote driver.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D94P3 wall recessed dimmable push/DALI 18 x 18 d 15 cm CE  	1D940P300002	white	LED 26W 2700K CRI 90 <input type="checkbox"/>	A	5.272
















accessories

	D94/1 independent remote driver 1 body 220-240V~ 50/60Hz CE	1D940/100000				1.080
	D94/2 independent remote driver 3 bodies 220-240V~ 50/60Hz CE	1D940/200000				1.572
	D94/3 independent remote driver 5 bodies 220-240V~ 50/60Hz CE	1D940/300000				2.016


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D64 ceiling/wall dimmable 220-240V~ 50/60Hz h 8, l 22, s 9 CE   	1D6400000002	white	 LED dimmable R7s Ømax: 22 mm  120W HD6 R75	A+ A++ C	2.352

D41 LIGHTDISC


alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
40% reduction on already discounted price						
	D41/32.22 ceiling/wall transparent diffuser electronic ballast EEI A2 220-240V~ 50/60Hz Ø 32, h 5,5 CE    IP65	1D41PI220002	white	 22W FSC T5 2GX13	A	1.327
	D41B/32.22 ceiling/wall opal diffuser electronic ballast EEI A2 220-240V~ 50/60Hz Ø 32, h 5,5 CE    IP65	1D41PI22B000	transparent	 32W FSC T9 G10q	A	1.327
	D41/40.55 D ceiling/wall push dim/DALI transparent diffuser electronic ballast EEI A2 220-240V~ 50/60Hz Ø 40, h 6,7 CE    IP65	1D410055D002	white	 55W FSC T5 2GX13	A	2.573
		1D410055D000	transparent			2.573


Lita floor



Lita table



Lita multiple suspension















Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.

















The mark of responsible forestry
FSC® C151310



20% rabatt ska dras av på angivna priser



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92V14 Table version complete on/off switch 220-240V~ 50/60 Hz H 13 Ø 14	1D920V140000	opal	 LED G9 dimmable	A+ A++ A	1.956
	D92=18 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 28 base Ø 12	1D920=180002 1D92Z=180099	white painted aluminum ash wood	 LED G9 dimmable	A+ A++ A	2.316 2.316
	D92V18 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 16 base Ø 10	1D920V180000	white painted aluminum	 LED G9 dimmable	A+ A++ A	1.296
	D92=30 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 46 base Ø 20	1D920=300002 1D92Z=300099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	2.844 2.940
	D92V30 Table/support dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 27 base Ø 15	1D920V300000	white painted aluminum	 LED E27 dimmable	A+ A++ A	1.416
	D92T30 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 160 base Ø 28	1D920T300002 1D92ZT300099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	4.728 7.185



20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92/5 Base weight only for floor version D92T30	1D920/500000				1.452
	D92T42 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/4 diffuser H 160 base Ø 40	1D920T420002 1D92ZT420099	white painted aluminum ash wood		A+ A++ A	5.028 8.135
	D92/6 Base weight only for floor version D92T42	1D920/600000				1.584
	D92P14 Wall/ceiling complete version 220-240V~ 50/60 Hz Ø 14 h 12	1D920P140000	white		A+ A++ A	1.236
	D92P18 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 h 15	1D920P180000	white		A+ A++ A	528
	D92P30 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 h 26	1D920P300000	white		A+ A++ A	564
	D92S14 Suspension structure complete version dimmable 220-240V~ 50/60 Hz Ø 14 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S140002 1D92ZS140099	white painted aluminum ash wood		A+ A++ A	1.944 2.088



20% rabatt ska dras av på angivna priser



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92S18 Suspension structure dimmmable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S180002	white painted aluminum		A+	1.524
	1D92ZS180099	ash wood	A++ A		1.680	

	D92S30 Suspension structure dimmmable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S300002	white painted aluminum		A+	2.148
	1D92ZS300099	ash wood	A++ A		2.304	


	D92S42 Suspension structure dimmmable 220-240V~ 50/60 Hz only for D92/4 diffuser Ø 42 H 30 - 300 ceiling rose: Ø 13 x 4	1D920S420002	white painted aluminum		A+	2.172
	1D92ZS420099	ash wood	A++ A		2.544	

multiple suspension version




	D92/7 multiple ceiling rose for diffusers Ø 14 or 18 cm L cable 5 m ceiling rose: Ø 30 x 5,6	1D920/700002	white		A A+ A++	2.820
---	---	--------------	-------	---	----------------	-------

	D92/8 multiple ceiling rose for diffusers Ø 30 or 42 cm L cable 5 m ceiling rose: Ø 30 x 5,6	1D920/800002	white		A A+ A++	4.548
---	---	--------------	-------	---	----------------	-------





diffuser covers

	D92R/01 cover for diffuser Ø 14 cm	9D9201703202	white painted aluminum			276
	9D92Z1709599	ash wood				312

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D92R/02 cover for diffuser Ø 18 cm	9D9202703302	white painted aluminum			312
		9D92Z2705999	ash wood			384
	D92R/03 cover for diffuser Ø 30 cm	9D9203703402	white painted aluminum			372
		9D92Z3706099	ash wood			540
	D92R/04 cover for diffuser Ø 42 cm	9D9204707102	white painted aluminum			396
		9D92Z4702499	ash wood			612







Diffusers

	D92/1 Diffuser opal glass Ø 14 H 11,2	1D920/100002	opal			636
	D92/2 Diffuser opal glass Ø 18 H 15	1D920/200002	opal			948
	D92/3 Diffuser opal glass Ø 30 H 25	1D920/300002	opal			1.560
	D92/4 Diffuser opal glass Ø 42 H 36	1D920/400002	opal			2.628

D15 LOLA









20% rabatt ska dras av på angivna priser

alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D15ND floor foot dimmer 220-240V~ 50/60Hz H 160/200 base Ø 48	1D15=IND0020	alu	 LED dimmable R7s Ømax: 22 mm	A+	4.932
		1D15=IND0017	black	 240W HDG R7s energy saver	A++ A C	4.932
	D15NA1 wall dimmable 220-240V~ 50/60Hz h 25 l 18 s 25	1D15A1N00020	alu	 LED dimmable R7s Ømax: 22 mm	A+	1.812
		1D15A1N00017	black	 240W HDG R7s energy saver	A++ A C	1.812

D85 LUTHIEN


monica armani


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D85A wall dimmable phase cut 220-240V~ 50/60Hz 27 x 27 x 10	1D850A000002	matt white	 LED module 21W 2700K CRI 80	A++ (*)	3.336
	D85AC wall dimmable phase cut 220-240V~ 50/60Hz 27 x 27 x 10	1D850A0C0002	matt white	 LED module 21W 3000K CRI 80	A++ (*)	3.336
	D85AD wall dimmable DALI 220-240V~ 50/60Hz 27 x 27 x 10	1D850AD00002	matt white	 LED module 21W 2700K CRI 80	A++ (*)	3.480
	D85ADC wall dimmable DALI 220-240V~ 50/60Hz 27 x 27 x 10	1D850ADC0002	matt white	 LED module 21W 3000K CRI 80	A++ (*)	3.480


For wireless versions only, determine the price of the lamp by adding the body to the kit.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


complete versions phase cut Ø 80 cm

	D86KT081 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KT081001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	29.448
---	--	--------------	-------	---	---	--------


	D86KT082 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KT082001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
---	--	--------------	-------	---	---	--------

	D86KT083 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KT083001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
--	--	--------------	-------	---	---	--------

	D86KT084 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7 Ⓢ ⚠	1D86KT084001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
---	---	--------------	-------	---	---	--------

	D86KT085 suspension dimnable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KT085001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	A	30.539
---	--	--------------	-------	---	---	--------




Ø 80 cm versions compatible with wireless kit

	D86KW081 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7 CE Ⓢ ⚠	1D86KW081001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	A	30.281
---	---	--------------	-------	---	---	--------




20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D86KW082 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7	1D86KW082001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> A	31.879
	D86KW083 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7	1D86KW083001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> A	31.879
	D86KW084 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7	1D86KW084001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> A	31.879
	D86KW085 suspension wireless compatible 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7	1D86KW085001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> A	31.879
complete versions phase cut Ø 100 cm						
	D86KT101 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7	1D86KT101001	black	LED 64W 2700K CRI 90	<input type="checkbox"/> A	37.912
	D86KT102 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7	1D86KT102001	black	LED 64W 2700K CRI 90	<input type="checkbox"/> A	38.869






20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D86KT103 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7	1D86KT103001	black	LED 64W 2700K CRI 90	<input type="checkbox"/>	A 38.869
	D86KT104 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7	1D86KT104001	black	LED 64W 2700K CRI 90	<input type="checkbox"/>	A 38.869
	D86KT105 suspension dimnable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7	1D86KT105001	black	LED 64W 2700K CRI 90	<input type="checkbox"/>	A 38.869

Ø 100 cm versions compatible with wireless kit


	D86KW101 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7	1D86KW101001	black	LED 61W 2700K CRI 90	<input type="checkbox"/>	A 38.047
	D86KW102 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7	1D86KW102001	black	LED 61W 2700K CRI 90	<input type="checkbox"/>	A 39.644
	D86KW103 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7	1D86KW103001	black	LED 61W 2700K CRI 90	<input type="checkbox"/>	A 39.644

20% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.	
	D86KW104 suspension wireless compatible 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7	1D86KW104001	black	LED 61W 2700K CRI 90	<input type="checkbox"/>	A	39.644
	D86KW105 suspension wireless compatible 220-240V~ 50/60 Hz h 90 Ø 100 L cable 5 m ceiling rose: Ø 30 x 7	1D86KW105001	black	LED 61W 2700K CRI 90	<input type="checkbox"/>	A	39.644
accessory							
	D86/1 wireless Kit Wi-Fi 2.4GHz to be used exclusively with LUCEPLAN APP	1D860/100000					1.260
complete versions							
	D86C551 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 cm L cable 100 ceiling rose: Ø 26 x 5	1D860C551001	black	LED 40W 2700K CRI 90	<input type="checkbox"/>	A	16.406
	D86C555 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 cm H max 500 ceiling rose: Ø 26 x 5	1D860C555001	black	LED 40W 2700K CRI 90	<input type="checkbox"/>	A	17.671
	D86PLN ceiling dimnable phase cut 220-240V~ 50/60 Hz Ø 72, h 32 cm	1D860PLN0001	black	LED 50W 2700K CRI 90	<input type="checkbox"/>	A	24.830



body



optic



complete lamp




Calculate the price of the lamp adding the cost of the body to the prismatic glass or polycarbonate diffuser and to the respective optical system.
For the outdoor use only the alu painted version with polycarbonate diffuser and the relative kit accessory for IP65.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D20/17P polycarbonate diffuser H 8 Ø 17 CE	1D2017P00020	painting alu			1.860
		1D2017P00019	polished			2.148
		1D2017P00040	bronze			3.564
	D20/17V prismatic glass diffuser H 8 Ø 17 CE	1D2017V00020	painting alu			1.920
		1D2017V00019	polished			2.244
		1D2017V00040	bronze			3.756
	D20/17.1 optic for D20/17V 220-240V~ 50/60Hz CE ⊕ ▽	1D2017010000		 LED 2700K E14 28W HSGSA E14 energy saver	A+ A++ A D	516
	D20/17.7 optic for D20/17P dimmable phase cut 220-240V~ 50/60Hz CE ⊕ ▽	1D2017070000		LED 8W 3000K main power CRI 80	A (*)	1.488
	D20/27P polycarbonate diffuser H 10 Ø 27 CE	1D2027P00020	painting alu			2.316
		1D2027P00019	polished			2.712
		1D2027P00040	bronze			4.080

20% rabatt ska dras av på angivna priser






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D20/27V prismatized glass diffuser H 10 Ø 27 CE	1D2027V00020	painting alu			2.472
		1D2027V00019	polished			2.904
		1D2027V00040	bronze			4.260
	D20/27.1 optic for D20/27V 220-240V~ 50/60Hz CE ⊕ ▼	1D2027010000		 LED E27  15W FBT E27  70W HSGSA E27 energy saver	A+ A++ A D	576
	D20/27.9 optic for D20/27P dimmable trailing edge 220-240V~ 50Hz CE ⊕ ▼	1D2027090000		LED 17W 3000K main power CRI 80 <input type="checkbox"/>	A (*)	2.544
	D20/38 P polycarbonate diffuser H 12 Ø 38 CE	1D2038P00020	painting alu			3.000
		1D2038P00019	polished			3.588
	D20/38V prismatized glass diffuser H 12 Ø 38 CE	1D2038V00020	painting alu			3.180
		1D2038V00019	polished			3.780
	D20/38.1 optic 220-240V~ 50/60Hz CE ⊕ ▼	1D2038010000		 LED E27  20/23W FBT E27  105/140W HSGSA E27 energy saver	A+ A++ A D	708
	D20/38.2 optic 220-240V~ 50/60Hz CE ⊕ ▼	1D2038020000		 2 x LED E27  2x20/23W FBT E27  2x70W HSGSA E27 energy saver	A+ A++ A D	816

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
kit for IP65						
	D20/17.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20170A0000				252
	D20/27.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20270A0000				288
	D20/38.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20380A0000				300

e08 MINI MINI

habits studio

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	E08110 suspension complete version 220-240V~ 50/60Hz l 66,4 Ø 2,5 L cable max 2,7 m ceiling rose: 11 x 3 x 7	1E080M110002	white			3.312
		1E080M110001	black		A (*)	3.312
	   IP20	1E0800110019	polished			3.540



body



opal glass






complete lamp

Calculate the price of the lamp adding the cost of the body to the glass diffuser.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


40% reduction on already discounted price

	D60 table dimmer on board h 77,6 base 25x25 220-240V~ 50/60Hz CE □ ▽	1D600=D00020	alu structure	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	1.670
---	---	--------------	---------------	---	---------------------	-------

diffuser

40% reduction on already discounted price

	D60/1 table/floor diffuser	1D600V/01002	opal glass			882
---	--------------------------------------	--------------	------------	--	--	-----



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D72N1 table dimmer on board head 13 x 10,5 x 2 arms 1 47 + 42,2 CE	1D720=N10002	white	LED 8W 3000K CRI 80 <input type="checkbox"/>	A (*)	3.924
		1D720=N10018	mirror			4.056
		1D720=N10001	black soft-touch			4.056

accessories



	D72/1 table base 18,5 x 18,5	1D72/1000001	black soft-touch			924
		1D72/1000002	white			1.212
		1D72/1000018	mirror			1.308

	D72/2 fixing pin (for use on the table max 41mm, hole Ø 10mm) h 4,4, Ø 3	1D72/2000002	white			396
		1D72/2000001	black soft-touch			396
		1D72/2000018	mirror			432

	D72/3 clamp (for use on the table max 41mm) h 4,4	1D72/3000002	white			756
		1D72/3000001	black			756
		1D72/3000018	mirror			780


	D72/4 wall bracket 5 x 4.5	1D72/4000002	white			384
		1D72/4000018	mirror			384
		1D72/4000001	black soft-touch			384

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D72/5 desk joint (for use on the table max 41mm) h 4,4, Ø 3 - 12,5	1D72/5000002	white			540
		1D72/5000001	black soft-touch			540
		1D72/5000018	mirror			564
	D72/6 special-CH-adaptor	1D72/6000002	white			540
		1D72/6000001	black soft-touch			540
		1D72/6000018	mirror			564



D71 PETALE

odile decq






structure optic complete lamp





Calculate the price of the lamp adding the cost of the structure to the corresponding optical system.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D71PV suspension + LED strip 136 x 83 x 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE Ⓢ ⚠	1D710P0V0002	white	LED strip 17W 3000K CR190 □	A (*)	20.341
	D71PIV suspension + LED strip 154,5 x 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE Ⓢ ⚠	1D710P1V0002	white	LED strip 21W 3000K CR190 □	A (*)	24.413


20% rabatt ska dras av på angivna priser


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D71CV suspension + LED strip Ø 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE  	1D710C0V0002	white	LED strip 18W 3000K CRI90 <input type="checkbox"/>	A (*)	20.341


optics

	D71/6DV optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz CE  	1D71/6DV0002		 LED 45W 3000K CRI 80	A++ (*)	6.220
---	--	--------------	--	--	-------------	-------


top cover lamp body

	D71/OAC cover for D71CL	1D71/OAC0002	white			1.563
--	-----------------------------------	--------------	-------	--	--	-------



	D71/OAP cover for D71PL	1D71/OAP0002	white			1.563
---	-----------------------------------	--------------	-------	--	--	-------

	D71/OAP1 cover for D71PIL	1D71/OAP1002	white			1.662
---	-------------------------------------	--------------	-------	--	--	-------



News: only sound-absorbing bodies (no light)

	D71PA suspension sound-absorbing 136 x 83 x 15 H 50 - 300 ceiling rose: Ø 12 x 3	1D710P0A0002	white			11.736
---	--	--------------	-------	--	--	--------

20% rabatt ska dras av på angivna priser





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D71PIA suspension sound-absorbing 154,5 x 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3	1D710P1A0002	white			16.752
	D71CA suspension sound-absorbing Ø 120 x 15 H 50 - 300 ceiling rose: Ø 12 x 3	1D710C0A0002	white			11.832

fixing kit for only sound-absorbing bodies (no light)

	D71/S suspension fixing kit	1D71/0S00000				972
	D71/S1 ceiling fixing kit	1D71/0S10000				1.080

D62 PLISSÉ






inga sempé

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D62 suspension 220-240V~ 50/60Hz l 60 - 160 h 30 s 27 H max 225 ceiling rose: 16 x 9 x 2	1D6200000019	silver	 7xLED E14	A	11.040
		1D6200000001	black	 7x12W FB E14 energy saver  7x42W HSGSA E14	A+ A++ D	11.040


For the free-standing version, compose the lamp adding the stand and fixed base, if any, to the diffuser element (D30F).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D30 F suspension/outdoor 220-240V~ 50/60Hz h 28,5 Ø 10,5 220-240V~ 50/60 Hz suspension cable in green CE □ ▽ IP65	1D300F/40004	grey	 LED E27  14W FBT E27	A+	1.572
		1D300F/40013	terracotta		A++	1.572
		1D300F/40025	sage green		A	1.572

accessories


	D30/2 fixed base H 15 Ø 11	1D30/0200004	grey			396
	D30/4.1 stem H 35	1D30/04/0125	sage green			288
	D30/4.2 stem H 120	1D30/04/0225	sage green			552
	D30/4.3 stem H 180	1D30/04/0325	sage green			708
	D30/5 3 way connector	1D30/0500004	grey			564

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D30/6 extra cable 10m	1D30/0600025	green			792

D79 SILENZIO

monica armani





structure + LED optic + suspension kit + diffuser, (optional) = complete lamp

structure + E27 optic + diffuser + suspension kit (optional) = complete lamp

Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.







Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps. These custom hues are offered with a 10% surcharge.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D79/90c suspension textile Ø 90 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7909C000A2	light grey 133			18.059
		1D7909C000A3	dark grey 152			18.059
		1D7909C000B2	rust 252			18.059
		1D7909C000B1	sand 242			18.059
	D79/120c suspension textile Ø 117 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7912C000A2	light grey 133			19.597
		1D7912C000A3	dark grey 152			19.597
		1D7912C000B2	rust 252			19.597
		1D7912C000B1	sand 242			19.597




20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D79/150c suspension textile Ø 148,5 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7915C000A2	light grey 133			23.990
		1D7915C000A3	dark grey 152			23.990
		1D7915C000B2	rust 252			23.990
		1D7915C000B1	sand 242			23.990


optics


	D79R/03 E27 optic 220-240V~ 50/60Hz ceiling rose and suspension cables including ceiling rose: Ø16 x 4 CE  	9D7903608200		 3 x LED E27  3 x 23/27W FB E27  3 x max 105W HSGSA E27 energy saver	A+ A++ A D	2.784
---	---	--------------	--	--	---------------------	-------
















	D79R/10 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables including ceiling rose: Ø16 x 4 CE  	9D7910101700		LED 45W 3000K CRI 80 <input type="checkbox"/>	A++ (*)	5.524
---	---	--------------	--	---	-------------	-------

	D79R/11 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables including ceiling rose: Ø16 x 4 CE  	9D7910101800		LED 45W 2700K CRI 80 <input type="checkbox"/>	A++ (*)	5.731
---	---	--------------	--	---	-------------	-------

accessories











	D79R/07 Lower screen (optional in the LED version)	9D7907726000	satin Ø 90 cm			2.556
		9D7907726100	satin Ø 120 cm			3.125
		9D7907726200	satin Ø 150 cm			3.320

	D79R/09 suspension kits for installation in parallel ropes (optional)	9D7909612000	white			264
---	--	--------------	-------	--	--	-----

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
30% reduction on already discounted price						
	D63a.L outdoor 220-240V~ 50/60Hz h 16, I 20    IP65	1D630A0LE002	white	 2xLED E14	A	2.781
		1D630A0LE020	alu			2.781
		1D630A0LE013	chestnut			2.781
	D63t1.L outdoor 220-240V~ 50/60Hz h 16, I 20, H 28    IP65	1D630T1LE002	white	 2xLED E14	A	3.296
		1D630T1LE020	alu			3.296
		1D630T1LE013	chestnut			3.296
	D63t2.L outdoor 220-240V~ 50/60Hz h 16, I 20, H 70    IP65	1D630T2LE002	white	 2xLED E14	A	3.835
		1D630T2LE020	alu			3.835
		1D630T2LE013	chestnut			3.835

D89 SOLEIL NOIR

odile decq

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D89p ceiling push dimmer/DALI 220-240V~ 50/60Hz 120 x 62,5 h 18,5   	1D890P000002	white	LED 35W 3000K CRI 80 	A (*)	19.150
		1D890P000035	black/white			19.558
	D89s suspension push dimmer/DALI 220-240V~ 50/60Hz 120 x 62,5 x 35 H 45 - 320 ceiling rose: Ø 15 x 5   	1D890S000002	white	LED 35W 3000K CRI 80 	A (*)	19.150
		1D890S000035	black/white			19.558

structure + kit spheres + rods = complete lamp

















Calculate the price of the lamp adding the structure to the kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D87CW suspension dimable trailing edge 220-240V~ 50/60Hz H 120 - 320 ceiling rose: Ø 18 x 4	1D870CW00000	alu	LED 26W 2700K CRI 90 <input type="checkbox"/>	A (*)	7.504
	D87CC suspension dimable trailing edge 220-240V~ 50/60Hz H 120 - 320 ceiling rose: Ø 18 x 4	1D870CC00000	alu	LED 26W 3000K CRI 90 <input type="checkbox"/>	A (*)	7.504

Kit spheres + rods











	D87048 Kit 48 spheres + rods	1D8704800002	opal white			6.500
		1D8704800018	metallized			6.500
	D87072 Kit 72 spheres + rods	1D8707200002	opal white			10.001
		1D8707200018	metallized			10.001

D22 STRIP 20% rabatt ska dras av på angivna priser dante donegani

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
40% reduction on already discounted price						
	D22/1EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x10,5x7 CE   IP40	1D22001E0002	white		A	1.664
		1D22001E0020	painting alu			1.737
		1D22001E0019	polished			1.994
	D22/2EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x18,6x8,5 CE   IP40	1D22002E0002	white		A	1.791
		1D22002E0020	painting alu			1.839
		1D22002E0019	polished			2.209
	D22/3EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x38,6x8,5 CE   IP40	1D22003E0002	white		A	2.747
		1D22003E0020	painting alu			2.822
		1D22003E0019	polished			3.225
	D22/4EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60 Hz 74x66,1x8,5 CE   IP40	1D22004E0002	white		A	3.737
		1D22004E0020	painting alu			3.798
		1D22004E0019	polished			4.457

D77 TANGO




francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D77NT floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE   	1D77NTD00001	black	LED 35W 3000K CRI 80 	A	9.838
	D77NTW floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE   	1D77NTDW0001	black	LED 35W 2700K CRI 80 	A	10.188


D17 TITANIA

20% rabatt ska dras av på angivna priser

alberto meda, paolo rizzatto




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D17 suspension up and down 220-240V~ 50/60Hz coloured filters included: yellow, rose, light blue, violet 70 x 27 x 8 H 100 - 250 ceiling rose: Ø 12 x 3 CE <input type="checkbox"/> <input type="checkbox"/>	1D1700000020	alu	 LED E27 Ø max 38 mm l 150 mm  205W HSGST E27 energy saver	A A+ A++ D	4.164

accessories


	D13/25 off-center ceiling rose	9D1325476800	white			444
---	---	--------------	-------	--	--	-----


D17Q QUEEN TITANIA

alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D17Q suspension 220-240V~ 50/60Hz l 140 h 16 ceiling rose: Ø 14 x 4 CE <input type="checkbox"/> <input type="checkbox"/>	1D170QHAlO20	alu	 2xLED E27 Ø max 38 mm l 150 mm  2x205W HSGST/F E27 energy saver	A A+ A++ D	10.013

accessories

	D17Q /01 pair of polycarbonate filter	1D170Q/01024	rose			552
		1D170Q/01023	sky blue			552
		1D170Q/01027	yellow			552
		1D170Q/01036	violet			552

	D17Q /02 suspension kit h 50 - 250	1D170Q/02020	alu			2.220
---	---	--------------	-----	--	--	-------

D83 TIVEDO




20% rabatt ska dras av på angivna priser




sebastian bergne

Calculate the price of the lamp adding the cost of the body and to the holder (base or fixing pin).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


30% reduction on already discounted price

	D83 table dimmer on board arms 44,5 + 45,7 head Ø 8,1 CE  	1D830=000023	sky blue	LED 9,5W 3000K CRI 80 <input type="checkbox"/>	A	1.799
		1D830=000004	light grey/ dark grey			1.799
		1D830=000008	lacquer red			1.799

	D83pres. table dimmer on board with occupancy sensor arms 44,5 + 45,7 head Ø 8,1 CE  	1D830=001023	sky blue	LED 9,5W 3000K CRI 80 <input type="checkbox"/>	A	2.192
		1D830=001004	light grey/ dark grey			2.192
		1D830=001008	lacquer red			2.192

accessories

30% reduction on already discounted price







	D83/1 table base Ø 19	1D83/1000023	sky blue			378
		1D83/1000004	light grey/ dark grey			378
		1D83/1000008	lacquer red			378

	D83/2 fixing pin h 2,8 Ø 3	1D83/2000018	polished			213
---	--	--------------	----------	--	--	-----








D14 TRAMA

luciano balestrini, paola longhi

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	------------------


	D14a ceiling/wall 220-240V~ 50/60Hz h 17 Ø 64 CE  	1D14A0000020	alu	 3XLED E27  3X70W H565A E27 energy saver  3x23W FBT E27	A+ A++ A D	4.176
---	--	--------------	-----	---	---------------------	-------





20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D14 a.pi. ceiling/wall 220-240V~ 50/60Hz h 16 Ø 50 CE Ⓢ ⚠	1D14A1PI0020	alu	 3xLED E27  3x42W HSGSA E27 energy saver  3x20W FBT E27	A+ A++ A D	3.468
	D14 sa. suspension up and down dimable trailing edge 220-240V~ 50/60Hz H 80/170 Ø 64 ceiling rose: Ø 18 x 4 CE Ⓢ ⚠	1D14SA000020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	A+ A++ A C	5.251

D97 TRYPTA

Stephen Burks




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
	D97/1D cylindrical body direct/indirect light dimmable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 90 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/1D0020	matt alu	 LED module 2 x 20W dim to warm 3000K → 1800K CRI 97	A++ (*)	11.100
	1D970/1D0001	matt black	11.112			
	D97/2D cylindrical body direct/indirect light dimmable push/DALI 220-240V~ 50/60Hz Ø 5,6, H 120 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/2D0020	matt alu	 LED module 2 x 20W dim to warm 3000K → 1800K CRI 97	A++ (*)	12.012
		1D970/2D0001	matt black			12.084







20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
panels for standard collection (on stock)						
	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600B1	light grey 01			2.700
		1D970C3600B2	medium grey 02			2.700
		1D970C3600B3	dark grey 03			2.700
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700B1	light grey 01			2.736
		1D970C3700B2	medium grey 02			2.736
		1D970C3700B3	dark grey 03			2.736
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900B1	light grey 01			3.000
		1D970C3900B2	medium grey 02			3.000
		1D970C3900B3	dark grey 03			3.000
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600B1	light grey 01			3.108
		1D970C4600B2	medium grey 02			3.108
		1D970C4600B3	dark grey 03			3.108
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700B1	light grey 01			3.348
		1D970C4700B2	medium grey 02			3.348
		1D970C4700B3	dark grey 03			3.348
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900B1	light grey 01			3.852
		1D970C4900B2	medium grey 02			3.852
		1D970C4900B3	dark grey 03			3.852




20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
panels for melange collection (on request)						
	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A1	light shade 07			2.904
		1D970C3600A2	medium shade 08			2.904
		1D970C3600A3	dark shade 12			2.904
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A1	light shade 07			2.940
		1D970C3700A2	medium shade 08			2.940
		1D970C3700A3	dark shade 12			2.940
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A1	light shade 07			3.252
		1D970C3900A2	medium shade 08			3.252
		1D970C3900A3	dark shade 12			3.252
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600A1	light shade 07			3.360
		1D970C4600A2	medium shade 08			3.360
		1D970C4600A3	dark shade 12			3.360
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700A1	light shade 07			3.660
		1D970C4700A2	medium shade 08			3.660
		1D970C4700A3	dark shade 12			3.660
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900A1	light shade 07			4.212
		1D970C4900A2	medium shade 08			4.212
		1D970C4900A3	dark shade 12			4.212

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
panels for solid collection (on request)						
	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A4	peach 06			2.904
		1D970C3600A5	orange 15			2.904
		1D970C3600A6	mustard 19			2.904
		1D970C3600A7	brick 29			2.904
		1D970C3600A8	brown 31			2.904
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A4	peach 06			2.940
		1D970C3700A5	orange 15			2.940
		1D970C3700A6	mustard 19			2.940
		1D970C3700A7	brick 29			2.940
		1D970C3700A8	brown 31			2.940
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A4	peach 06			3.252
		1D970C3900A5	orange 15			3.252
		1D970C3900A6	mustard 19			3.252
		1D970C3900A7	brick 29			3.252
		1D970C3900A8	brown 31			3.252
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60 CE	1D970C4600A4	peach 06			3.360
		1D970C4600A5	orange 15			3.360
		1D970C4600A6	mustard 19			3.360
		1D970C4600A7	brick 29			3.360
		1D970C4600A8	brown 31			3.360
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75 CE	1D970C4700A4	peach 06			3.660
		1D970C4700A5	orange 15			3.660
		1D970C4700A6	mustard 19			3.660
		1D970C4700A7	brick 29			3.660
		1D970C4700A8	brown 31			3.660
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90 CE	1D970C4900A4	peach 06			4.212
		1D970C4900A5	orange 15			4.212
		1D970C4900A6	mustard 19			4.212
		1D970C4900A7	brick 29			4.212
		1D970C4900A8	brown 31			4.212

20% rabatt ska dras av på angivna priser

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	SEK ex V.A.T.
kit plaquettes						
	D97/31 kit plaquettes for closing panel L 30	1D970/310001	matt black			756
		1D970/310020	matt alu			756
	D97/32 kit plaquettes for closing panel L 45	1D970/320001	matt black			876
		1D970/320020	matt alu			876
optional lenses						
	D97/4 2 lenses beam 36°/26° and mixer	1D970/400000				372

20% rabatt ska dras av på angivna priser

PACKAGING DIMENSIONS AND WEIGHT

20% rabatt ska dras av på angivna priser

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D12 EL	BERENICE table, only structure	3,72	102.5	20	8	0.016
D12 EL pi.	BERENICE small table, only structure	2.88	102.5	20	8	0.016
D12EL pt	BERENICE, fixing pin, only structure	3,714	102,5	20	8	0,016
D12 EL t.	BERENICE floor, only structure	3.84	122	20	8	0.020
D12 EL a.45	BERENICE wall 45/45, only structure	1.05	102.5	20	8	0.016
D12 EL a.pi.	BERENICE small, wall, only structure	0.92	102.5	20	8	0.016
D12/4/2	BERENICE n 2 glass reflector	0.24	11	11	10.5	0.001
D12/5/2	BERENICE n 2 metal reflector	0.17	11	11	10.5	0.001
D12 LED	BERENICE LED, table. only structure	3,814	102,5	20	8	0,016
D13 c.	COSTANZA table, complete	3.13	20.5	77	10	0.016
D13	COSTANZA table, only structure	2.88	20.5	77	10	0.016
D13 i.L	COSTANZA LED table, on/off switch, only structure	3,60	79	20	10	0,017
D13 i.	COSTANZA table, on/off switch, only structure	2.88	20.5	77	10	0.016
D13 i.f.	COSTANZA table, fixed, on/off switch, only structure	2.88	20.5	77	10	0.016
D13 pt.	COSTANZA table with fixing pin, only structure	1.39	20.5	77	10	0.016
D13 t.c	COSTANZA floor, complete	3.63	20.5	105	10	0.022
D13t.	COSTANZA floor, only structure	3.38	20.5	105	10	0.022
D13tiL	COSTANZA LED floor, on/off switch, only structure	4.00	118	20	10	0,024
D13 t.i.	COSTANZA floor, on/off switch, only structure	3.55	20.5	105	10	0.022
D13 t.i.f.	COSTANZA floor, fixed, on/off switch, only structure	3.81	20.5	139	10	0.028
D13 a.	COSTANZA wall, only structure	1.39	20.5	77	10	0.016
D13 a.i.f.	COSTANZA wall, on/off switch, only structure	1.33	20.5	77	10	0.016
D13 s.	COSTANZA suspension, only structure	1.80	20.5	105	10	0.022
D13 sa.s	COSTANZA up and down, only structure	1.00	19.5	33	21	0.014
D13/1	COSTANZA shade	0,63	104	45.3	1.5	0.007
D13/1/4	COSTANZA n. 4 shade	1,52	104	45.3	1.5	0.007
D13 G t.s	GRANDE COSTANZA floor, dimmer	17,56	195	41	34	0.272
D13 G t.i.s	GRANDE COSTANZA floor, on/off	17,56	195	41	34	0.272
D13 G s.s	GRANDE COSTANZA suspension, dimmer	3,23	54,5	30,5	30,5	0.051
D13 G s.i.s	GRANDE COSTANZA suspension, on/off	3,53	54,5	30,5	30,5	0.051
D13G.air	GRANDE COSTANZA open air	9,40	24	24	213	0,123
D13G/1	GRANDE COSTANZA shade	1,90	30,5	30,5	54,5	0,051
D13G.air/2	GRANDE COSTANZA open air, base	22,00	53	53	12,5	0,035
D13G.air/3	GRANDE COSTANZA open air, stake	1,00	74	13	6,0	0,006
D13G.air/4	GRANDE COSTANZA open air, fixed base	0,50	24	22	5,5	0,003
D13E i.	LADY COSTANZA on off, only structure	16,00	144	40	12,5	0,072
D13E d.	LADY COSTANZA dimmer, only structure	16,00	144	40	12,5	0,072
D13E sa.s.	LADY COSTANZA suspension, only structure	1.20	19.5	33	21	0.014

20% rabatt ska dras av på angivna priser

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D13E/1	LADY COSTANZA shade	1,00	21,5	21,5	42,0	0,019
D13 pi.	COSTANZINA table, only structure	1.32	67	31	8	0.017
D13 pi.c	COSTANZINA table, complete	1.42	67	31	8	0.017
D13 pi.p.t.	COSTANZINA with fixing pin, only structure	0.93	67	31	8	0.017
D13 a.pi.	COSTANZINA wall, only structure	0.93	67	31	8	0.017
D13 s.pi.	COSTANZINA up and down, only structure	0.97	67	31	8	0.017
D13 pi/1	COSTANZINA shade	0.27	29	65.5	1.5	0.003
D13 p/1/4	COSTANZINA n. 4 shade	0.60	29	65.5	1.5	0.003
D14 sa.	TRAMA suspension, up and down	4.80	68.5	68.5	22	0.103
D14 a.	TRAMA ceiling/wall	4.65	68.5	68.5	22	0.103
D14 a.pi.	TRAMA ceiling/wall, small	3.29	59	59	21	0.073
D15 d.	LOLA floor, dimmer	4.70	149	19.5	12	0.035
D15 a.1	LOLA wall	0.48	41	19	12	0.009
D17	TITANIA suspension	2.22	78	38	13	0.039
D17Q	QUEEN TITANIA suspension	10.70	173	27	70	0.327
D17Q/01	QUEEN TITANIA filters	0,17	45	13	20	0,001
D17Q/02	QUEEN TITANIA suspension kit	2,75	13,5	18	15,5	0,004
D19L.LED	BAP LED	1,68	67	31	7,5	0,016
D19/1	BAP table base	2.75	31.5	22.5	6	0.004
D19/2	BAP surface mount	0.11	8	8	3	0.001
D19/3	BAP wall mount	0.04	5	5	3	0.001
D20/17 P	METROPOLI 17 polycarbonate	1.05	21	21	14	0.006
D20/17 V	METROPOLI 17 glass	1.15	21	21	14	0.006
D20/17.1	METROPOLI 17 reflector 1xE14	0.16	14.5	14.5	11	0.002
D20/17.7	METROPOLI 17 reflector LED 1x8W	0,5	14,5	14,5	11	0,002
D20/17.a	METROPOLI 17 kit for IP65	0.16	14.5	14.5	11	0.002
D20/27 P	METROPOLI 27 polycarbonate	2.23	31	31	20	0.019
D20/27 V	METROPOLI 27 glass	2.70	31	31	20	0.019
D20/27.1	METROPOLI 27 reflector 1xE27	0.42	22.5	22.5	8	0.004
D20/27.9	METROPOLI 27 reflector LED 1x17W	0,5	22,5	22,5	8	0,004
D20/27.a	METROPOLI 27 kit for IP65	0.16	14.5	14.5	11	0.002
D20/38 P	METROPOLI 38 polycarbonate	3.97	43	43	21.5	0.040
D20/38 V	METROPOLI 38 glass	4.84	43	43	21.5	0.040
D20/38.1	METROPOLI 38 reflector 1xE27	0.68	30	30	8.5	0.008
D20/38.2	METROPOLI 38 reflector 2xE27	0.74	30	30	8.5	0.008
D20/38.a	METROPOLI 38 kit for IP65	0.18	14.5	14.5	11	0.002
D22/1EL	STRIP "1" 2x13W G5	4.28	85	16	17	0.023
D22/2 EL	STRIP "2 EL" - 2x24W G5	5.38	85	23	16	0.031

20% rabatt ska dras av på angivna priser

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D22/3EL	STRIP "3 EL" -4x28WG5	11.00	85	51	20	0.087
D22/4 EL	STRIP "4 EL" 6x28W G5	15.78	85	78	20	0.133
D28	BLOW dimmable electronic structure	5.50	29	29	49.5	0.042
D28/1-D28/2	BLOW Blades set	1.27	74	13	6	0.006
D28 r	BLOW remote control	0.14	12	13.5	3	0.001
D30 F	POD LENS basic element, fluorescent 23W	0.78	30	15	10	0.005
D30/2	POD LENS fixed base	0,27	17,5	13,5	12	0.003
D30/4.1	POD LENS stem H 35 cm.	0.15	8	8	39	0.002
D30/4.2	POD LENS stem H 120 cm.	0.50	8	8	124	0.008
D30/4.3	POD LENS stem H 180 cm.	0.75	8	8	184	0.012
D30/5	POD LENS 3 way connector	0.21	17,5	13,5	12	0.003
D30/6	POD LENS extra cable 10 mt.	1.11	42.5	36	5	0.008
D31 P	GLASSGLASS small structure	1.94	40	40	16	0.026
D31 P/1	GLASSGLASS diffuser small P/1	3.00	40	40	39	0.062
D31 P/2	GLASSGLASS diffuser small P/2	4.91	50	50	41.5	0.104
D31 P/5	GLASSGLASS diffuser small P/5	6.58	50	50	59	0.148
D31 P/9	GLASSGLASS diffuser small P/9	4,00	40	40	39	0.062
D31 G	GLASSGLASS large structure	2.07	40	40	16	0.026
D31 G/2	GLASSGLASS diffuser large G/2	4.44	40	40	39	0.062
D33N.100	FORTEBRACCIO 100W E27	2,63	30	82	20	0,049
D33Nt.100	FORTEBRACCIO floor 100W E27	2,63	30	82	20	0,049
D33N.sp.60	FORTEBRACCIO spot 60W E14	1,24	30	39	20	0,023
D33N.sp.100	FORTEBRACCIO spot 100W E27	1,29	30	39	20	0,023
D33N. led	FORTEBRACCIO LED 7,8W	2,63	30	82	20	0,049
D33N/1	FORTEBRACCIO base	4,88	30	30	11	0,010
D33N/3	FORTEBRACCIO universal joint	0.27	24	12.4	7.2	0.002
D33N/4	FORTEBRACCIO clamp	0,21	24	12,4	7,2	0,002
D33N/5	FORTEBRACCIO desk joint	0,35	24	22	5,5	0,003
D37	CHICHIBIO	5.27	198	10	10	0.065
D38	CARRARA	22.6	195	41	34	0.272
D41/32.22	LIGHTDISC 32 22W	1.32	33	33	7.5	0.008
D41/40.55	LIGHTDISC 40 55W	2.16	41.5	41.5	9	0.016
D49/17s	AGAVE 17 suspension	4.38	49	36	21	0.037
D49/26s	AGAVE 26 suspension	6.16	49	36	25	0.044
D49/70s EL	AGAVE 70 suspension	8.00	62	32	37	0.073
D50	AIRCON suspension	3.50	100	87	10	0.044
D52	GOGGLE 60W E14	0.89	34.5	18.5	15.0	0.010
D60	MIRANDA only structure, dimmer	2,73	76,0	27,0	10,5	0,022

20% rabatt ska dras av på angivna priser

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D60/01	MIRANDA diffuser, table/floor	2,58	41,0	41,0	26,0	0,044
D62	PLISSE' suspension	7,70	62,0	32,0	37,0	0,073
D63a.led	SKY ceiling/wall	1,50	26,0	25,0	24,0	0,015
D63t1.Led	SKY floor 28cm	2,4	26	40	24	0,025
D63t2.Led	SKY floor 70cm	4,5	26	80	24	0,05
D64	LANE 22cm halogen 150W	1,09	33	20	15	0,01
D66/12	HOPE suspension Ø 61cm	3,60	35	35	39	0,048
D66/18	HOPE suspension Ø 72 cm	4,80	40	40	39	0,062
D66/42	HOPE suspension Ø 110 cm	13,65	82,5	83,5	43	0,296
D66/105	HOPE suspension Ø 200 cm	36,60	82,0	54	145	0,645
D66/18 td	HOPE Ø 72 floor, only structure	5,00	40	40	40	0,064
D66/18 T.1	HOPE floor, stem	3,60	8	8	183	0,012
D66/3a	HOPE wall Ø 48 cm	2,30	47	34	10	0,016
D66/8a	HOPE wall Ø 61 cm	3,60	35	35	39	0,048
D66/12p	HOPE ceiling Ø 69 cm	4,50	50	50	23	0,057
D66/30p	HOPE ceiling Ø 109 cm	12,00	82,5	83,5	43	0,296
D67p LED	ECRAN IN & OUT	0,98	26	25	24	0,016
D68C	ARCHETYPE body	2,90	40	40	39	0,062
D68/1T-1D	ARCHETYPE dimmable ceiling rose	0,77	25	23	10	0,005
D70K/3N1	HONEYCOMB complete version 3 bodies	4,66	40	31	43,5	0,054
D70K/4N1	HONEYCOMB complete version 4 bodies	6,40	40	31	53,5	0,066
D70C/1	HONEYCOMB 1 body + 3 attachments	1,15	40	30	10	0,012
D70C/3	HONEYCOMB 3 bodies + 9 attachments	2,19	38	30	30	0,036
D70L/1	HONEYCOMB optic LED 3x8W	1,77	40	30	10	0,012
D70L/2	HONEYCOMB optic LED 6x8W	2,36	40	30	10	0,012
D70S	HONEYCOMB suspension kit	0,70	40	30	3	0,003
D71PV	PETALE suspension ecophon + LED strip 136 x 83 cm	7,00	135	135	15	0,274
D71P1V	PETALE suspension ecophon + LED strip 154,5 x 120 cm	11,0	174	135	15	0,300
D71CV	PETALE suspension ecophon + LED strip Ø 120	7,50	135	135	15	0,274
D71/6DV	PETALE DALI LED optic 45W	3,59	50	50	23	0,058
D72N1	OTTO WATT only structure	1,70	120	20	10	0,024
D72/1	OTTO WATT table base	3,17	24	24	11,5	0,006
D72/2	OTTO WATT fixing pin	0,70	15	10	5	0,001
D72/3	OTTO WATT clamp	0,70	15	10	5	0,001
D72/4	OTTO WATT wall mount	0,20	15	10	5	0,001
D72/5	OTTO WATT desk joint	0,80	24	22	5,5	0,002
D73N	COUNTERBALANCE LED	10,00	31	19	214	0,126
D73NA	COUNTERBALANCE Spot LED	1,40	34,5	19	15	0,009

20% rabatt ska dras av på angivna priser

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m ³
			L	I	H	
D73T	COUNTERBALANCE floor LED	2,50	175	17	14,5	0,049
D73/1	COUNTERBALANCE floor base	3,50	26	25	24	0,016
D76	CURL LED 8W	1,50	30	33	32	0,032
D77t	TANGO floor sensor dimmer	6,40	180	40	40	0,288
D78	ASCENT LED 10W table base	2,27	80	20	15	0,020
D78 p.t.	ASCENT LED 10W fixing pin	1,21	80	20	15	0,020
D79/90c	SILENZIO suspension Ø 90	21,00	104	104	55,5	0,600
D79/120c	SILENZIO suspension Ø 117	27,00	134	134	55,5	0,864
D79/150c	SILENZIO suspension Ø 148,5	36,00	164	164	55,5	1,350
D79R/03	SILENZIO optic 3xE27	1,20	53	53	12,5	0,035
D79R/10	SILENZIO optic LED 44W 3000K	1,20	31	31	20	0,019
D79R/11	SILENZIO optic LED 44W 2700K	1,20	31	31	20	0,019
D79R/07	SILENZIO optional lower screen Ø 90 cm	3,22	86	86	2	0,015
D79R/07	SILENZIO optional lower screen Ø 120 cm	4,20	86	86	2	0,015
D79R/07	SILENZIO optional lower screen Ø 150 cm	6,35	105	105	2	0,030
D79R/09	SILENZIO suspension kit for parallel installations	0,11	20	32	1	0,001
D80	ILLUSION	1,05	30	30	11	0,006
D8NT - D81NTW	COMPENDIUM LED floor dimmable	3,50	178	14	14	0,049
D81/1N	COMPENDIUM base	4,50	26	25	24	0,009
D81B / D81BW	COMPENDIUM LED suspension	3,40	178	14	14	0,024
D81/7D-7T	COMPENDIUM dimmable ceiling rose	1,20	19	16	12	0,003
D81/2	COMPENDIUM mechanical junction accessories	0,20	14	27	1	0,001
D81/3	COMPENDIUM mechanical junction accessories at 90°	0,20	20	32	1	0,001
D81C07	COMPENDIUM CIRCLE structure Ø 72 cm	3,40	81	81	13	0,085
D81C11	COMPENDIUM CIRCLE structure Ø 110 cm	5,40	121	121	13	0,191
D81C20	COMPENDIUM CIRCLE structure Ø 200 cm	15	200	200	13	0,726
D81/4	COMPENDIUM CIRCLE dimmable ceiling rose	1,50	40	30	10	0,012
D81/5/6	COMPENDIUM CIRCLE dimmable ceiling rose	1,50	40	40	16	0,026
D81/10/11/12	COMPENDIUM CIRCLE remote driver	0,90	26	39	3	0,001
D81/8	COMPENDIUM CIRCLE ceiling-mounted driver cover	1,80	45	40	7	0,014
D81P	COMPENDIUM PLATE	6	60	60	13	0,024
D82S1	ILLAN Ø 60 cm, dimmable phase cut	4,9	66	66	14	0,061
D82S1D	ILLAN Ø 60 cm, dimmable push/DALI	5,0	66	66	14	0,061
D82S2	ILLAN Ø 80 cm, dimmable phase cut	6,9	85	85	14	0,101
D82S2D	ILLAN Ø 80 cm, dimmable push/DALI	7,0	85	85	14	0,101
D82S3	ILLAN Ø 100 cm, dimmable phase cut	9,1	106	106	14	0,157
D82S3D	ILLAN Ø 100 cm, dimmable push/DALI	9,2	106	106	14	0,157
D83	TIVEDO table dimmable	1,70	118	15,5	6,5	0,011

20% rabatt ska dras av på angivna priser

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D83pres.	TIVEDO table dimmable, occupancy sensor	1,70	118	15,5	6,5	0,011
D83/1	TIVEDO table base	2,20	25	25	3	0,002
D83/2	TIVEDO fixing pin	0,16	10	7	6	0,001
D86KT081/KW081	MESH complete version Ø 80 cm with 1 m cables	10,54	85	85	52	0,376
D86KT082/KW082	MESH complete version Ø 80 cm with 2 m cables	10,54	85	85	52	0,376
D86KT083/KW083	MESH complete version Ø 80 cm with 3 m cables	10,54	85	85	52	0,376
D86KT084/KW084	MESH complete version Ø 80 cm with 4 m cables	10,54	85	85	52	0,376
D86KT085/KW085	MESH complete version Ø 80 cm with 5 m cables	10,54	85	85	52	0,376
D86KT101/KW101	MESH complete version Ø 100 cm with 1 m cables	14,50	104	104	55,5	0,600
D86KT102/KW102	MESH complete version Ø 100 cm with 2 m cables	14,50	104	104	55,5	0,600
D86KT103/KW103	MESH complete version Ø 100 cm with 3 m cables	14,50	104	104	55,5	0,600
D86KT104/KW104	MESH complete version Ø 100 cm with 4 m cables	14,50	104	104	55,5	0,600
D86KT105/KW105	MESH complete version Ø 100 cm with 5 m cables	14,50	104	104	55,5	0,600
D86C551/555	MESH suspension Ø 55cm	6,50	60	60	62	0,223
D86PLN	MESH ceiling Ø 72cm	7,75	77	77	48	0,285
D87CC-CW	STOCHASTIC only structure LED	6,10	101	40	23	0,093
D87048	STOCHASTIC Kit 48 spheres + rods	6,15	101	40	24	0,097
D87072	STOCHASTIC Kit 72 spheres + rods	8,00	101	40	34	0,137
D88W	CAPPUCCINA table only structure	3,50	29	29	73	0,061
D88TW	CAPPUCCINA floor only structure	4,40	143	38	21	0,114
D88SW	CAPPUCCINA suspension only structure	3,10	29	29	65	0,054
D88/1	CAPPUCCINA shade Ø 36cm	1,76	41	41	26	0,043
D88/2	CAPPUCCINA shade Ø 45 cm	2,00	50	50	28	0,07
D89p	SOLEIL NOIR ceiling	13,40	126	70	41	0,362
D89s	SOLEIL NOIR suspension	13,40	126	70	41	0,362
D90	GARBÍ applique	1,22	24	22,5	9,5	0,005
D91S	AMISOL only structure LED	2,10	19,5	33	21	0,014
D91/1	AMISOL reflector/diffuser disk Ø 75 cm	2,40	90	90	1	0,08
D91/2	AMISOL reflector/diffuser disk Ø 110 cm	4,65	119	119	2,5	0,014
D91/OAAR	AMISOL anti-rotation accessory	0,30	20	32	1	0,001
D92V14	LITA table complete version	1,22	22	22	22	0,011
D92=18	LITA table structure dimmable	1,05	15	15	26	0,006
D92V18	LITA support base dimmable	1,22	18	14	12	0,003
D92=30	LITA table structure dimmable	3,30	22	17	25	0,009
D92V30	LITA support base dimmable	1,22	21	21	14	0,006
D92T30	LITA floor structure dimmable	2,72	180	40	42	0,302
D92/5	LITA base weight only for D92T30	5,15	33	33	8	0,08
D92T42	LITA floor structure dimmable	11,92	175	50	50	0,438

20% rabatt ska dras av på angivna priser

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m ³
			L	I	H	
D92/6	LITA base weight only for D92T42	10,1	45	45	8	0,015
D92P14	LITA parete versione completa	1,22	22	22	22	0,011
D92P18	LITA struttura parete	1,22	18	14	12	0,003
D92P30	LITA struttura parete	1,22	21	21	14	0,006
D92S14	LITA suspension complete version	2,20	20	33	21	0,013
D92S18	LITA suspension only structure	1,52	25	22	17	0,009
D92S30	LITA suspension only structure	1,52	25	22	17	0,009
D92S42	LITA suspension only structure	1,72	25	22	17	0,009
D93SDDC-DLC	DIADE suspension only structure 120 cm	6,27	146	25	16	0,058
D93SDDL-DIL-FIL	DIADE suspension only structure 180 cm	9,3	206	25	16	0,082
D93/1	DIADE pair of panels 120 cm	9,5	130	69	16	0,144
D93/3	DIADE pair of panels 180 cm	14,2	190	69	16	0,21
D93/5	DIADE kit 4 vertical supports	0,5	11	9	8	0,001
D93/6	DIADE kit 4 horizontal supports	1,4	31	16	11	0,006
D93/7	DIADE kit 6 vertical supports	0,70	9	14	11	0,001
D93/8	DIADE kit 6 horizontal supports	1,90	31	31	11	0,010
D93STFIC	DIADE floor only structure 120 cm	6,27	146	25	16	0,058
D93/10	DIADE terra, stem	8,05	226	14	14	0,044
D93/11	DIADE terra, base	23,7	58	68	5	0,020
D94P3	IVY wall recessed	1,20	30	30	11	0,005
D94/1/2/3	IVY remote driver	0,90	26	39	3	0,001
D95A3	BULBULLIA wall, small	1,55	47	34	10	0,016
D95A5	BULBULLIA wall, large	2,42	73	46	9	0,030
D96C	FAREL sound-absorbing body	7,20	83	83	43	0,400
D96/1D-DW	FAREL optics + suspension cables + finishing rings	4,85	93	93	9	0,150
D97/1D	TRYPTA cylindrical body 90cm	7,2	128	35	17	0,077
D97/2D	TRYPTA cylindrical body 120cm	7,7	128	35	17	0,077
D97C36	TRYPTA sound-absorbing panel 30 x 60 cm	1,5	62	32	5	0,010
D97C37	TRYPTA sound-absorbing panel 30 x 75 cm	1,8	77	32	5	0,012
D97C39	TRYPTA sound-absorbing panel 30 x 90 cm	2,1	92	32	5	0,015
D97C46	TRYPTA sound-absorbing panel 45 x 60 cm	2,15	62	47	5	0,015
D97C47	TRYPTA sound-absorbing panel 45 x 75 cm	2,55	77	47	5	0,018
D97C49	TRYPTA sound-absorbing panel 45 x 90 cm	3,05	92	47	5	0,022
D97/31	TRYPTA kit plaquettes for closing panel, 30 cm	0,40	40	30	3	0,004
D97/32	TRYPTA kit plaquettes for closing panel, 45 cm	0,40	40	30	3	0,004
D97/4	TRYPTA 2 lenses beam 36°/26° and mixer	0,30	10	7	6,2	0,001
D98=W1	FIENILE table, complete version	7,90	62	32	37	0,075
D98TM1	FIENILE optic for outdoor version	4,70	60	38	10	0,022

20% rabatt ska dras av på angivna priser

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D98/2	FIENILE outdoor, structure	4,05	38	20	46	0,035
D98/3	FIENILE outdoor, structure	7,50	38	20	86	0,065
D98S_1	FIENILE suspension, complete version	9,05	40	12	193	0,093
D98S_2/3/4	FIENILE suspension, modular version	7,90	40	12	193	0,093
E04200	E04 ceiling Ø 7 cm	0,80	39	17	17	0,011
E04220	E04 ceiling Ø 13,4 cm	2,05	58	25	22	0,032
E04240	E04 wall Ø 7 cm	1,41	57	17	17	0,016
E04250	E04 wall Ø 13,4 cm	2,70	58	25	22	0,032
E04270	E04 suspension Ø 7 cm	1,10	39	17	17	0,011
E04280	E04 suspension Ø 7 cm	1,40	58	25	22	0,032
E04290	E04 suspension Ø 13,4 cm	1,93	58	25	22	0,032
E041M/E041W	E04 LED optic module COB Ø 7 cm	0,57	30	10	10	0,003
E042M/E042W	E04 LED optic module COB Ø 13,4 cm	1,05	26	26	26	0,017
E043M/E043W	E04 LED optic module dim to warm Ø 7 cm	0,60	30	10	10	0,003
E044M/E044W	E04 LED optic module dim to warm Ø 13,4 cm	1,00	26	26	26	0,017
E041R	E04 retrofit optic Ø 7 cm	0,13	11	7	8	0,001
E042R	E04 retrofit optic Ø 13,4 cm	1,60	26	24	25	0,016
E06100	E06 ceiling Ø 7 cm	2,45	55	20	10	0,011
E06150	E06 electrified track Ø 7 cm	2,50	55	20	10	0,011
E06200	E06 ceiling, retrofit Ø 7 cm	2,05	55	20	10	0,011
E061M/E061W	E06 LED optic module COB	0,40	25	10	10	0,002
E062M/E062W	E06 LED optic module dim to warm	0,42	25	10	10	0,002

20% rabatt ska dras av på angivna priser

20% rabatt ska dras av på angivna priser

GENERAL CONDITION OF SALE

20% rabatt ska dras av på angivna priser

GENERAL CONDITIONS OF SALE

1. OFFER, CONFIRMATION, AGREEMENT

(a) These terms and conditions ("Terms") apply to the sale or supply of all products or systems ("Products"), and the performance of all services (which includes any software provided as a service) ("Services") by Luceplan Srl ("Luceplan Srl") to you ("Customer") and will form a necessary part of any Offer or Agreement therefore. Customer's ordering of Products or Services from Luceplan Srl constitutes acceptance of these Terms, as such Terms may have been updated through the date of such order. As used herein, "Agreement" means any written agreement for supply, distribution, sale, or license of any Products or Services entered into between Luceplan Srl and Customer, or any purchase order that is issued by Customer and accepted by Luceplan Srl; and "Offer" means any quotation, proposal or offer provided to Customer by Luceplan Srl.

(b) Products and Services may include web or mobile applications that may be subject to additional terms ("Additional Use Terms") or software that may be subject to additional (end-user) software license conditions ("EULAs"), both from either Luceplan Srl or an affiliate, or third parties. Such EULAs or Additional Use Terms will be made available together with the web or mobile application or software, as applicable. Except where specified otherwise in a EULA or Additional Use Terms, such EULA or Additional Use Terms will form part of the Agreement. Software will not be sold to Customer, but licensed subject to the license terms in section 10 below.

(c) In the event of any conflict or inconsistency between these Terms and the terms of any Agreement or Offer the terms of such Agreement or Offer will prevail. With respect to web or mobile applications or software, any Additional Use Terms or the terms of any applicable EULA will prevail over these Terms.

(d) The terms "agreed", "consent", "confirmed", "accepted", "informed", "notified" or "notice" and documents or acts of similar meaning will be deemed to be required to be done in writing, where "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record. The terms "includes" or "including" will be construed without limitation to the generality of preceding words.

(e) Any different or additional terms in any purchase order, blanket instructions, terms of purchase or other writing from Customer will be deemed a material alteration of these Terms and are expressly objected to and rejected and will be of no force or effect. Commencement of performance or shipment will not be construed as acceptance of any of Customer's terms or conditions. Course of performance or usage of trade will not be applied to modify these Terms.

(f) These Terms may be amended by Luceplan Srl by posting an updated version on its website, provided that in respect of an Agreement and an Offer the version of the Terms applicable as of the effective date of the Agreement or the date of the Offer will apply.

(g) Offers by Luceplan Srl are open for acceptance within the period stated in such Offer or, in the event that no period is stated, within thirty (30) days from the date of the Offer, provided that Luceplan Srl may amend, withdraw or revoke any Offer at any time prior to the receipt by Luceplan Srl of the acceptance of an Offer. No order submitted by Customer will be deemed final or accepted by Luceplan Srl unless and until confirmed by Luceplan Srl.

(h) Customer is solely responsible for the accuracy of any order, including with respect to the specification, configuration or other requirements of Products and Services, and functionality, compatibility and interoperability with other products (not authorized by Luceplan Srl), as well as fitness for particular use. Customer warrants that the information provided to Luceplan Srl under an Agreement is complete, accurate and true, and Customer acknowledges that a failure to provide complete, accurate and true information or instructions to Luceplan Srl may detrimentally affect Luceplan Srl's ability to discharge its obligations or exercise its rights under an Agreement.

(i) Any catalog, specification, price sheet or other similar documentation prepared by Luceplan Srl is strictly for convenience only and will not be deemed as an Offer. Luceplan Srl believes such documentation is complete and accurate at time of printing, but Luceplan Srl does not warrant that such documentation is error free. Luceplan Srl will not accept responsibility for any damages in connection with errors of measurements, descriptions, application recommendations and the like.

(j) Products will be supplied in accordance with the standard functionalities, styles and sizes as described in Luceplan Srl's catalogs or, for special or made-to-order Products, in accordance with Luceplan Srl's drawings and specifications sheets. In the event of a conflict between an order of Customer and a drawing or specification sheet from Luceplan Srl approved by Customer, the latter will prevail.

(k) Assumptions, exclusions and qualifications stated by Luceplan Srl in Offers, Agreements or otherwise will direct the Agreement and will be construed as part thereof and guide its execution and interpretation.

(l) Where the performance under the Agreement relies on the approval, confirmation or acceptance by Customer of a (draft) proposal, design, deliverable, planning or any other action by Luceplan Srl, Customer shall do so within the period stated in the Agreement, or, in the event that no period is stated, within seven (7) days after receipt of a request from Luceplan Srl, in the absence of a response within such time period Customer will be deemed to have approved, confirmed or accepted as submitted by Luceplan Srl.

(m) In the event that Customer resells Products or incorporates Products and/or Services in offerings to its customer, Customer shall ensure that all its customers and/or end users of Products or Services comply with all relevant Customer's obligations under the Agreement and these Terms, and that the terms of its agreement with each of its customer(s) or end user(s) are consistent with the Agreement and these Terms, failing which Customer shall indemnify, defend and hold harmless Luceplan Srl and its affiliates, and their officers, directors, agents, employees, successors, and assigns from and against, all losses, liabilities, costs (including legal costs) and expenses arising out of or in connection with any non-compliance.

2. PRICES AND TERMS OF PAYMENT

(a) In consideration of the sale of Products and/or the performance of Services by Luceplan Srl, Customer shall pay all prices and fees ("Prices") in accordance with the Agreement and this section 2. Prices are in SEK and unless agreed otherwise based on Ex Works - Luceplan Srl facility (INCOTERMS latest version). Unless stipulated otherwise by the applicable INCOTERMS, Prices do not include any taxes, duties or other governmental fees, now or hereafter enacted, including value-added or similar taxes levied by any government, and Luceplan Srl may add these to the Price or invoice separately, and Customer will reimburse Luceplan Srl promptly on first request.

(b) Subject to notice to Customer, Luceplan Srl reserves the right to adjust Prices for Products and/or Services not yet delivered or performed to reflect variations in individual costs of more than five percent (5%) including any foreign exchange rate fluctuations, raw materials and other costs of manufacturing and distribution, and labor costs, that take effect between the date of the Agreement and delivery of Products and/or performance of Services. In addition, if an Agreement has a term longer than twelve (12) months, Luceplan Srl may adjust Prices as of each 1st April (i) for the change in the most recently published inflation index compared to twelve (12) months earlier; and (ii) to reflect variations in the foreign exchange rate between US Dollar and Euro currency and/or Chinese Renminbi currency and the Euro currency of more than 5% since the date of an Offer.

(c) Any cancellation, delay or other change by Customer of a purchase order previously accepted by Luceplan Srl will require the prior approval of Luceplan Srl

20% rabatt ska dras av på angivna priser

and the approval will be without prejudice to any rights or remedies Luceplan Srl may have under the Agreement or a law, or on request of Customer, Luceplan Srl agrees to any such change in purchase order or a change in an Agreement, including an (partial) cancellation, delay or suspension, the addition, omission, alteration, substitution or modification of the design, quality, standard, quantity, manufacturing site or performance (including sequence, quantities or timing) of Products and/or Services (each, a "Variation"), or a Variation is required due to (i) changes in applicable laws, regulations or industry standards, (ii) emergency situations, (iii) incorrect or incomplete information provided by Customer, or (iv) non-compliance by Customer of any of its obligations under an Agreement, Customer shall reimburse Luceplan Srl for all costs and expenses incurred in respect of such Variation promptly on first request.

(d) Luceplan Srl may invoice Customer upon shipment of Products, or when Services have been performed. Luceplan Srl may require (i) Customer to pay on fixed payment days; (ii) an advance payment of (part of) the Price; and/or (iii) invoice per separate specified phase, time period or milestone of performance. Customer shall make net payment within thirty (30) days of date of invoice to the designated bank account of Luceplan Srl. Customer shall pay all amounts due to Luceplan Srl in full without any set-off, counterclaim, deduction or (tax) withholding. Notwithstanding the aforesaid, any invoice falling due on a day that is not a bank day shall be payable on the preceding bank day.

(e) In the event Customer fails to make any payment due under an Agreement on the due date, then, whether or not Luceplan Srl has made a formal demand for payment and in addition to any other rights and remedies available to Luceplan Srl, to the extent permitted by applicable law: (i) all amounts due from Customer will be considered payable and non-disputed, admitted debt; (ii) Customer shall pay Luceplan Srl interest on all due amounts from the due date until Luceplan Srl has received full payment thereof, as per art. 5 of the Legislative Decree 231/2002, at a rate equal to the official ECB rate plus 7% or to the extent permitted by applicable law, and shall pay Luceplan Srl all costs of payment collection, including attorneys' fees; and (iii) Luceplan Srl may cancel any credit issued to Customer and require, to its satisfaction, that Customer provides (additional) security, pre-payments or deposits, and may implement additional conditional payment terms or accelerate payments schedules for any outstanding performance.

(f) Luceplan Srl may set off against and deduct from any amount that Luceplan Srl (or any of its affiliates) owes to Customer under any agreement any amount that Customer owes to Luceplan Srl or against any advance payments or deposits made by Customer. In the event that Luceplan Srl sets off amounts in different currency it will use a commonly used currency conversion rate.

3. DELIVERY OF PRODUCTS; PERFORMANCE OF SERVICES

(a) Unless agreed otherwise, Products will be delivered Ex Works – Luceplan Srl facility (INCOTERMS latest version). Luceplan Srl shall perform Services at the location(s) agreed in the Agreement. Dates communicated or acknowledged by Luceplan Srl are approximate only, and Luceplan Srl will not be liable for, nor will Luceplan Srl be in breach of its obligations to Customer, for any delay in delivery or performance, provided that Luceplan Srl shall use commercially reasonable efforts to meet such dates. In the event of delay, Luceplan Srl shall use commercially reasonable efforts to deliver Products or perform Services (where applicable) within a period that is reasonably needed given the cause of the delay, failing which Customer's sole and exclusive remedy will be to cancel the purchase order for undelivered Products and Services.

(b) Customer shall note any damage to Products caused in transit, or shortages thereto, on transport documentation immediately upon receipt of Products, with due regard to applicable instructions by Luceplan Srl or the carrier. All Products delivered under the Agreement will be deemed accepted by Customer as conforming to the Agreement, and Customer will have no right to revoke any acceptance, unless Customer provides Luceplan Srl notice of a claimed nonconformity within seven (7) days of the date of delivery. Notwithstanding the foregoing, any use of a Product by Customer or its customers after delivery will constitute acceptance of that Product by Customer. Luceplan Srl shall at its option and within a reasonable time, correct nonconformities by either repair, make available parts, replace or deliver missing Products, or credit the Price paid by Customer for undelivered Products.

(c) Minor Nonconformities will not prevent or suspend acceptance by Customer of the Products, Services or both, and Luceplan Srl shall correct these within a reasonable time. "Minor Nonconformities" are nonconformities or anomalies that do not hinder the overall operation and intended use of Products or Services in accordance with the specifications.

(d) Luceplan Srl may make changes to the design, materials, fit and finish of Products or change working methods, communication systems, software or any other elements of Services, and Documentation provided that such changes do not materially affect the functionality of the Product or Services. Unless specifically agreed otherwise, Luceplan Srl does not warrant the availability, accuracy, completeness, reliability, timeliness or output from Products and Services. Customer shall not use or rely on Products and Services for any other applications or purposes than agreed in the Agreement.

(e) Customer explicitly acknowledges that certain features or functionality of Products and Services may rely on the availability and correct functioning of third party service providers, as may be indicated by Luceplan Srl, including supply of energy, data storage, connectivity and communication services. These are outside of the control of Luceplan Srl, and Luceplan Srl will have no responsibility or liability in this respect.

(f) Customer is responsible for all information, orders, instructions, materials, and actions provided or performed by Customer directly or by third parties engaged by Customer (excluding subcontractors of Luceplan Srl) in connection with the delivery or performance by Luceplan Srl of any Products or Services. Luceplan Srl will be entitled to rely on the accuracy and completeness of all information furnished by Customer, including where Luceplan Srl provides data collection, design or audit services. Upon request of Luceplan Srl, Customer shall promptly provide any other information, services or support under Customer's control and relevant to the performance by Luceplan Srl under the Agreement.

(g) In the event of delay or interruption in delivery of Products or the performance of Services for reasons not attributable to Luceplan Srl or due to a Variation, the timelines for performance by Luceplan Srl will be amended accordingly. Luceplan Srl will be entitled (in addition to the increased costs referred to in section 2(c)) to a reasonable compensation by Customer for any damages and/or costs incurred by such delay.

(h) In the event that an Agreement contains (minimum) stock requirements for Luceplan Srl, Customer shall at first request of Luceplan Srl purchase Products kept in stock under such requirement.

4. USE OF PRODUCTS AND SERVICES

(a) Customer shall use Products and Services only for their intended purposes and in accordance with all instructions contained in the manuals, guidelines, warranty terms and any other terms and conditions applicable to such Products and Services or provided by any personnel of Luceplan Srl, deployed or subcontracted by Luceplan Srl in the performance of an Agreement ("Personnel"). Customer shall maintain the site, site conditions and equipment supplied and/or used by Luceplan Srl in the performance of Services (including cabling, fittings and electricity supply) in good condition, repair, and working order, and shall protect same against damage and external influences.

(b) Customer shall use and, where applicable, shall cause and ensure that end-users use web-applications, mobile applications and software in accordance with applicable Additional Use Terms and/or EULAs, and where applicable, keep a full back-up of such software installed readily available. In the event of a software error,

20% rabatt ska dras av på angivna priser

Customer shall provide Luceplan Srl with alerts or error messages and support Luceplan Srl in updating or replacing software used in connection with performance under the Agreement.

(c) Customer shall not perform (or permit) any activity on any equipment or software supplied and/or used by Luceplan Srl in the performance of Services, except normal use in accordance with the specifications or otherwise with the prior approval by Luceplan Srl. In the event of any unauthorized actions, Luceplan Srl may suspend the Services until the equipment or software has been restored to its original compliant state and charge Customer on the basis of a Variation, and until confirmed any warranty obligations of Luceplan Srl with respect to such Services will be null and void. Any changes to equipment or software owned by Luceplan Srl (or its licensors) will be exclusively owned by Luceplan Srl (or its licensors), even if such changes have been performed by or for Customer.

(d) Unless expressly included in Services, for any Services requiring connection to a system from a remote location, Customer shall at its own expense and risk establish external system access for service staff of Luceplan Srl (or its subcontractors). Customer shall make available technically competent staff as and when required to support Luceplan Srl and, where applicable, Customer authorizes Luceplan Srl to make use of Customer's IT infrastructure to connect to and share data with specified systems and/or services to perform Services.

(e) Luceplan Srl shall not be responsible for the failure of any of its Products or Services to provide the expected performance, benefits, effects or outcome arising from: (i) Customer's failure to comply with the terms under the Agreement; (ii) failures or fluctuations of electric power; (iii) sunset/shutdown of connectivity and communication technologies; (iv) Force Majeure and other unusual external influences; or (v) Variations.

5. DESIGN SERVICES; DOCUMENTATION

(a) If included as part of Services, Luceplan Srl shall provide design services in accordance with specifications as agreed by the Parties in writing. Unless otherwise agreed, all IPR (as defined in section 10(a)) in and to the deliverables arising out of design Services will exclusively vest in Luceplan Srl or a Luceplan Srl nominee. Customer shall not use, publish, copy or disclose these without prior approval of Luceplan Srl, which approval Luceplan Srl may grant subject to certain conditions, including the payment of a reasonable fee.

(b) All the documentation provided by Luceplan Srl in connection with the Products and Services, including any user manuals or instructions, catalogs, specification sheets, data, drawings, schedules, designs, source code, or any other documents or information obtained from Luceplan Srl or created by Luceplan Srl in whatever form including electronic or printed format ("Documentation") will remain the property of Luceplan Srl. Documentation is not sold to Customer, but licensed subject to the license terms in section 10 below. Unless otherwise agreed, all IPR in and to the Documentation is retained by Luceplan Srl or a Luceplan Srl nominee. Customer shall not use, publish, copy or disclose the Documentation except in accordance with these Terms.

6. INSTALLATION; SERVICES ON-SITE

This section applies where Luceplan Srl (or its subcontractor) will perform construction, cabling or installation activities ("Installation" or "Install") or other Services at a site owned or controlled by Customer.

(a) Customer is responsible for the timely completion of preparatory works and site preparations in conformity with requirements set by Luceplan Srl. Customer shall prior to the agreed start of Installation or other Services on site, and in such a manner that Luceplan Srl can perform in the most efficient manner and within agreed time schedules: (i) provide and maintain the site conditions (including infrastructure); (ii) provide all necessary information, instructions, inspections, authorizations, approvals, permits and notify Luceplan Srl about the location of any cables, electric power lines, water pipes or the like, including surveys describing physical characteristics, legal limitations and utility locations for the site; (iii) provide site access, including traffic management, where applicable; and (iv) put at the disposal of Luceplan Srl all materials, tools, constructions and other facilities, and all other reasonable assistance in an accurate and timely manner, and at no additional costs to Luceplan Srl, all in compliance with applicable laws, including all applicable health and safety, electrical and building codes.

(b) Customer shall not call Luceplan Srl upon site before the obligations under section 6(a) have been satisfactorily completed. In the event of waiting times of more than four (4) hours on a day, Luceplan Srl may reschedule and charge Customer a full working day for that day for the resources concerned. Customer shall (i) provide a fully qualified representative to support Luceplan Srl as and when required while working on site; (ii) provide utilities (including gas, water, electricity and connectivity), heating and lighting necessary for the performance on site; (iii) provide adequate and lockable rooms for Personnel (equipped with sanitary installations) and storage of materials, tools and instruments on or near the site; (iv) decommission and collect the materials that are replaced by Products and remove these from the site; and (v) assist Luceplan Srl during (performance) tests. Upon request of Luceplan Srl, Customer shall arrange for the temporary shutdown of facilities at the site (including water systems).

(c) Upon finalization of Installation or other Services on-site, Luceplan Srl shall notify Customer in accordance with the acceptance protocol agreed between the Parties. In the event that no such protocol has been agreed, within five (5) days after notice to Customer of finalization of installation or other Services on-site, Customer shall check and test the Service set-up, the Products supplied and/or Installed by Luceplan Srl and, subject to sections 3(b) and 3(c), notify Luceplan Srl of any Defect (as defined in section 9(a)), in the absence of which Customer will be deemed to have accepted the Service set-up, the Products supplied and/or Installed five (5) days after notice. Luceplan Srl shall resolve Defects so notified within a reasonable period in accordance with section 9.

7. RISK AND TITLE

(a) Risk of damage to or loss of Products will pass to Customer (i) upon delivery by Luceplan Srl to Customer in accordance with the applicable INCOTERM; or (ii) in the event that Luceplan Srl Installs Products on-site, unless agreed otherwise, upon delivery on-site.

(b) Legal title to Products will pass to Customer only when Luceplan Srl (or its financiers) has received payment for such Products in full and, to the extent permitted by applicable law, Luceplan Srl received payment in full of all other amounts due by Customer under any other agreement with Luceplan Srl (or any of its affiliates). Until legal title to Products has passed to Customer, Customer shall (i) not assimilate, transfer or pledge any of the Products, or grant any right or title in the Products to any third party, except in the normal course of business and against payment or subject to retention of title; and (ii) ensure that the Products remain identifiable as Products owned by Luceplan Srl. In the event of breach by Customer, Luceplan Srl may require that Customer return to Luceplan Srl, at Customer's cost (including costs for de-installation), all Products in which the title has not yet passed and Customer shall fully cooperate to enable Luceplan Srl to collect such Products and grant Luceplan Srl (or its representative) free access to the location of the Products, and other equipment supplied and/or used by Luceplan Srl in the performance of Services.

8. FORCE MAJEURE

Luceplan Srl will not be liable for any breach resulting from a Force Majeure event. If a Force Majeure event occurs, Luceplan Srl's performance will be suspended for

20% rabatt ska dras av på angivna priser

the period of such Force Majeure event. "Force Majeure" means any circumstances or occurrences beyond the reasonable control of Luceplan Srl, whether or not foreseeable at the time of an Agreement, as a result of which Luceplan Srl cannot reasonably perform or execute its obligations, including, without limitation, acts of God, natural catastrophes including earthquake, lightning, hurricane, typhoon, flooding or volcanic activities or extreme weather conditions, strikes, lock-outs, war, terrorism, political situation, civil unrest, riots, sabotage, vandalism, industry-wide shortages, breakdown of plant or machinery, fault or loss of electricity supply, cyber attacks and hacking or non-performance by suppliers of Luceplan Srl or by other third parties on which Services rely (including connectivity and communication services). In the event that Force Majeure event extends (or is reasonably expected by Luceplan Srl to extend) for a period of three (3) consecutive months, Luceplan Srl will be entitled to cancel all or any part of an Agreement without any liability towards Customer.

9. LIMITED WARRANTY AND DISCLAIMER

(a) In most instances, Luceplan Srl Products are sold subject to an applicable standard limited warranty either accompanying the product or as published on Luceplan Srl's website as the standard warranty applicable for a particular Product (the "Standard Product Warranty"). For any Product that is sold by Luceplan Srl that is not subject to an applicable Standard Product Warranty, Luceplan Srl warrants only that for one (1) year from delivery to Customer the Products will be free from Defects. For any Services that are performed by Luceplan Srl, Luceplan Srl warrants only that for thirty (30) days from the performance, the Service will be free from Defects (except in respect of Installation where this thirty (30) days' warranty period will commence upon acceptance as set out in section 6(c). A "Defect" (or "Defective") means, in relation to a Product, that a Product has any defect in material or workmanship which causes the Product to fail to operate in accordance with the specifications provided by Luceplan Srl, with consideration given to the overall performance of the Product and, in relation to Services, means that the Service has not been performed in a competent, diligent manner.

(b) Unless otherwise agreed by the Parties, Luceplan Srl does not provide any warranty for third party products, products not marked with trademarks owned by Luceplan Srl, nor for third party software, applications or services, or customized Products.

(c) Customer acknowledges that EULAs or Additional Use Terms may limit the warranty period for software (including web or mobile applications).

(d) In order to be entitled to make a valid claim under warranty, Customer shall promptly notify Luceplan Srl of alleged Defective Products or Defective Services prior to expiration of the warranty period. In the event that Luceplan Srl decides, in its sole discretion, that a claim under warranty is valid, Luceplan Srl shall, within a reasonable time, at its own option, repair or offer replacement products for Defective Products, or remedy or supplement any Defective Services. If despite reasonable efforts of Luceplan Srl, a Defective Product cannot be repaired, no replacement product can be supplied or Defective Services cannot be remedied or supplemented, Luceplan Srl shall make an appropriate refund or credit of monies paid by Customer for those Defective Products or Defective Services. Repairs, replacements or remedies will not extend or renew the applicable warranty period. Customer shall obtain consent from Luceplan Srl on the specifications of any tests it plans to conduct to determine whether a Defect exists. Replacement products supplied by Luceplan Srl may have minor deviations in design and/or specifications which do not affect the functionality of replaced Product. In respect of any replaced or credited Products, Luceplan Srl may, in its sole discretion, either claim the property of replaced or credited Products and require Customer to return these to Luceplan Srl, or instruct Customer to destroy these at Customer's costs.

(e) Customer shall bear the costs of access for remedial warranty efforts by Luceplan Srl, including removal and replacement of systems, structures or other parts of Customer's facility, the de-installation of Defective Products, and the re-installation of replacement products. Customer shall not return Products to Luceplan Srl without consent of Luceplan Srl and unless in accordance with applicable Luceplan Srl' return policies. In the event that Luceplan Srl decides that a claim under warranty is not valid, Customer will bear the costs incurred by Luceplan Srl in handling and testing, and the transport of Products returned.

(f) Any indemnification and warranty obligations of Luceplan Srl under an Agreement are conditional upon (i) proper storage, installation, use, operation, and maintenance of Products, all in accordance with user manuals, warranty policies and other instructions or terms communicated by Luceplan Srl to Customer; (ii) Customer keeping accurate and complete records of operation and maintenance during the warranty period and providing Luceplan Srl access to those records; and (iii) modification or repair of Products or Services only as authorized by Luceplan Srl. Failure to meet these conditions renders the warranty null and void. Luceplan Srl will not be responsible for normal wear and tear and environmental or stress testing. The warranty provided in this section 9 does not apply to damage or failure to perform arising as a result of any Force Majeure or from any abuse, misuse, abnormal use, improper power supply, powers surges or fluctuations, corrosive environments, neglect, exposure or any use or installation in violation of the instructions or restrictions prescribed by Luceplan Srl or any applicable standard or code.

(g) Any indemnification and warranty obligation of Luceplan Srl under an Agreement will not establish, by themselves, any liability to third parties or the public. Nothing in an Agreement will be construed to create any obligation, standard of care or liability to persons or third parties.

(h) If a recall, retrofit, update, withdrawal or any other remedial action related to any Product is required, Customer shall fully cooperate and shall provide such assistance as Luceplan Srl may require. Customer shall keep accurate books and records to assure traceability of the Products in the event of a Product recall or any other remedial actions.

(i) SUBJECT TO THE EXCLUSIONS AND LIMITATIONS SET OUT IN THE AGREEMENT, AND SUBJECT TO APPLICABLE LAW, SECTIONS 9, 11 AND 12(b), (c) and (d) STATE THE ENTIRE LIABILITY OF Luceplan Srl AND ITS AFFILIATES IN CONNECTION WITH DEFECTIVE PRODUCTS OR DEFECTIVE SERVICES, REGARDLESS OF WHEN THE DEFECT ARISES, AND WHETHER A CLAIM, HOWEVER DESCRIBED, IS BASED ON CONTRACT, WARRANTY, INDEMNITY, TORT OR EXTRA-CONTRACTUAL LIABILITY (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, AND WILL EXTEND DIRECTLY TO CUSTOMER ONLY AND NOT TO ANY THIRD PARTY, INCLUDING CUSTOMER'S CUSTOMERS, AGENTS OR REPRESENTATIVES. Luceplan Srl EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AGAINST INFRINGEMENT OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AN ESSENTIAL PURPOSE OF THE LIMITED EXCLUSIVE LIABILITIES AND REMEDIES UNDER THE WARRANTY IS ALLOCATION OF RISKS BETWEEN Luceplan Srl AND CUSTOMER, WHICH ALLOCATION OF RISKS IS REFLECTED IN THE PRICES.

10. RIGHTS IN SOFTWARE, DOCUMENTATION AND INTELLECTUAL PROPERTY

(a) Subject to Customer's fulfillment of all obligations under the Agreement and these Terms, the supply of Products and/or Services (including software embedded in Products or Services) includes a non-exclusive and non-transferable limited license (without the right to grant sublicenses) to Customer under any intellectual property rights (including patents, utility models, registered and unregistered designs, copyrights, database rights, trademarks, domain names, trade secrets, know-how, semiconductor IC topography rights and all registrations, applications, renewals, extensions, combinations, divisions, continuations or reissues of any of the foregoing, collectively: "IPR") of Luceplan Srl, to the limited extent that such IPR is embodied or embedded in the Products or Services purchased, to use or resell the Products (including Documentation) as sold by Luceplan Srl, and/or, for Services, to use the Services (including Documentation) during the term of the applicable Agreement in accordance with the applicable Services description. No rights to IPR are conferred to Customer or any third party other than explicitly granted under the Agreement or these Terms.

20% rabatt ska dras av på angivna priser

(b) In respect of any (embedded) software or other applications supplied to Customer, Customer shall not and shall not permit any third party to: (i) copy, reproduce, distribute, modify, adapt, alter, translate, or create derivative works therefrom; (ii) assign, sublicense, lease, rent, loan, transfer, disclose, or otherwise make available such software or other works; (iii) merge or incorporate such software with or into any other software; or (iv) reverse assemble, decompile, disassemble, or otherwise attempt to derive the source code or the algorithmic nature for such software, or to decode, de-crypt or neutralize any security measures in software or remove or circumvent the protection of software, without authorization from Luceplan Srl except as explicitly allowed under applicable law; (v) perform any action with regard to software in a manner that would require the software, or any derivative work thereof, to be licensed under Open Source Terms, including but not limited to: (a) combining the software or a derivative work thereof with Open Source Software, by means of incorporation or linking or otherwise; or (b) using Open Source Software to create a derivative work of the software, where "Open Source Software" means any software that is licensed under open source license terms that require as a condition of use, modification or distribution of a work: (1) the making available of source code or other materials preferred for modification, or (2) the granting of permission for creating derivative works, or (3) the reproduction of certain notices or license terms in derivative works or accompanying documentation, or (4) the granting of a royalty-free license to any party under IPR regarding the work or any work that contains, is combined with, requires or otherwise is based on the work.

(c) Customer acknowledges that third parties may own IPR related to Products or Services. Customer shall reproduce, without any amendments or changes, any proprietary rights legends of Luceplan Srl or its third party suppliers in any software or Documentation provided by Luceplan Srl.

(d) Luceplan Srl will be free to use in any way or form any ideas, suggestions, feedback or recommendations by Customer to Luceplan Srl regarding Products or Services ("Feedback"), without payment of royalties or other consideration to Customer. Luceplan Srl will own all IPR in Feedback. Luceplan Srl is entitled to use output, deliverables and creations resulting from the performance of Services for its own publicity or for promotional purposes.

11. INTELLECTUAL PROPERTY RIGHTS INDEMNITY

(a) Customer shall promptly notify Luceplan Srl of any third party claim alleging that any of the Products and/or Services supplied to Customer by Luceplan Srl infringe any third party IPR. Upon such notice, Luceplan Srl may at its own option and at its own expense either: (i) procure for Customer the right to continue using such Product and/or Services; or (ii) provide a replacement non-infringing product for such Product of equivalent functionality; or (iii) modify such Product such that it is no longer infringing; or (iv) remedy such Service; or (v) make an appropriate refund or credit of monies paid by Customer for that Product and/or Services.

(b) In the event that a claim referred to under section 11(a) results in any legal proceedings, Customer shall give Luceplan Srl full authority, at the option and cost of Luceplan Srl, to settle or conduct the defence of such claim. Customer shall provide Luceplan Srl with all assistance as Luceplan Srl may reasonably require in connection with such defence of such claim. Customer shall not enter into any settlement in connection with any such claim, nor incur any costs or expenses for the account of Luceplan Srl without the prior consent of Luceplan Srl.

(c) Subject to the provisions of sections 11 and 12, Luceplan Srl will reimburse Customer in respect of any final award of damages by a court of competent jurisdiction holding that Products and/or Services as supplied by Luceplan Srl under an Agreement directly infringe any third party IPR, provided that the infringement is held to be directly and solely attributable to the use by Customer of the Products and/or Service as supplied by Luceplan Srl under the Agreement.

(d) Notwithstanding anything to the contrary provided in the Agreement, Luceplan Srl will not be liable for, and the obligations of Luceplan Srl set out in this section 11 will not apply to: (i) any claim of infringement of third party IPR resulting from compliance with Customer's design, drawings, specifications or instructions; or (ii) use of any Products, deliverables and/or Services other than in accordance with its specifications or any claim based on or resulting from any modification or adaptation of a Product, deliverables and/or Service made by or on behalf of Customer; or (iii) any third party IPR covering any assembly, circuit, combination, method or process, in the manufacture, testing or application in which such Products and/or Services supplied by Luceplan Srl may have been used; or (iv) any claim of infringement resulting from compliance with an industry standard applying to the Products or Services.

(e) With regard to any claim of infringement covered by section 11 (d), Customer shall fully indemnify Luceplan Srl against any award of damages for any such infringement and shall reimburse all costs incurred by Luceplan Srl in defending any suit or proceeding for such infringement, provided that Luceplan Srl gives Customer prompt notice in writing of any such suit or proceeding for infringement and, if so requested, full authority to conduct the defence thereof.

(f) In the event that Luceplan Srl receives notice claiming infringement of third party IPR in relation to any Products and/or Services supplied or to be supplied under an Agreement, Luceplan Srl may, in order to limit or avoid liability, terminate the Agreement, suspend or discontinue the supply or performance to Customer of the Products and/or Services or parts to which such notice relates and Luceplan Srl will not be liable to Customer by virtue of such termination, suspension or discontinuation.

(g) Subject to the exclusions and limitations set forth in section 12, the foregoing states the entire liability of Luceplan Srl for infringement of third party IPR in connection with the supply of Products and/or Services.

12. LIMITATION OF LIABILITY

(a) THE LIABILITY OF Luceplan Srl AND ITS AFFILIATES FOR ALL CLAIMS OF ANY KIND ARISING FROM OR RELATED TO THE PROVISION OF PRODUCTS OR SERVICES TO CUSTOMER, OR OTHERWISE UNDER AN AGREEMENT, INCLUDING ANY INDEMNITIES, PENALTIES OR LIQUIDATED DAMAGE ("CLAIMS"), WILL BE LIMITED TO A MAXIMUM, AGGREGATE TOTAL ("LIABILITY CAP") OF (I) TWENTY PERCENT (20%) OF THE TOTAL PRICE PAID BY THE CUSTOMER FOR PRODUCTS AND/OR SERVICES TO WHICH SUCH CLAIMS RELATE, OR (II) EUR 2,000,000, WHICHEVER IS LOWER. FOR SERVICES THAT ARE PERFORMED ON THE BASIS OF SPECIFIED PHASES, TIME PERIODS OR MILESTONES ("MILESTONES") AS MAY BE SPECIFIED IN AN AGREEMENT, THE LIABILITY CAP WILL FURTHER BE LIMITED TO TWENTY PERCENT (20%) OF THE TOTAL PRICE PER EACH SUCH MILESTONE FOR ALL CLAIMS ARISING FROM OR RELATED TO SUCH MILESTONE.

(b) Luceplan Srl will not under any circumstances be liable for any lost profits, lost savings, loss of data, loss of reputation, loss of goodwill, indirect, incidental, punitive, special or consequential damages, whether or not such damages are based on tort, warranty, contract or otherwise – even if Luceplan Srl has been advised, or is aware, of the possibility of such damages.

(c) In order to be entitled to make a valid Claim, Customer shall notify Luceplan Srl of any such Claim within thirty (30) days of the date of the event giving rise to the Claim, and any lawsuit relating to a Claim must be filed within one (1) year of the date of such notification. Claims that are not brought or filed in accordance with the preceding sentence will be null and void.

(d) The limitations and exclusions of liability will apply only to the extent permitted by applicable mandatory law.

13. CONFIDENTIALITY

Customer shall maintain any technical, commercial and financial information, including any Offer and (pricing) terms, other data disclosed to Customer by Luceplan Srl, and any Feedback, confidential and shall not disclose such information to any third party and shall not use any such information for any purpose other than as agreed by the Parties and in relation to the Offer and/or the Agreement.

20% rabatt ska dras av på angivna priser

14. EXPORT/IMPORT CONTROLS

(a) Certain transactions of Luceplan Srl may be subject to export or import controls laws and regulations that prohibit or restrict the (re)export or transfer of certain items to certain countries, entities or individuals, such as the laws and regulations of the UN, EU and US ("Export Regulations"). The (re)export or transfer of Products and/or Services, as well as technical assistance, training, investments, financing, financial assistance, brokering and licensing of technology, are subject in all respects to the applicable Export Regulations and to the jurisdiction of the relevant authorities responsible for Export Regulations. If any such (re-)export or transfer requires an export or import license, or is otherwise prohibited or restricted under Export Regulations, Luceplan Srl may, in its sole discretion, suspend its obligations to Customer until such license is granted or for the duration of any restrictions or prohibitions, or terminate (the relevant part of) the Agreement without incurring any liability.

(b) Customer shall impose all export control restrictions to any third party if the Products and/or Services are (re)exported or transferred to third parties. At the request of Luceplan Srl and if required by applicable Export Regulations, Customer shall inform Luceplan Srl on any (re)export or transfer of the Products in order to comply with Export Regulations and any other regulatory responsibilities governing the sale of the Products, including requirements on the traceability of Products that may apply to Luceplan Srl. Customer shall not provide any statement or certification in support of restrictive trade practices or boycotts.

15. ASSIGNMENT

(a) Customer may not assign an Agreement, or any of its rights or obligations thereunder, without the prior consent of Luceplan Srl.

(b) Luceplan Srl may delegate, assign, sell, novate or subcontract in part or in whole its obligations and rights (including receivables) under any Agreement to any of its affiliates or any third party without the prior consent of Customer – and if such consent would be required under applicable law, such consent is herewith provided –, in which event Customer shall cooperate with Luceplan Srl's efforts, including providing relevant information, executing documents and making payments to accounts or third parties as notified by Luceplan Srl.

16. COMPLIANCE WITH LAWS; ANTI-BRIBERY

(a) Customer shall at all times comply and shall take all actions reasonably necessary to ensure that its business partners shall comply, with all applicable local and international laws and regulations, including on anti-bribery and anti-corruption and the Export Regulations (and in particular with Italian Legislative Decree 231/01 as amended from time to time). Accordingly, Customer shall conduct its business honestly and not engage in any act of bribery or corruption.

(b) Should Luceplan Srl receive any indications about a breach of the obligation under (a) Customer shall cooperate and provide Luceplan Srl with all information required to allow Luceplan Srl to verify such indications, and if founded, section 18 will apply.

17. HEALTH AND SAFETY

(a) The Parties shall comply with all applicable legislation, rules and/or regulations on the health and safety of workers and/or employees, as well as health and safety of the public in the vicinity. Customer shall provide and shall procure that its employees, agents, contractors or subcontractors provide safe work surroundings for Personnel and other representatives and shall take those measures prescribed by law and any other measures necessary for the prevention of accidents at the site and to ensure the health and safety of Personnel at the site. Customer shall timely inform Personnel of required safety precautions and advise Luceplan Srl of all applicable site-specific health, safety, security and environmental requirements and procedures. Luceplan Srl has the right, but not the obligation, to, from time to time, review and inspect applicable health, safety, security and environmental documentation, procedures and conditions at the site.

(b) Customer shall ensure that no hazardous materials are present at the site. If hazardous materials are present, Customer shall and shall procure that its employees, agents, contractors or subcontractors handle these properly and if applicable, arrange for the appropriate removal and disposal thereof at the expense of Customer. If, in the reasonable opinion of Luceplan Srl, the health, safety, or security of Personnel or the site is, or may be, imperiled by security risks, terrorist acts or threats, the presence of or threat of exposure to hazardous materials, or unsafe working conditions, Luceplan Srl may, in addition to other rights or remedies available to it, evacuate some or all Personnel from the site (with the reasonable assistance of Customer), suspend performance of all or any part of an Agreement, and/or remotely perform or supervise Services (if possible) with no further liability to Customer.

(c) Conditions at a site that differ materially from those disclosed by Customer, or previously unknown physical conditions at site that differ materially from those ordinarily encountered and generally recognized as inherent in work of the character provided for in the Agreement, will be deemed a Variation.

18. BREACH; SUSPENSION; TERMINATION

(a) In the event of (i) a breach by Customer of any of the provisions of the Agreement or these Terms, including any failure to pay any amount as and when due; or (ii) in the reasonable opinion of Luceplan Srl, the financial position of the Customer (or a material change thereof) is likely to affect Customer's ability to perform its obligations under the Agreement; or (iii) any proceedings in insolvency, bankruptcy (including reorganization), liquidation or winding up are instituted by or against Customer, whether filed or instituted by Customer (voluntarily or involuntarily), a trustee or receiver is appointed over Customer, or any assignment is made for the benefit of creditors of Customer; or (iv) Customer ceases, or threatens to cease, to carry on business, or (v) the control over or ownership of Customer changes, then Luceplan Srl may declare all amounts outstanding by Customer immediately due and payable and may set off any amount that Luceplan Srl (or any of its affiliates) owes to Customer under any agreement including any advance payments or deposits made by Customer, against amounts due pursuant to section 18(b). In addition, Luceplan Srl may in its sole discretion by notice to Customer with immediate effect suspend or cancel any performance due from Luceplan Srl (including production, delivery, installation and commissioning of Products, obligations under warranty and performance of Services) or terminate the Agreement or any part thereof, without any liability, and/or suspend or cancel any credit terms offered to Customer. Luceplan Srl may only use the right to terminate an Agreement pursuant to this section if, in respect of an event under (i) above that is capable of being remedied, Customer fails to remedy the breach within fourteen (14) days, or in respect of an event under (ii), Customer fails to provide Luceplan Srl with a bank guarantee or other security to the satisfaction of Luceplan Srl within fourteen (14) days.

(b) Customer shall indemnify, defend and hold harmless Luceplan Srl and its affiliates, and their officers, directors, agents, employees, successors, and assigns from and against, all losses (including loss of profits or turnover), liabilities, costs (including legal costs and costs incurred in relation to unfinished products) and expenses arising out of or in connection with any of the following events: (i) a breach by Customer of any of the provisions or obligations of the Agreement or these Terms, or the occurrence of any of the other events set out in section 18(a); (ii) any claim by third parties for any loss, damage or injury or death caused or alleged to be caused by the negligent use, application, or installation of Products, or caused by any modification of Product or integration of Product into other products not authorized by Luceplan Srl, by Customer or its contractors, agents, affiliates or customers to whom it sold Product; or (iii) non-compliance by Customer with section 7(b), in which

20% rabatt ska dras av på angivna priser

event costs will include the full replacement costs of products, systems or other equipment.

(c) Upon (early) termination or expiration of an Agreement, (i) all rights and licenses granted to Customer under that Agreement will immediately cease; (ii) Customer shall return, delete (including from all hard disks and memory) or destroy (and a duly appointed officer shall certify to such destruction) all information disclosed under section 13, including software not embedded in Products, and all copies thereof; (iii) return to Luceplan Srl, at the costs of Customer, any Products of which (legal) title has not passed to Customer (in accordance with section 7) and any other products, systems or equipment supplied and/or used by Luceplan Srl in the performance of the Services; and (iv) all reasonable costs and expenses incurred by Luceplan Srl (including a reasonable profit) for any activities related to work performed by Luceplan Srl prior to such termination will be considered due, payable and non-refundable.

(d) In the event of a suspension that lasts for more than two (2) months, the provisions of section 18(c)(iv) will also be applicable to any activities related to work performed by or for Luceplan Srl prior to such suspension.

(e) The rights of Luceplan Srl pursuant to this section 18 will be in addition to any other rights and remedies Luceplan Srl may have at law or in equity. In the event of termination of an Agreement, the terms and conditions destined to survive such termination or expiration will so survive. Termination will not affect the rights of the Parties accrued up to the date of termination.

19. GOVERNING LAW AND FORUM

(a) The laws of Italy govern all Agreements, Offers and these Terms, without regard to conflict of law principles. Any legal action or proceeding arising out of or in connection with an Agreement, an Offer or these Terms that cannot be settled through consultation in good faith within thirty (30) days after notice from either Party that a dispute exists, will be brought exclusively in the courts of Milan, Italy, provided that Luceplan Srl will always be permitted to bring any action or proceedings against Customer in any other court of competent jurisdiction. The United Nations Convention on Contracts for the International Sale of Goods will not apply.

(b) Nothing in this section 19 will be construed or interpreted as a limitation on either Party's right under applicable law to seek injunctive or other equitable relief, to take any action to safeguard its possibility to have recourse on the other Party or to bring action or proceedings in relation to any failure to pay any amount as and when due.

20. PRIVACY AND USE OF DATA

(a) Each Party shall comply with all applicable data protection laws. Unless agreed otherwise by the Parties, Luceplan Srl (or its subcontractors) will not process information relating to any identified or identifiable natural persons ("Personal Data") for Customer or on Customer's behalf. In the event that Luceplan Srl processes Personal Data as part of its own legitimate business purposes, it will do so in accordance with the "Luceplan Srl Privacy Notice for Customers, Consumers and Other Business Persons" which is available on <http://www.luceplan.com/privacy-policy>.

(b) Customer acknowledges and agrees that Luceplan Srl and its affiliated companies (or their respective subcontractors) may collect information and data generated from Products and Services (including any third party product, service or system provided in conjunction with the Product and/or Service) and/or the use thereof ("Usage Data"). Luceplan Srl is entitled to use the Usage Data, free of charge, at any time during the term of an Agreement and afterwards, in its sole discretion for any purposes whatsoever, including to aggregate or compile Usage Data with other data, create IPR or derivative works of or modify or adapt Usage Data to provide, maintain, and improve products and services, and to develop new products or features or services. Unless otherwise stated in the Agreement, EULA or Additional Use Terms, Luceplan Srl shall ensure that the use of Usage Data will exclude any Personal Data and any data that would enable the identification of Customer or company or organization.

21. MISCELLANEOUS

(a) The invalidity or unenforceability of any provision of these Terms or an Agreement will not affect the validity or enforceability of any other provision thereof, all of which will remain in full force and effect. In the event of such finding of invalidity or unenforceability, the Parties shall endeavor to substitute the invalid or unenforceable provision(s) by such effective provision(s) as will most closely correspond with the original intention of the provision(s) so voided. At reasonable notice, Customer shall assist Luceplan Srl in verifying Customer's compliance with the Agreement.

(b) Any right of Luceplan Srl set out in these Terms will be without prejudice to any rights or remedies Luceplan Srl may have under the Agreement or at law or in equity. Customer acknowledges that Luceplan Srl and any of its affiliates are intended to be third-party beneficiaries for purposes of all benefits under, and may enforce the provisions of the Agreement, including these Terms, where applicable. The failure or the delay of either Party to enforce any provision of these Terms or an Agreement will not constitute a waiver of such provision or a waiver to enforce it.

(c) The terms of an Agreement (including these Terms and any other terms and conditions forming part thereof) state the entire understanding and agreement between the Parties as to the sale of Products and performance of Services under that Agreement and will supersede any prior promises, agreements, representations, undertakings or implications whether made orally or in writing between Luceplan Srl and Customer with respect to the subject thereof. The Parties expressly acknowledge that, in entering into an Agreement, no reliance has been placed on any representations which have not been incorporated as part of that Agreement. No variation to an Agreement will be binding upon either Party unless made in writing and signed by an authorized representative of each of the Parties.

(d) Prices and terms are subject to correction for typographical or clerical errors.

20% rabatt ska dras av på angivna priser

20% rabatt ska dras av på angivna priser

ITALIA

Luceplan Srl
Via E.T. Moneta 40
20161 Milano
T +39 02 66 242 1
F +39 02 66 203 400
N. verde 800 800 169
info@luceplan.com

Per info, contatti
ed informazioni sui distributori
internazionali visitare il sito
www.luceplan.com

USA

Luceplan USA, Inc.
287 Park Ave South
New York, New York 10010
Tel: (212) 334-1809
Fax: (212) 334-7307
Email: infous@luceplan.com

Showroom

Milano

Corso Monforte 7
20122 Milano
T +39 02 76 015 760
F +39 02 78 4062
luceplanstore@luceplan.com

Copenhagen

Luceplan Professional Space
Dybendalsvænget 2,
DK-2630 Taastrup (Copenhagen)
T +45 41 67 54 16
professionalspace@luceplan.com
Open by appointment only

1PL000326



20% rabatt ska dras av på angivna priser

Stockholm
Luleå
Sundsvall

Göteborg
Gävle

Malmö
Hedemora

Uppsala
Edsbyn

Helsingborg
Jönköping

Umeå
Norrköping

SENAB
space for big ideas