

Statligt ramavtal -Möbler och inredning

Delområde: Inredningsarmaturer

Dnr 23.3.-8004-18:034

Produktlista nr: 4

Muuto 2023



Kontaktuppgifter

Lokala kontor och utställningar:

Stockholm

Regeringsgatan 66 103 88 Stockholm

Peter Almgren 076-533 50 43 peter.almgren@senab.com

Uppsala

Stationsgatan 32 C 753 40 Uppsala

Linnéa Hempel 076-195 39 86 linnea.hempel@senab.com

Gävle

Nygatan 28 803 11 Gävle

Cecilia Sjöblom 076-501 10 93 cecilia.sjoblom@senab.com

Jönköping

Västra Storgatan 19A 553 15 Jönköping

Pia Heldt 076-533 51 57 pia.heldt@senab.com

Göteborg

Fiskhamnsgatan 6C 414 58 Göteborg

Anna Wennberg 076-533 51 44 anna.wennberg@senab.com

Helsingborg

Järnvägsgatan 57 252 18 Helsingborg

Christopher Lundin 076-533 50 02 christopher.lundin@senab.com

Hedemora

Åsgatan 68 776 30 Hedemora

Michael Andersson 076-501 10 95 michael.andersson@senab.com

Sundsvall

Storgatan 4 852 30 Sundsvall

Jonas Westerlund 076-502 02 04 jonas.westerlund@senab.com

Malmö

Fersens väg 3 211 42 Malmö

Magdalena Andersson 076-535 75 87 magdalena.andersson@senab.com

Umeå

Storgatan 41 903 25 Umeå

Patrik Karlsson 070 654 0066 patrik.karlsson@senab.com

Edsbyn

Karls väg 2 828 25 Edsbyn

Ronny Fagerhov 070-224 67 44 ronny.fagerhov@senab.com



COPENHAGEN K DENMARK

MUUTO BILAGA INREDNINGSARMATUR



Explore our new perspectives on Scandinavian design across furniture, lighting and accessories. Each design within our collection has its own family page with designer quote, product description, material information, cleaning instructions and more, followed by the pricing options for each individual variant.

INTRODUCTION TO THE PRICE LIST INDEX	1 2	Leaf Lamp Series Leaf Table Lamp
		Leaf Floor Lamp
		Linear Lamp Series
FURNITURE		Piton Portable Lamp
Linear System Series	4	Post Lamp Series
		Post Wall Lamp
LIGHTING		Post Floor Lamp
Ambit Lamp Series	_15	Rime Lamp Series
Beam Table Lamp	_18	Tip Lamp Series
Control Table Lamp	_21	Tip Table Lamp
Cosy in Grey Table Lamp	_23	Tip Floor Lamp
Ease Portable Lamp	25	Tip Wall Lamp
Focus Table Lamp	_27	MATERIAL OVERVIEW

l £ l C :	00
Leaf Lamp Series	29
Leaf Table Lamp	3C
Leaf Floor Lamp	3
Linear Lamp Series	32
Piton Portable Lamp	34
Post Lamp Series	36
Post Wall Lamp	37
Post Floor Lamp	38
Rime Lamp Series	39
Tip Lamp Series	42
Tip Table Lamp	43
Tip Floor Lamp	44
Tip Wall Lamp	45
MATERIAL OVERVIEW	47

COLOR CODE INDEX	48
UPHOLSTERY OVERVIEW	49
GENERAL TERMS OF SALE AND	
DELIVERY	55



FURNITURE

LINEAR SYSTEM

"The Linear System Series places people at its center, being a place to meet, to collaborate or to work in focused solitude. The design process was about creating a system that made for intimately welcoming atmospheres, enhanced by the expression and functionality of its lighting and accessories. The Linear System Series brings feelings of home into larger spaces to give the user a sense of belonging. The extensive selection of lighting and accessories means that the Linear System Series can be configured and reshuffled for any purpose, marrying the ideas of aesthetics and function into one."



— Thomas Bentzen

Designed by Thomas Bentzen / 2020

Environment Indoor

Country of Production Table in Latvia / Power Outlet in England / Power Kit & Cable Tray in Germany

Assembly Required Yes

Description The Linear System Series brings a new perspective to the evolving needs of modern spaces.

The Linear System Table is a simple yet refined table with subtle details and references to the Scandinavian design heritage. Its legs are cut into half-circles and joined with the table for a light expression while the slender overhang at both ends of the table makes for a refined expression. The Linear System Table is available as a freestanding table to be used on its own, as predesigned configurations or as Middle and End Modules that can be configured to the exact needs of your space. Screens and trays are available in various sizes and are mounted into the ridge that runs down the tabletop, allowing for them to be shuffled around as functional and aesthetic needs evolve. Adjustable feet are included for the possibility of adjusting the height of the table's legs. Visit our Product Planner to explore

the possible configurations: planner.muuto.com/linear

Material Table: Tabletop comes in Oak veneer, black version in Ash veneer, Black Nanolaminate or

White Laminate. Black Nanolaminate and White Laminate has an ABS edge. Table frame in

veneered plywood and legs in Solid Oak. Felt glides included.

Oak Veneer color variations: The Oak Veneer tabletops of the Linear System Series are made using high-quality mix-matched veneer to avoid differences in the visual appearance from tabletop to tabletop. However, wood is a natural material, and this means that slight

variations can occur from table to table.

Accessories: Screens are in solid oak and veneered MDF with powder coated aluminum fixing knobs. Possibility of upholstery on Screens. Tray I7O cm is in solid oak and veneered MDF, Tray Ø24 and Tray Ø36 are solid oak, all with powder coated aluminum fixing knobs.

Cable Tray in PET felt.

Cleaning δ Care Wood δ Veneer Surfaces:

Clean the table with a damp cloth. If necessary, only use a mild detergent or washing up liquid and not concentrated. Always wipe with a dry cloth afterwards. To minimize the risk of

stains and marks, liquid, grease etc. should be removed straight away.

Laminate Surface:

Clean the table with a damp cloth. If necessary, use a mild detergent or washing up liquid and not concentrated. Always wipe with a dry cloth afterwards. To minimize the risk of stains and marks, liquids, grease etc. should be removed straight away.

Warning for Power System:

Disconnect from main supply before cleaning. Clean with soft dry cloth only. Always switch

off electricity supply before cleaning.



LINEAR SYSTEM

TESTS & CERTIFICATIONS

Linear System Table:

EN 15372:2016 - L3 Severe use. Furniture – Strength, durability and safety.

Requirements for non-domestic tables.

VOC CDPH 0I350 δ VOC Bifma X7.I* Linear System Table incl. screens, trays, lamps and power outlet is VOC CDPH OI35O and VOC Bifma X7.1 tested.

*Please note that the black versions of the Linear System Table and Linear System Accessories is only compliant for private office use.



LINEAR SYSTEM SERIES SKALDER AV på angivna priser

The Linear System Series brings a new perspective to the evolving needs of the modern workspaces, hospitality settings and educational institutions through its configurable design across tables, lighting, screens and trays alongside its custom integrated power solution, allowing one to tailor the design to the exact needs of any space.

Option A — Choose between one of our predesigned table configurations and simply add your desired lamps and accessories.

Option B — Create your own configuration from scratch and add lamps and accessories from there. Scroll down 6 pages.

Option A — Predesigned Table Configurations

STEP 1. TABLES

Select either the Linear System Table or one of three Linear System Table Configurations.

Linear System Table

Height — 74 cm / 29.1"

Table top width — 142 cm / 55.9"

Total width — 146,9 cm / 57.8"

Total length — 24O cm / 94.5"

No of Persons — 4-6



Linear System Table Configuration (

Height — 74 cm / 29.1"

Table top width — 142 cm / 55.9"

Total width — 146,9 cm / 57.8"

Total length — 360 cm / 141.7"

No of Persons — 6-8



Linear System Table Configuration 2


Height — 74 cm / 29.1"

Table top width — 142 cm / 55.9"

Total width — 146,9 cm / 57.8"

Total length — 48O cm / 189"

No of Persons — 8-12



Linear System Table Configuration 3


Height — 74 cm / 29.1"

Table top width — 142 cm / 55.9"

Total width — 146,9 cm / 57.8"

Total length — 720 cm / 283.5"

No of Persons — 12-18



OPTION A



INEAR SYSTEM SERIES SKALDER GOBEAV på angivna priser

STEP 2. ACCESSORIES

Trays

Add your desired number of Linear System Trays.

Note

Trays must be mounted at least 5 cm / 2" from the table edge.

Linear System Tray — Ø24 cm / 9.5"

Height — 15,6 cm / 6.2" Diameter — 24 cm / 9.5"



Linear System Tray — Ø36 cm / 14.2"

Height — 9,6 cm / 3.8" Diameter — 36 cm / 14.2"



Linear System Tray — 170 cm / 66.9"

Height — I5 cm / 5.9" Width — 2I cm / 8.3" Length — I7O cm / 66.9"



Scroons

Add your desired number of Linear System Screens.

Note

We recommend that screens are mounted to the table. They must be placed at least $5\,\mathrm{cm}$ / 9" from the table edge.

Linear System Screen — 75 cm / 29.5"

Height — 35 cm / I3.8" Width — I5 cm / 5.9" Length — 75 cm / 29.5"




Linear System Screen — 125 cm / 49.2"

Height — 35 cm / I3.8" Width — I5 cm / 5.9" Length — I25 cm / 49.2"




Linear System Screen — 178 cm / 70.1"

Height — 35 cm / 13.8" Width — 15 cm / 5.9" Length — 178 cm / 70.1"



Note

Please note that only the Linear System Screen 125 cm / 49.2° can be mounted across the table.



OPTION A



LINEAR SYSTEM SERIES SKAER GABEAV på angivna priser

STEP 3. LIGHTING

Add your desired number of Linear Lamps.

Note

The Linear Table Lamp has one USB-C plug.

Linear Table Lamp

Height — 36,5 cm / 14.4 Width — 23,2 cm / 9.1" Depth — 16,5 cm / 6.5"



Note

Linear Mounted Lamp must be mounted at least 5 cm / 2" from the table edge.

Please be aware that the Linear Mounted Lamp and Table Power Outlet, both designed for the Linear System Series, have a special power solution with special plugs. See more on page 4

Linear Mounted Lamp — 23,2 cm / 9.1"

Height — 36,5 cm / I4.4" Width — 23,2 cm / 9.1" Depth — IO,7 cm / 4.2"



Linear Mounted Lamp — 209,2 cm / 82.4"

Height — 70,7 cm / 27.8" Width — 209,2 cm / 82.4" Depth — IO,7 cm / 4.2"



Linear Pendant Lamp — 87,2 cm / 34.3"

Height — 5,4 cm / 2.1" Width — 87,2 cm / 34.3" Depth — IO,7 cm / 4.2"



Linear Pendant Lamp — 169,2 cm / 66.6"

Height — 5,4 cm / 2.1" Width — 169,2 cm / 66.6' Depth — 10,7 cm / 4.2"



STEP 4. TABLE POWER OUTLETS

Specify your desired number of Table Power Outlets. Each Table Power Outlet has two outlets (one at each end) and one USB-A and USB-C plug to which standard plugs can be connected. Kindly remember to select your region-specific version.

Note

Linear System Table Power Outlet must be mounted at least 5 cm / 2" from the table edge.

Linear System Table Power Outlet — EU, UK

Height — 7 cm / 2.8" Width — 7 cm / 2.8" Length — 18 cm / 7.1"





OPTION A

LINEAR SYSTEM SERIES SKALDER GIBEAV på angivna priser

STEP 5. INTEGRATED POWER FOR MOUNTED LAMPS & TABLE POWER OUTLETS


If you'd like to add the Mounted Lamp(s) or Table Power Outlet(s), select the Table Power Kit for the Linear System Table or one of the three Power Configurations that match your selected Linear System Table Configuration. Kindly remember to select the region-specific power kit.

Note

Each Distribution Block has five outlets to which up to five Linear Mounted Lamps or Linear System Table Power Outlets can be plugged in.

The Extension Kit must be connected to the Power Kit. An Extension Kit has no standard plug.

Distribution Block — 5-way



EU cable

UK cable 1,5 M fused plug






Linear System Table

Linear System Power


Power Kit (I pcs) 150 cm / 59" cable (EU or UK) Distribution Block




Linear System Table Configuration (

Linear System Power Configuration I

Power Kit (I pcs) I5O cm / 59" cable (EU or UK) Distribution Block



Power Extension Kit — 200 cm (I pcs) 200 cm / 79" cable Distribution Block







Linear System Table Configuration 2

Linear System Power Configuration 2


Power Kit (I pcs) 150 cm / 59" cable (EU or UK) Distribution Block



Power Extension Kit — 250 cm (I pcs) 250 cm / 98" cable Distribution Block




Linear System Table Configuration 3




Linear System Power Configuration 3

Power Kit (I pcs) 150 cm / 59" cable (EU or UK) Distribution Block



Power Extension Kit — 250 cm (2 pcs) 250 cm / 98" cable Distribution Block






OPTION A


Note
The Integrated Power for Linear System Series has unique internal plugs to provide a slim and discreet look. This means that you cannot connect a standard plug to the power without using the Linear Table Power Outlet $\,$ or changing the standard plug to a matching plug, being the Wieland GSTI8I3 plug.

The Linear Mounted Lamps must be connected to the integrated Power Kit.




I. Connecting using the Wieland GSTI8I3 plug

2. Connecting using a standard plug to the Linear Table




LINEAR TABLE LAMP ONLY

The Linear Table Lamp can either be connected to a standard wall plug or the Table Power Outlet.



Alternatively, you can connect it to the integrated Power Kit by replacing the plug with a custom Wieland GSTI8I3 plug that is included with the lamp. Kindly refer to the Linear Table Lamp manual for instructions.

Integrated Power Kit (Wieland GSTI813 plug)



INEAR SYSTEM SERIES SKALDER GOLDE AV på angivna priser

STEP 6. CABLE TRAYS

We recommend using 1 Cable Tray for the End Module – 120 cm / 47.2" and up to 3 Cable Trays for the Linear Table, End Module – 240 cm / 94.2" and the Middle Module – 240 cm / 94.2".

Linear System Cable Tray

Height — 3 cm / 1.2" Width — 22 cm / 8.7" Depth — 60 cm / 23.7"



Example:







Linear System End Module — I2O cm / 47.2"

Option B — Create your own configuration

STEP 1. TABLES

A)

A configuration must always have End Modules in each end.

Start by defining the total length of your desired configuration, then select two table ends.


Linear System End Module — 240 cm / 94.5"

Height — 74 cm / 29.1" Width — 146,9 cm / 57.8" Length — 240 cm / 94.5' No of Persons — 4-6



Linear System End Module — I2O cm / 47.2"

Height — 74 cm / 29.1" Width — 146,9 cm / 57.8" Length — 120 cm / 47.2" No of Persons — 2



B)

Next, add the second, and final, End Module or your desired number of Middle Modules, only available in 240 cm / 94.5".

Note

Please note that it is not possible to connect more than two End Modules.

Linear System Middle Module — 240 cm / 94.5"

Width — 146,9 cm / 57.8" Length — 240 cm / 94.5' No of Persons — 4-6




C)

Next, you must order 1 set of Connecting Legs every time two modules are connected.


Linear System Connecting Legs

Height — 74 cm / 29.1"



If you'd like a configuration of one End Module — 240 cm / 94.5" and one Middle Module — 240 cm / 94.5" and one End Module — 240 cm / 94.5", you must order two sets of Connecting Legs, as shown in the illustration.

Example



OPTION B

LINEAR TABLE LAMP





Shipper Colli I
Gross Weight (kg) 1.832
Net Weight (kg) 1.3
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22510	Black	SEK 3.826,IO	-
22511	Grey	SEK 3.826,IO	-



LIGHTING

AMBIT LAMP SERIES

"What defines our attraction to shapes? With the Ambit Lamp Series, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Lamp Series a timeless design that you'll never grow tired of while its handspun aluminum material and contrasting white inner makes for an elegant touch."

- TAF Studio



Designed by TAF Studio / 2015, 2017, 2019 δ 2021

Environment Indoor

Country of Production China

Cord Length Pendant Lamp and Rail Lamp: 400 cm / 157.5"

Wall Lamp: 250 cm / 98.4"

Bulb Included Pendant Lamp Ø16,5 and Wall Lamp: Yes

Pendant Lamp Ø55, Ø40, Ø25 and Rail Lamp: No

Ceiling Cap Included Pendant Lamp and Rail Lamp: Yes

Wall Lamp: No

Dimmable Function Rail lamp: Yes (can be dimmed with industry standard phasecut dimmers, if dimmable bulb is

used)

Ambit Ø16,5: Yes (can be dimmed with industry standard phasecut dimmers)

Ambit Ø25, Ø4O and Ø55: Yes (can be dimmed with industry standard phasecut dimmers, if

dimmable bulb is used)

Socket Size Ambit Ø25 and Rail Lamp: El4

Ambit Ø40 and Ø55: E27 Ambit Ø16,5 and Wall Lamp: GX53

Description Embodying the values of Scandinavian design, the Ambit Lamp Series is as timeless as it is

contemporary. Made of hand-spun aluminum that has been hand-painted, the Ambit Lamp Series features clean lines and a white interior that heighten contrasts of its outside shade while enhancing the light emitted in any room of a home, office or commercial space. Use the

design on its own or symmetric formations and vibrant clusters.

Material Aluminum lamp shades. Made from old braizer traditions, the lamp shades are press spun by

hand. Hereafter, the lamp shades are polished and painted by hand. PVC cord.

AMBIT LAMP SERIES

Cleaning δ Care

Rail Lamp:

The rail for the Ambit Rail Lamp is cut from tubes that are adjusted to fit each other on a lathe machine. Rail made from cast and extruded aluminum.

Wall Lamp:

Arm fixture and wall mount piece for the Ambit Wall Lamp are made from aluminum. An extra wall bracket is included in the Ambit Wall Lamp that allows for the wiring to be integrated into the wall.

Clean the lamp with a soft dry cloth. Always switch off the electricity before cleaning.

TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-I

Low Voltage Directive (LVD) - 2014/35/EU

ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I

Electrical Equipment (Safety) Regulations 2016

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and

Electronic Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information

(Amendment) (EU Exit) Regulations 2019

USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand:

AS/NZS 6O598.I and AS/NZS 6O598.2.I

*Does not apply to Ambit Pendant Ø16.5 and Ambit Wall Lamp

China:


*GB 7000.201 and GB 7000.1

*Please note that this certification does not apply for the Ambit Wall Lamp



AMBIT WALL LAMP






Shipper Colli I
Gross Weight (kg) 1.734
Net Weight (kg) I.O4
Warranty Period 5 years

Item No.	Color	Contract	Lead Time
		Price	
Ready-To-Ship			
15311	Black	SEK 3.138,1O	-
15313	Grey	SEK 3.138,1O	-
15314	Taupe	SEK 3.138,1O	-
15312	White	SEK 3.138,1O	-
Extras			
15804	Ambit / Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	-
15801	Ambit / Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O	-
15803	Ambit Cord - Grey (per linear meter)	SEK 59,3O	-
15806	Ambit Cord - Taupe (per linear meter)	SEK 59,3O	-



BEAM TABLE LAMP

"The idea for the Beam Table Lamp came while renovating my childhood home. I had made a shelf to use as divider between the hallway and living room and needed a lamp that could at once throw light out into the living room and down the hallway. The Beam Table Lamp mimics a single ray of light that travels through a round tube with its dimmer allowing the user to change the volume of light omitted from both ends of the cylinder shape. Tweak the design to your personal needs through its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow. With the Beam Table Lamp, you can alter the volume of light omitted, change its direction by the turn of its base and place it on any shelf, table or windowsill for a new perspective on modern lighting."



- Tom Chung

Designed by Tom Chung / 2018

Environment Indoor

Country of Production China

Cord Length 250 cm / 98.4"

Bulb Included Yes

Dimmable Function Yes

Description The Beam Table Lamp is a versatile table lamp with a modern expression and intuitive

user-friendliness. With light shone from both ends of a cylinder shape, the user can choose between three different volumes of light and gradually alter the volume of light emitted in each end through the turn of a playful dial. The Beam Table Lamp can be altered for any position with its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow in any home, offices, hotel room and educational areas.

Material Body in anodized aluminum for a matte feel and vibrant look. Cord in PVC. It has a built-in

energy efficient LED bulb. The lifetime of the LED bulb is defined as the time it takes until the light output/lumen maintenance reaches 90% (L90) of the initial output. The integrated bulb

has a lifespan/lumen maintenance (L9O) of 35,000 hours.

Clean with soft dry cloth only. Always switch off electricity supply before cleaning.



BEAM TABLE LAMP

TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-4 Low Voltage Directive (LVD) - 2OI4/35/EU ECO Design Directive - 245/2OO9/EC ROHS Directive - 2OII/65/EU amended RoHS 3 Directive 2OI5/863

REACH Directive - EC/I9O7/20O6 WEEE Directive - 2OI2/I9/EU

UK:

BS EN 60598-I and EN 60598-2-4
Electrical Equipment (Safety) Regulations 2016
Electromagnetic Compatibility Regulations 2016
The Restriction of the Use of Certain Hazardous Substances in
Electrical and Electronic Equipment Regulations 2012
The Ecodesign for Energy-Related Products and Energy
Information (Amendment) (EU Exit) Regulations 2019

The Eurasian Economic Union: TP TC OO4 and TP TC O20

USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4







Shipper Colli I
Gross Weight (kg) 1.72
Net Weight (kg) 1.234
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
12124	Aluminum	SEK 2.536,IO	-
12121	Black	SEK 2.536,IO	-
12123	Green	SEK 2.536,IO	-
12122	Umber	SEK 2.536,IO	-



CONTROL TABLE LAMP

"The Control Table Lamp is a unique and playful lamp with references to hi-fi and industrial machinery. The light and dimmer is controlled by a switch, referencing volume controls, and is an inviting and simple way of interacting with the user. While designing the lamp, we were inspired by the idea of displaying the different lamp components on a serving plate—almost as a still life. It was a pragmatic approach to making a lamp by the simplest means, a reduced design beyond reduction."

- TAF Studio



Designed by TAF Studio / 2016

Environment Indoor

Country of Production

Cord Length 250 cm / 98.5"

Bulb Included Yes

Dimmable Function Yes

Socket Size E27

Description The Control Table Lamp places the iconic E27 bulb in a modern context. With the user being

able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values.

Material The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

TESTS & CERTIFICATIONS

EU:

China

EN 60598-I and EN 60598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2OI2/I9/EU

UK:

BS EN 6O598-I and EN 6O598-2-4 $\,$

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

USA/Canada:

UL STD. 153 / CSA STD. C22.2 NO.25O.4


Australia/New Zealand:

AS/NZS 60598.1 and AS/NZS 60598.2.4



CONTROL TABLE LAMP





Shipper Colli I.4055
Gross Weight (kg) I.4055
Net Weight (kg) O.9125
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
15410	Black	SEK 1.5O4,IO	-
15412	Grey	SEK 1.5O4,IO	-
15413	Red	SEK 1.5O4,IO	-
15411	White	SEK 1.504,10	-



COSY IN GREY TABLE LAMP

"The idea for the Cosy In Grey was to create a lamp that created a spatial atmosphere within the room. I put my trust in the natural material of glass; its beauty and changing reflections. The Cosy In Grey Table Lamp expresses the beauty of electrical light in a modern form. Whether it be early mornings, during lunch or a cold night, the Cosy In Grey Table Lamp will bring a warm and friendly atmosphere to any space."

- Harri Koskinen



Designed by Harri Koskinen / 2006

Environment Indoor

Country of Production

Cord Length 260 cm / 102.25"

Bulb Included No. Only use dimmable bulb.

China

Dimmable Function Yes
Socket Size E27

Description With its modern shape in mouth-blown glass, the Cosy In Grey Table Lamp provides gentle

lighting through its dimmable naked bulb, encased in smoked grey glass. Place the Cosy In

Grey Table Lamp in any space for a new perspective on ambient lighting.

Material The Cosy in Grey Table Lamp is handmade, mouth blown in colored soda lime glass, cut

grinded and polished by hand. PVC cord with a dimmer, plastic socket and an internal clear

plastic construction to secure cord and socket. Bulb not included.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

TESTS & CERTIFICATIONS

EU:

EN 60598-I and EN 60598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/20O6 WEEE Directive - 2OI2/I9/EU

UK:

BS EN 6O598-I and EN 6O598-2-4

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic


Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)

Regulations 2019

COSY IN GREY TABLE LAMP





Shipper Colli I
Gross Weight (kg) 4.75
Net Weight (kg) 3.49
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
01033	Grey	SEK 2.317,7O	-
Extras			
01040	LED Bulb	SEK 231,3O	-



EASE PORTABLE LAMP

"I wanted the Ease Portable Lamp to have a remarkable quality of light, striking a versatile balance between atmospheric and functional light — after all, that is the wonderful thing about a portable lamp — you can bring a distinct ambience to literally anywhere. I landed on the idea of the top and bottom gently touching, softly meeting each other. There is a sense of lightness to it. This feature allows a large surface to emit light, while the flared bottom firmly stabilizes it. It is these details that give the lamp a sort of human quality, making it a reliable friend."

— Johan van Hengel

Design by Johan van Hengel / 2023

Environment Indoor / Outdoor

Country of Production China

Cord Length 90 cm / 35.4"

Bulb Included Yes - Integrated, non replaceable LED

Dimmable Function Yes - Three step dimming

Description Inspired by shapes of traditional table lamps, the Ease Portable Lamp transforms this typology

into a carriable size, suitable to take wherever. Ease offers a high-quality dimmable, no-glare light with three levels, striking a balance between atmospheric and functional light. The design has a distinct lightness to it, with the top and bottom gently touching. A slightly flared bottom mimics the lip of a vase in a grounding gesture that allows the base to be slimmer and easier to grab. Ease Portable Lamp is a humble friend with a strong character that works alone or in repetition in any setting; from the bedside, reading nook and home office to the restaurant or

café table, co-working space or library.

Material Battery-powered, dimmable and portable lamp with 8 hours of battery life on IOO% intensity, 16

hours on 50% intensity and 29 hours on 25% intensity. Body and lampshade made in injection-molded ABS plastic, with an integrated LED light source. Diffuser in opal acrylic. Charging dock made in injection-molded ABS plastic with USB-C cable. Lumen Maintenance (L7O): 52.000h.

Lumen: 23Olm on IOO% brightness. Kelvin: 27OOK. CRI >9O.

The Ease Portable lamp is suitable for outdoor use with an IP54 rating. The lamp is protected and tested against solid foreign objects, such as dust ingress, as well as liquids, such as water

splashes, from all angles.

Cleaning δ Care Clean with a moist cloth. If necessary, use a little dish soap on the cloth.

TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-I

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2OI2/I9/EU

Electromagnetic Compatibility (EMC) Directive - 2014/30/EU

UK:

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I

Electrical Equipment (Safety) Regulations 2016

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

 $\label{thm:codesign} \mbox{The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) } \\$

Regulations 2019

Australia/New Zealand:

AS/NZS 60598.I and AS/NZS 60598.2.4



EASE PORTABLE LAMP





Shipper Colli I
Gross Weight (kg) 0.947
Net Weight (kg) 0.63
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22740	Black	SEK 1.762,1O	-
22741	Grey	SEK 1.762,1O	-
22743	Light Blue	SEK 1.762,1O	-
22742	Taupe	SEK 1.762,1O	-



FOCUS TABLE LAMP

"The Focus Table Lamp is an everyday object with a sculptural appeal and an apparent function: it is a lamp and a pedestal where your favorite small objects may be placed and highlighted. Working with the appearance and the delicate dimensions, I tried to give the lamp a unique personality characterized by an embracing and protective nature. The focus is on the pedestal and the object which is placed on it. Therefore, all components are fixed in position. Personally, the pedestal, with a cone of ambient light, solved my problem of misplacing my keys. Now I always know where they are."

— Andreas Bergsaker

Designed by Andreas Bergsaker / 2017

Environment Indoor

Country of Production China

Bulb Included Yes

Dimmable Function No

Socket Size GUIO

Description Scandinavian in its expression, the Focus Table Lamp highlights its ash wood body with black

paint that allows for the texture of the wood to shine through. With a protruding base that is perfect for small items, the lamp fits seamlessly on a windowsill or shelf in need a bit of light.

Material Focus Lamp's wooden components are shaped on a lathe machine. The electrical parts are

hidden inside the lamps components, which are glued together to hide that they were ever

apart. Thereafter, the lamp is painted. Ash wood and PVC cord.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

TESTS & CERTIFICATIONS

EU:

EN 60598-I and EN 60598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2OI2/I9/EU

UK:

BS EN 6O598-I and EN 6O598-2-4 $\,$

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019





FOCUS TABLE LAMP





Shipper Colli I
Gross Weight (kg) I.O5
Net Weight (kg) O.695
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
21952	Black	SEK 1.332,1O	-



LEAF LAMP SERIES

"Combining a light and elegant design with an energy-efficient LED technology, the Leaf Lamp Series has a clean and refined expression. The asymmetric geometry of the design gives it an organic and friendly appearance, inspired by the leaves on a tree. Turn the Leaf Lamp according to your needs and discover how the lamp will subtly transform its shape, adding a graphic and gentle light silhouette to any space."

Broberg δ Ridderstråle



Designed by Broberg δ Ridderstråle / 2012

Environment Indoor

Country of Production China

Cord Length 180 cm / 71"

Bulb Included Yes

Dimmable Function Yes

Description With its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting

to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the

light as desired for one's individual space and atmosphere.

Material Aluminum, brass, colored PVC cord.

Leaf is a result of a process combining turned and casted aluminum and steel, with a strong

powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen

Maintenance (Lifetime) of L9O BIO 35.000 hours.

Cleaning δ Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive

cleaning agents. Always switch off the electricity supply before cleaning.

TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK

BS EN 60598-I and EN 60598-2-4

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

USA/Canada:

UL STD. 153 / CSA STD. C22.2 NO.25O.4

Australia/New Zealand:

AS/NZS 6O598.I and AS/NZS 6O598.2.4








Shipper Colli I
Gross Weight (kg) 2.44
Net Weight (kg) I.8
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
13422	Black	SEK 2.536,IO	-
13423	Copper Brown	SEK 2.536,IO	-
13424	Dark Green	SEK 2.536,IO	-
13420	Grey	SEK 2.536,IO	-
13421	White	SEK 2.536,IO	-



LEAF FLOOR LAMP





Shipper Colli I
Gross Weight (kg) 4.793
Net Weight (kg) 2.8
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
13432	Black	SEK 3.482,IO	-
13433	Copper Brown	SEK 3.482,IO	-
13434	Dark Green	SEK 3.482,IO	-
13430	Grey	SEK 3.482,IO	-
13431	White	SEK 3.482,1O	-



LINEAR LAMP SERIES

"The Linear Lamp Series is designed from the idea of creating smaller atmospheres through modern light, bringing a sense of intimacy to larger spaces. With their elegant expression, subtle details and inherent functionality, the designs create space for both being and working on your own as well as making for a friendly environment when in the company of others. Use the Linear Lamp Series in any space in need of modern, functional lighting."

— Thomas Bentzen



Designed by Thomas Bentzen / 2020

Environment Indoor

Country of Production China

Cord Length Table Lamp: 250 cm / 98.4". Mounted Lamp: 150 cm / 59.1". Pendant Lamp: 400 cm / 157.5"

Bulb Included Yes - integrated LED

Dimmable Function Yes: Table Lamp and Mounted Lamp / No: Pendant Lamp

Description Designed from the idea of creating smaller spaces within larger settings, the Linear Lamp

Series by Thomas Bentzen is created with subtlety at its heart—simple lines, inviting functionalities and dimmable light that can be adjusted to any setting. The Linear Table δ Mounted Lamps hint toward the archetypal library lamp with a modern expression, paired with the extensive functionality of dimmability. Available in two sizes, the Linear Mounted

Lamp brings a friendly canopy of light to any space.

Material Linear Pendant Lamp:

Powder coated lamp head in pressure die-casted and extruded aluminum.

Linear Table Lamp & Linear Mounted Lamp:

Powder coated lamp head in extruded aluminum. Diffuser in polycarbonate. PVC cord.

Cleaning δ Care Clean with a moist cloth. If necessary, use a little dish soap on the cloth.

LINEAR TABLE LAMP





Shipper Colli I
Gross Weight (kg) 1.832
Net Weight (kg) 1.3
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22510	Black	SEK 3.826,IO	-
22511	Grey	SEK 3.826,IO	-



PITON PORTABLE LAMP

"My idea for Piton started from the desire to create a rechargeable portable lamp that could be adapted in a multitude of ways while functioning in various environments. I wanted the design to fulfill the inherent needs of a torch; providing security and warmth while clearly illuminating your field of vision. Piton takes its name from a climbing apparatus that is jammed into cracks and crevices on mountainsides to which the climber can attach hooks, tools and ropes while rigging it in various positions; an element that is also present in the design of the Piton Portable Lamp."

- Tom Chung

Designed by Tom Chung / 2022

Environment Indoor / Outdoor

Country of Production China

Cord Length 300 cm textile USB cable (no power adapter included)

Bulb Included Yes - integrated LED

Dimmable Function Yes - Continuous

Description Piton is an untraditional take on the battery-powered portable lamp, playfully referencing the

archetypal flashlight. Refined anodized extruded aluminum enhances its elegant form and distinct functionality inspired by tools used for mountain climbing. It is a versatile ambient light with 6 hours of battery life on IOO8 brightness and I3,5 hours on 5O8 brightness that can be used lying, standing, tilting on a shelf or suspended, depending on the space or spot you

want to illuminate, effortlessly moving between indoors and outdoors.

Material Battery-powered portable lamp with 6 hours of battery life on IOO% brightness and 13,5 hours

on 50% brightness. Continuous dim function. Body made from anodized extruded aluminum. Lamp shade made in injection molded plastic with an integrated and replaceable LED light

bulb. Comes with a woven fabric USB-C cable for charging.

The Piton Portable Lamp is suitable for outdoor use with an IP54 rating. The lamp is protected and tested against solid foreign objects, such as dust ingress, as well as liquids, such as water

splashes, from all angles.

Cleaning δ Care Clean with a moist cloth. If necessary, use a little dish soap on the cloth. Always switch off the

electricity supply before cleaning.

TESTS & CERTIFICATIONS

EU:

ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2OI2/I9/EU

Electromagnetic compatibility - EN IEC 55015 / EN IEC 61000 / EN 61547

UK:

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

Electromagnetic compatibility - BS EN 6100 / BS EN 1EC 55015 / BS EN 61547


Australia/New Zealand: AS/NZS 60598.I / 60598.2.4 AS/NZS 61347.I / 61347.2.I3 IEC 6203I

IEC 62031 IEC TR62778



PITON PORTABLE LAMP





Shipper Colli I
Net Weight (kg) O.539
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22581	Aluminum	SEK 1.973,70	-
22580	Black	SEK 1.973,7O	-



POST LAMP SERIES

"The Post Lamp Series came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp's light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Lamp Series represents a new perspective through its graphic character and forward-thinking functionality."

- Earnest Studio



Designed by Earnest Studio / 2020

Environment Indoor

Country of Production China

Cord Length Lighting units: 250 cm / 98.4" / Power Hub: 200 cm / 78.7"

Bulb Included Yes

Dimmable Function Yes

The Post Lamp Series is an innovative lighting design with an archetypal appearance, graphic character and forward-thinking functionalities. Exploring the utmost flexibility of a magnetic joint, the user can position, dim and turn the lamp according to individual needs. Arrange the cord of the design in linear or playful formations on the wall, using its cable drop. Additional

lighting units can be purchased as spare part and plugged into power hub.

Description Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffsuer. Power

hub in powder coated plastic with PVC cord.

Material Post Wall Lamp:

Wall mounting bracket in powder coated steel. Wall cable drops in powder coated steel with

magnet and repositionable adhesive tape.

Post Floor Lamp:

Base in powder coated steel. Cable drops in powder coated plastic with magnet.

TESTS & CERTIFICATIONS

EU:

IEC 6O598-1 and IEC 6O598-2-4 Low Voltage Directive (LVD) - 2O14/35/EU

ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and EN 60598-2-4

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019 The Eurasian Economic Union: TP TC 004 and TP TC 020


USA/Canada:

UL STD. 153 / CSA STD. C22.2 NO.25O.4



POST WALL LAMP






Shipper Colli I
Gross Weight (kg) I.O5
Net Weight (kg) O.55
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time		
Ready-To-Ship					
22381	Black	SEK 2.536,IO	-		
Extras					
22509	Extra Wall Mount - Black	SEK 210,70	-		
22499	Extra Cable Drops - Black	SEK 270,90	-		
22382	Extra Lighting Unit - Black	SEK 2.192,1O	-		



POST FLOOR LAMP





Shipper Colli I
Gross Weight (kg) II.4
Net Weight (kg) 8.579
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time		
Ready-To-Ship					
22600	Black	SEK 6.015,70	-		
Extras					
22386	Extra Cable Drops - Black	SEK 27O,9O	-		
22382	Extra Lighting Unit - Black	SEK 2.192,1O	-		



RIME PENDANT LAMP

"Designing simple things is often one of the hardest things to do. We wanted to create a simple lamp with a glass shape, giving it a soft expression while making its top and pendant tube as subtle as possible. We were inspired by the shape of acorns for the gentle lines of the pendant while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for the light to shine slightly through with a refined touch. The Rime Pendant Lamp brings a timeless yet modern perspective to the archetypal light through its translucent shade and graphic form."

- TAF Studio

Designed by TAF Studio / 2020

Environment Indoor

Country of Production Poland

Cord Length 400 cm / 157.5"

Bulb Included Ø12 and Ø18: Yes / Ø25, Ø37 and Ø45: No

Dimmable Function Yes - If dimmable bulb is used

Socket Size Ø12 and Ø18: G9 / Ø25: E14 / Ø37 and Ø45: E27

Ceiling Cap Included Yes - for pendant lamp

Ø12, Ø18 and Ø25: Ø9 / 3.5" H 5,6 cm / 2.2 Ø37 and Ø45: Ø11 / 4.3" H 3,5 / 1.4"

Description The Rime Lamp Series brings an elegant perspective to the glass light through its semitrans-

parent glass that has been sandblasted for a refined expression. The design features a characteristic form, inspired by the shape of acorns, complemented by its powder coated

elements for a subtle touch.

Kindly note that the availability of sizes and/or colors of this product are subject to

regional stock levels.

Material Pendant:

Mouth-blown glass shade. Aluminum, powder coated top-piece and pendant tube. PVC cord.

Wall lamp:

 $\label{thm:mouth-blown} \mbox{Mouth-blown glass shade. Consol arm in aluminum, pressure die-casted and powder coated.}$

Wall bracket in steel and chrome plated.

Cleaning δ Care Clean with a moist cloth. If necessary, use a little dish soap on the cloth.

Always switch off the electricity supply before cleaning.

RIME PENDANT LAMP

40

TESTS & CERTIFICATIONS

FU

IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/20O6 WEEE Directive - 20I2/I9/EU

UK:

BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 20I6 Electromagnetic Compatibility Regulations 20I6 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20I2 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 20I9

USA/Canada*: UL STD. 1598 / CSA STD. C22.2 NO.250.0


Australia/New Zealand**: AS/NZS 6O598.1 and AS/NZS 6O598.2.1

- * Does not apply to Rime Ø12 and Rime Wall
- ** Does not apply to Rime Wall



RIME WALL LAMP





Shipper Colli I
Gross Weight (kg) 0.694
Net Weight (kg) 0.3
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time		
Ready-To-Ship					
22427	Black	SEK 3.005,70	-		
22428	Grey	SEK 3.005,70	-		
22429	Orange	SEK 3.005,70	-		
22426	White	SEK 3.005,70	-		



TIP LAMP SERIES

"The Tip Lamp Series is a simplistic and friendly design featuring a characteristic architectural silhouette. During the design process, we focused on polishing every single detail alongside the design's functionality. I wanted to reduce the design to the very essence of its purpose—intending to create a product that anyone would understand and be able to use in their daily lives. Its molded body gives the Tip Lamp Series a clean and precise look, highlighting its appearance of quality."

Jens Fager



Designed by Jens Fager / 2017 and 2020

Environment Indoor

Country of Production China

Cord Length 250 cm / 98.5"

Bulb Included Yes - integrated LED

Dimmable Function Yes

Description Created from the idea of stripping a design down to its essentials, the Tip Lamp Series is an

example of simple, functional design with careful attention to detail. Offering direct as well as ambient light, the lamp's adjustable head feature an opal diffuser and dimmer function that

effortlessly alters the volume of light.

Material Casted and extruded aluminum. It has a build-in energy-efficient LED bulb with a Lumen

Maintenance (Lifetime) of L9O BIO 35.000 hours. Cord in PVC.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

TESTS & CERTIFICATIONS

EU:

Tip Table / Tip Floor: IEC 6O598-I and IEC 6O598-2-4

Tip Wall: IEC 60598-1 and IEC 60598-2-1 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2006 WEEE Directive - 20I2/I9/EU

UK

Tip Table / Tip Floor: BS EN 60598-I and EN 60598-2-4
Tip Wall: BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)

Regulations 2019

USA/Canada:

Tip Table & Tip Wall: UL STD. 153 / CSA STD. C22.2 NO.25O.4 Tip Wall: UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand:

Tip Table & Tip Wall: AS/NZS 6O598.1 and AS/NZS 6O598.2.4

Tip Wall: AS/NZS 6O598.I and AS/NZS 6O598.2.I

TIP TABLE LAMP






Shipper Colli I
Gross Weight (kg) 2.35
Net Weight (kg) I.5
Warranty Period 5 years

Item No.	Color	Color Contract Price	
Ready-To-Shi	p		
22321	Black	SEK 2.536,IO	-
22323	Copper Brown	SEK 2.536,IO	-
22320	Grey	SEK 2.536,IO	-
22322	White	SEK 2.536,IO	-



TIP FLOOR LAMP





Shipper Colli I
Gross Weight (kg) 5.313
Net Weight (kg) 2.6
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22317	Black	SEK 4.037,70	-
22316	Grey	SEK 4.037,70	-
22318	White	SEK 4.037,70	-



TIP WALL LAMP





Shipper Colli I
Gross Weight (kg) O.75I
Net Weight (kg) O.48
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Shi	p		
22326	Black	SEK 1.762,1O	-
22328	Copper Brown	SEK 1.762,1O	-
22325	Grey	SEK 1.762,1O	-
22327	White	SEK 1.762,1O	-



MATERIAL TEXTURES

At Muuto, we use an expanded breadth of materials to express our ideas of new perspectives on Scandinavian design. Working with leading suppliers across the world, we strive to use materials that embody our quality standards to provide designs that'll pass the test of time and bring a modern touch to any space at one and the same time. Explore the various textures of materials that are used throughout the Muuto universe.

WOOD







Ash

Full Colored Lacquered Oak

Lacquered MDF








Oak Veneer

Solid Oak, Natural Oil

Solid Oak White Pigmented Oil







Oregon Pine

Stained Dark Brown Oak Veneer

PLASTIC & WOOD COMPOSITE







Bamboo Wood & Plastic Composite

Wood δ Plastic Composite







Lacquered Steel




Solid Brass Aluminum



Lacquered Aluminum

CERAMICS





















COLOR CODE INDEX

PRODUCT

Ambit Wall Lamp L37 - Black

Ambit Wall Lamp L37 - Grey

Ambit Wall Lamp L37 - Taupe

Ambit Wall Lamp L37 - White Control Lamp - Black Control Lamp - Grey Control Lamp - Red Control Lamp - White Ease Portable Lamp - Black Ease Portable Lamp - Grey Ease Portable Lamp - Light Blue Ease Portable Lamp - Taupe Focus Table Lamp - Black Leaf Lamp - Large - Black Leaf Lamp - Large - Copper Brown Leaf Lamp - Large - Dark Green Leaf Lamp - Large - Dark Green Leaf Lamp - Large - Grey Leaf Lamp - Large - White Leaf Lamp - Small - Black Leaf Lamp - Small - Dark Green

Linear - Table Lamp - Black - EU Linear - Table Lamp - Grey - EU Post - Floor Lamp Post - Wall Lamp Rime Wall - Black Rime Wall - Grey Rime Wall - Orange Rime Wall - White Tip Floor Lamp - Black Tip Floor Lamp - Grey Tip Floor Lamp - White Tip Table Lamp - Black Tip Table Lamp - Copper Brown Tip Table Lamp - Grey Tip Table Lamp - White Tip Wall Lamp - Black Tip Wall Lamp - Copper Brown Tip Wall Lamp - Grev

Leaf Lamp - Small - Grey Leaf Lamp - Small - White

COLOR CODES

EXTERIOR: Black (RAL 7021), INTERIOR: White (RAL 9016)

EXTERIOR: Grey (RAL 7040), INTERIOR: White (RAL 9016)

EXTERIOR: Taupe (NCS S 6005-Y50R), INTERIOR: White (RAL

EXTERIOR: White (RAL 9016), INTERIOR: White (RAL 9016)

Grey (Pantone 7534 C) Red (Pantone 7619 C) White (RAL 9016) RAL 9OII RAL 7044 NCS S 2020-R90B RAL 7006 Black (RAL 9017) RAL 9OII

Copper Brown (RAL 8004) Dark Green (RAL 6012) RAL 7040

Black (RAL 9011) Copper Brown (RAL 8004) Dark Green (RAL 6012) RAL 7040 White (RAL 9016) RAL 9OII RAL 7044 RAL 9011 RAL 9011 RAL 9011 RAL 7044 RAL 2000 RAL 9016 RAL 90II RAL 7044

RAL 9016 Black (RAL 9011) Copper Brown (RAL 8004)

RAL 7044 White (RAL 9016) RAL 9OII RAL 8004 RAI 7044 RAL 9016

NEAREST MATCH

EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S 0300-N

EXTERIOR: Pantone Cool Grey 7C, NCS 4005-R80B, INTERIOR: NCS S 0300-N

EXTERIOR: Taupe (NCS S 6005-Y50R), INTERIOR: White (RAL

EXTERIOR: White (RAL 9016), INTERIOR: White (RAL 9016)

(close to RAL 7021) RAL Design 090 80 10, NCS S 1505-G90Y

RAL Design O4O 5O 6O NCS S O3OO-N NCS S 85OO-N, Pantone 426 C NCS S 2502-Y, Pantone 401 U RAL 250 70 15, Pantone 2155 C NCS S 6005-Y20R, Pantone 404 C Pantone Black C, NCS S 9000-N NCS S 9000-N. Pantone 426 C Pantone 1685 C, NCS S 5040-Y60R

NCS S 4005-R80B, Pantone Cool Grey 7C

NCS S 9000-N. Pantone 496 C Pantone 1685 C, NCS S 5040-Y60R

NCS S 4005-R80B, Pantone Cool Grey 7C

NCS S 9000-N, Pantone 426 C NCS S 9000-N, Pantone 426 C

Pantone 426 C, RAL Design 000 I5 00

NCS S 0500-N

Pantone 426 C, RAL Design 000 I5 00 Pantone 1685 C, NCS S 5040-Y60R

Pantone 426 C, RAL Design 000 I5 00 Pantone I685 C, NCS S 5040-Y60R

NCS S 0500-N

TEXTILE OPTIONS

Striving to work with the best suppliers, the textiles used for Muuto products are by four different companies: Danish Kvadrat and Swedish Nevotex along with both Arve from Italy and Rohlede from Germany'—all suppliers that have been selected on the basis of their extensive knowledge within the field and state-of-the-art material qualities.

*Upholstered Muuto products that have the Declare Living Building Challenge Compliant certification only have the certification when upholstered with the following Kvadrat textiles: Canvas, Clara, Divina, Divina MD, Divina Mélange, Fiord, Hallingdal, Remix, Rime, Steelcut, Steelcut Trio and Vidar.





COLLINE BY KVADRAT

Designer: Frans Dijkmeijer Composition: 758 New Wool, Worsted, 178 polyacrylic, 88 Nylon Durability: IOO,OOO Martindale / Lightfastness 7 Sustainability: Greenguard Gold, HPD, EPD



 147
 177
 227
 347
 397
 657
 677
 737
 787
 797
 987

DIVINA BY KVADRAT


Designer: Finn Sködt. Composition: IOO% new wool.


Durability: 45.000 Martindale / Lightfastness 5-6.

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.



5 TEXTILE & LEATHER OPTIONS





DIVINA MD BY KVADRAT

Designer: Finn Sködt.

Composition: IOO% new wool.

Durability: 45.000 Martindale / Lightfastness 5-6 (ISO I-8).

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.





203	213	293	343	353	363	413	433	453	613	633	653	673	683
713	733	743	753	773	783	813	843	873	913	943	973		




DIVINA MELANGE BY KVADRAT

Designer: Finn Sködt. Composition: IOO% new wool.

Durability: 45.000 Martindale / Lightfastness 6-7.

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.







0100

ECRITURE BY KVADRAT

Designer: Sahco.

Composition: 40% polyacrylic, 27% polyester, 18% viscose, 9% linen, 6% cotton.

Durability: 70,000 Martindale / Lightfastness 6.

Sustainability: Complies with Greenguard Gold Certification.












FIORD BY KVADRAT

Designer: Tone Barnung $\boldsymbol{\delta}$ Louise Sigvardt. Composition: 92% new wool worsted, 8% nylon. Durability: 60.000 Martindale / Lightfastness 5-6.










RE-WOOL BY KVADRAT

Designer: Margrethe Odgaard. Composition: 45% new wool worsted, 45% recycled wool, IO% nylon.

Durability: IOO.OOO Martindale / Lightfastness 5-7 (ISO I-8).

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.







REMIX BY KVADRAT

Designer: Giulio Ridolfo. Composition: 90% new wool worsted, IO% nylon.

Durability: IOO.OOO Martindale / Lightfastness 5-7 (ISO I-8). Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.






RIME BY KVADRAT

Designer: Åsa Pärson.

Composition: 90% new wool worsted, IO% nylon. Durability: IOO.OOO Martindale / Lightfastness 5-7 (ISO I-8).

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.







SABI BY KVADRAT

Designer: Louise Sigvardt Composition: 65% New Wool, Worsted, 23% Recycled Wool, I2% Nylon Durability: 80,000 Martindale / Lightfastness 5-7 Sustainability: Greenguard Gold, HPD, EPD



					TO 25								
151	171	181	191	221	291	351	441	551	581	631	661	721	741
771	701	221	071										

STEELCUT BY KVADRAT

Designer: Dijkmeijer δ Ridolfo. Composition: 90% new wool worsted, IO% nylon. Durability: 80.000 Martindale / Lightfastness 5-7 (ISO I-8).

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.





Composition: 90% new wool worsted, IO% nylon. Durability: IOO.OOO martindale / Lightfastness 5-7 (ISO I-8).

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.





STILL BY KVADRAT


Designer: Georgina Wright. Composition: IOO% Trevira CS.

Durability: 50.000 Martindale / Lightfastness: 6



571

631



TWILL WEAVE BY KVADRAT

Designer: Jonathan Olivares. Composition: 90% new wool (worsted), IO% nylon. Durability: 60.000 Martindale / Lightfastness 5-7 (ISO I-8).


Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.

530



78O





VANCOUVER BY ROSSINI DELLA QUERCIA

Designer: Gabriella Zecca Composition: 52% cotton, 48% acrylic. Durability: 40.000 Martindale / Lightfastness 4-5.



550

570

690

750







VIDAR BY KVADRAT

Designer: Raf Simons & Fanny Aronsen for Kvadrat. Composition: 94% new wool, 6% nylon. Durability: IOO.OOO Martindale / Lightfastness 6-7.

Sustainability: Natural fibres / Sustainable resource. Complies with Greenguard Gold Certification.





WOOLY BY NEVOTEX

Designer: Nevotex Composition: 70% wool, 25% polyamide, 5% other fibres. Durability: I5O.OOO Martindale / Lightfastness 6-8.

Wooly is woven in 70% recycled wool, sourced from leftover materials of clothing production and other wool products. One kilo of pure new wool generates 9 kilograms of carbon dioxide when produced while processing one kilo of recycled wool only generates O.5 kilograms of carbon dioxide. Furthermore, recycled wool has a positive environmental impact due to lessened water consumption and lower energy consumption.





 $\boxtimes \boxtimes P =$

 $X \boxtimes X = 0$



LEATHER OPTIONS


At Muuto, we work with some of the leading European leather suppliers to ensure that the leather used for our designs is always of the highest possible standard. Our leather options range from the Refine Leather, a modern and sleek full-grain leather with a soft touch, over Easy Leather, a lightly buffed natural grain leather with a soft and waxy feel along with a matte look, to our Endure Leather, a pliable and extremely durable semi-aniline leather ideal for hard contract environments.



EASY LEATHER

Lightly Buffed Natural Grain Leather Raw material: Designed and processed in Italy. The leather is dyed through, chrome tanned and finishing is with resins and pigments.

ZINC





Semi-aniline leather with high durability, making it ideal for contract environments. Raw material: Leather from Scandinavian raw hides.

The leather is dyed through a chrome free

tanning process. Also available in custom colors in a minimum of I hide.





REFINE LEATHER

Aniline Leather.

Raw material: Grain leather from European raw hides. The leather is dyed through, chrome tanned and produced without the use of PCP and CFC which can be damaging to the environment.

10000	1030				1000		19.9	- 8 A				Call Con	
CHUT	COGN	NOUG	DKBW	YELW	WSKY	ORAN	DKGR	STON	LGRN	TRKS	BLCK	LIGY	GREY
RED	PURP	BEIG	COPP	FUSC	SBLE								

GENERAL TERMS OF SALE AND DELIVERY

VALIDITY

These General Terms of Sale and Delivery shall supersede and suspend all previous agreements and shall apply to any agreement made between Muuto and the buyer unless otherwise agreed.

SALES AND MARKETING MATERIAL

Information supplied by Muuto regarding prices, models, dimensions, features, and specifications in catalogues, advertisements, sales or promotional literature, price lists or elsewhere is not legally binding and shall be considered for guidance only, and may be changed at any time without prior notice.

ORDERS

All orders placed by the buyer must be in writing and shall at the minimum specify the type (product number and/or name) and quantity of the products ordered as well as the requested date of delivery. The order is not binding upon Muuto unless and until Muuto has issued a written order confirmation to the buyer. Unless objections are made within 24 hours after receipt, the order confirmation is considered accepted by the buyer.

For customers on prepayment terms Muuto will start production of made-to-order products immediately when prepayment has been received.

PRICES

The present price list replaces all previous price lists and may be subject to changes at any time without prior notice. The purchase price for the products ordered by the buyer is stated in the order confirmation. Delivery and installation is not included in the purchase price. Unless otherwise agreed, quotations submitted by Muuto shall be valid and binding for 6O days after receipt.

DELIVERY

Unless otherwise agreed in writing, delivery shall be ex. works (Incoterms 2020) from the place designated by Muuto from time to time. If transportation of the products is handled by Muuto's forwarding agent on behalf of the buyer, Muuto will invoice the freight to the buyer. The products shall be sent using standard packaging. The confirmed delivery date is only an estimated delivery date and the time of delivery shall not be considered of essence. Muuto cannot be held liable for any damage or loss that the buyer may suffer as a result of a delay or a non-delivery. If no specific delivery date has been indicated in the order confirmation, Muuto, acting reasonably, is entitled to stipulate a delivery date taking into consideration the quantity and the nature of the products to be delivered.

The buyer is always obliged to inspect the products delivered upon receipt, i.e. checking that the correct type of products has been delivered, and checking that the correct quantity of the products has been delivered.

Should a delivery fail to meet the buyer's expectations, or is the delivery damaged during transportation, the buyer shall:

- 1. Inspect the entire delivery immediately.
- 2. Accept the delivery, but immediately note the damage on the freight documents by stating, "Received with reservation".
 - I. If freight document does not allow for reservations, the buyer is expected to refuse the delivery.
- 3. Report the extent of the damages to Muuto according to the paragraph "Filing Complaints"

The buyer is deemed to have accepted the products delivered unless a claim has been filed within 5 working days upon receipt in accordance with the instructions in the paragraph "Filing Complaints".

PAYMENT AND RETENTION OF TITLE

Unless otherwise agreed, payment shall be made in accordance with the payment terms and conditions of payment indicated on the invoice and the order confirmation. All bank charges are the responsibility of the buyer. All products not paid for in the full, including interest and delivery (if any), shall remain the property of Muuto. The buyer shall at all times keep such products separated from any other products held in stock, and must ensure that the products can at all times be identified by Muuto. The buyer shall be liable to Muuto for any damage to the products until they have been paid for in full as stated above. There will be a penalty interest of 2\$ per month when payment is made after the due date. Such interest is payable without any further notice. Prepayment of proforma invoice is required for buyers without credit. The buyer must state account number as well as the proforma invoice number on the payment.

MUUTO

WARRANTY AND LIMITATION OF LIABILITY

Muuto offers a warranty against defects of manufacture and materials on standard products. The warranty listed in Muuto's current pricelist shall be valid from the date of delivery provided that the products are used under normal circumstances and maintained according to guidelines. Excluded from this warranty are all defects due to or caused by transport, incorrect use, inadequate maintenance, accidents, the buyer's alteration or repair, modification of the product (incl. certification through 3rd party) as well as normal wear and tear of the products.

Natural variations in organic materials cannot be considered defects, and Muuto explicitly excludes itself from liability for any such variations. Muuto's warranty against defects of upholstery requires that such upholstery (fabric or leather) is included in the price list and is recommended by Muuto. Should the buyer wish to provide its own upholstery (fabric or leather), or should the buyer wish to itself process (whether by dyeing or otherwise) the upholstery provided by Muuto, Muuto's warranty lapses. Muuto cannot in any way be held responsible for materials delivered by the buyer, including the compliance of such materials with local law of the country or state to which they are delivered, irrespective of whether such materials have been upholstered or otherwise incorporated into Muuto's products by Muuto."

Unless otherwise stated in these General Terms of Sale and Delivery, Muuto is not liable to the buyer for loss of production, loss of use, loss of contracts, loss of profit or for any other consequential or indirect loss whatsoever.

Notwithstanding any other provisions of these General Terms of Sale and Delivery, Muuto's maximum liability in relation to the buyer can in no event exceed the purchase price for the products sold, including any liability for damages to a third party, such as, for example but not limited to, product liability.

PRODUCT LIABILITY

Mandatory product liability rules in force from time to time shall apply to disputes regarding product liability. Unless otherwise required by mandatory legislation, Muuto shall not be liable to the buyer for any damage or loss caused by the products, including but not limited to liability for loss of production, loss of use, loss of contracts, loss of profit or for any other consequential or indirect loss whatsoever.

The buyer must ensure that any products purchased from Muuto fulfill the legislative requirement, hereunder has the required certifications, in the region or country, where the product is to be used.

If buyer makes any alteration or modification to the product, Muuto shall not be liable to any damage to the product, other objects or property.

REMEDIES

With respect to products that are defective, Muuto may choose to refund the purchase price for such products, repair such products or replace such products, always provided that it is a condition for such refund, repair or replacement that the buyer has notified Muuto about the defect within reasonable time after the buyer discovered or ought to have discovered it, and provided that such notice is given within the warranty period in accordance with the instructions in the below paragraph "Filing Complaints". Thus, Muuto is not obligated to replace customized or discontinued products.

The above remedies constitute the buyer's only remedies in respect of any defective products delivered under these General Terms of Sale and Delivery.

FILING COMPLAINTS

A complaint shall be filed by email within 5 days upon delivery and, for quality complaints, within the period of warranty.

Each complaint shall be filed in such a manner that the email describes in detail the problem at hand. Each complaint will be evaluated from the Muuto Claims Department provided that the following is stated and/or enclosed:

- I. Delivery note/order confirmation number/invoice number
- 2. Clear description of the complaint in detail
- 3. Images of product, up close and from afar
 - I. For transport damages: Images of boxes and labelling shall be enclosed by the buyer
 - 2. For quality complaints: Images of product specific PO-number shall be enclosed by the buyer

RETURN OF PRODUCTS

Returns are only accepted by prior written agreement. Return products shall be securely and properly packed in their original packaging and return order confirmation shall be placed visible on the package. Unless otherwise agreed, the buyer shall bear the transport cost and risk of any defective products returned to Muuto.

CHANGES IN DESIGN

Prior to delivery and without prior notice Muuto reserves the right to make any changes to a product's design that is found by Muuto to be necessary or appropriate.

MUUTO

FIRE-RETARDANCY

MUUTO products can be supplied with fire-retardant fabrics. As the regulations vary in each country, we advise all customers to check the respective local regulations. Any requests for fire-retardant treatment must be sent to MUUTO in written form, specifying which fire- retardant norm the products must comply with.

OTHER

The buyer is not allowed to sell the products to non-authorized re-sellers without written approval by Muuto.

APPLICABLE LAW AND VENUE

The parties contractual relationship under these General Terms of Sale and Delivery shall be governed and construed by and shall be interpreted in accordance with Danish law, without regard to the United Nations' Convention of Contracts for the International Sale of Goods (CISG). Any dispute that may arise out of the parties' contractual relationship under these General Terms of Sale and Delivery or any related event, which cannot be settled amicably, shall at Muuto's request be brought before the Copenhagen City Court.

AMENDMENTS

Muuto is entitled to modify these General Terms of Sale and Delivery at any time. Muuto shall notify the buyer of such modifications and of the date of such modification. The buyer is deemed to have accepted the modifications unless written notice of rejection is given to Muuto within IO working days after receipt of such notice.



Helsingborg

Sundsvall