

LINGBO
EST **AB** 1976
TEXTILINREDNING



STATLIGT RAMAVTAL

DELOMRÅDE -TEXTIL INREDNING FÖR FÖNSTERMILJÖ

Avtal 23.3-8004-18:014

Produktlista version 1.0



18% påslag på angivna priser

Kontakt:

Telefon:

0297-506 25

E-post:

info@lingbotextil.se

Vår hemsida:

www.lingbotextil.se

Kontor och utställning:

Lingbo Textilinredning AB

Norra lingbovägen 18

816 92 Lingbo

18% påslag på angivna priser


TYGER FRÅN ALMEDAHL'S

almedahls

<http://www.almedahls.se/>


18% påslag på angivna priser






AMINO NETTOPRIS: 287 SEK/M

curtain Amino 76801 



Colour coordinated with curtain Aroma & curtain Mineral.



Design	Ann Carin Wiktorsson Tina Andersson
Material	100% Polyester Trevira CS
Shrinkage	2%
	140 cm
	63 cm
	6-8
	190 gr/m ²
	Tested for soundabsorption




almedahls

www.almedahls.se

18% påslag på angivna priser


AURA COLOR NETTOPRIS: 287 SEK/M

curtain Aura Color 76827 



Aura Color 76827

curtain Aura Color 76827 



26



75



33



14















35



17



46

Design: I. Backman, M. Samkowitz, S. Wassaly Grom
 Material: 100% Polyester Trevira CS
 Shrinkage: Max 2% (SSEN ISO 6330+A1)
 140 cm = 55 inch
 1,5 cm = 0,6 inch
 IWO Res A 471 
 5-6 (SSEN ISO 105-B02, Scale 1-8)
 190 gr/m² = 8 oz/yd²
 Colour fastness: 4.5 (ISO 105-C06, Scale 1-5)
 Care Instr.:     
 Certificate: SSEN ISO 14001:2004 
 Read more: www.almedahls.se



54



55



23


almedahls












www.almedahls.se

18% påslag på angivna priser

AURA WHITE NETTOPRIS: 299 SEK/M

curtain Aura White 76828 





Design: I. Backman, M. Semkowitz, S. Wassaly Gromak
Material: 100% Polyester
Shrinkage: Max 2% (SSEN ISO 6330+A1)
→ 140cm = 55 inch
↓ 1,5 cm
 6 (ISO 105-B02, Scale 1-8)
 140gr/m² = 4,13 oz/yd²
 Sound class C, ISO 354
 IMO Res A 471 
Colour fastness: 4-5 (ISO 105-C06, Scale 1-5) 
Certificate: SSEN ISO 14001:2004
Care Instr.:     













almedahls

18% påslag på angivna priser

AX NETTOPRIS: 299 SEK/M

curtain Ax 76740 



Design	Johanna Lundgren					
Material	100% Polyester Trevira CS					
Shrinkage	2%					
	140 cm					
	90 cm					
	6-8					
	140 gr/m ²					
	Tested for soundabsorption					
						

almedahls

www.almedahls.se

18% påslag på angivna priser

BLACK NETTOPRIS: 479 SEK/M


curtain **Black 75720** 



Black 75720-83

almedahls

www.almedahls.se



Design: Studio Almedahl
Material: 100% Polyester FR
Shrinkage: 2% (SSEN ISO 6330+A1)
290 cm, 114 inch
 I
 4.5 (SSEN ISO 105-B02, Scale 1-8)
 410 gr/m² = 12,09 oz/yd²
Colour fastness: 4.5 (ISO 105-C06, Scale 1-5)
Care Instr:     
on non coated side only
Certificates: SSEN ISO 14001:2004
EN 13773, BS 5867-28, B1,
IMO 2010 FTP Code 1 part 7,
NFPA 701 and C19
Read more: www.almedahls.se

almedahls

www.almedahls.se

18% påslag på angivna priser

BOWS II NETTOPRIS: 343 SEK/M

curtain Bows II 76835 



Curtain Bows II, colour 100

almedahls

www.almedahls.se

curtain Bows II 76835 



213



200



100

Design:	Josef Frank
Material:	100% Polyester Flameproof
Shrinkage:	2% (SS-EN ISO 6330+A1)
	140 cm = 55 inch
	90 cm = 35,5 inch
	IWO Res A 47 
	5-7 (SS-EN ISO 105-B02, Scale 1-8)
	98 gr/m ² = 2,89 oz/yd ²
Colour fastness:	4-5 (ISO 105-C06, Scale 1-5)
Care instr.:	    
Certificate:	SS-EN ISO 14001:2004 
Read more:	www.almedahls.se

18% påslag på angivna priser

DAGG NETTOPRIS: 299 SEK/M


Dagg 76790 



curtain 38 färger/colours

almedahls.se/contract

almedahls




curtain **Dagg 76790** 

Design: Studio Almedahl
Material: 100% pes TCS
: 140 cm
: 0 cm
: 6-B
: 140 gr/m²
Krymp/Shrinkage: 2%

almedahls



18% påslag på angivna priser










DOPPIO NETTOPRIS: 315 SEK/M

curtain Doppio 76813 



Curtain Doppio colour 3630, 4114, 1217
reversible curtain in two tones



Design	Ann Larsson Kjelin
Material	100% Polyester Trevira CS
Shrinkage	Max 2% (SS-EN ISO 6330+A1)
	140 cm = 55 Inch
	63 cm = 25 Inch
	6-7 (SS-EN ISO 105-B02, Scale 1-8)
	140 gr/m2 = 4,13 oz/yd2
	Sound class E, ISO 354
	IMO Res A 471 
Colour fastness:	4-5 (ISO 105-C06, Scale 1-5) 
Certificate:	SS-EN ISO 14001:2004
Care Instr.:	


18% påslag på angivna priser

EDSVIKEN II DIMOUT NETTOPRIS: 759 SEK/M


hanging textile Edsviken II dimout 75724 



Edsviken II 75724-23




Product Specification





Fabric	Edsviken II dimout 75724
Designer	Classon Kivikab Rune
Material	100% Polyester FR
Repeat	-
Width	290 cm, 114 inch
Weight	260 g/m ² , 7,67 oz/yd ²
Light fastness SSE-EN ISO 105-B02 (scale 1-8)	5 - 6
Light transmission	Dimout
Colour fastness to laundering SSE-EN ISO 105-C06 (scale 1-5)	4 - 5
Shrinkage SSE-EN ISO 6330+A1	1-2% 40° 4% 60°
Care instructions	
Fire resistance standard SSE-EN 1021-1:2014	IMO Res A 471 (xII) (pending)
Sound class	C, ISO 354
Certificates	SSE-EN ISO 14001:2004 

18% påslag på angivna priser

ELEKTRA NETTOPRIS: 299 SEK/M

curtain Elektra 76809 



Design Jenny Stefanssondotter Stenloft
Material 100% Polyester Trevira CS
Shrinkage 1-2% (SSE-EN ISO 6330+A1)
140 cm = 55 inch
90 cm = 35,5 inch
6-7 (SSE-EN ISO 105-B02, Scale 1-8)
140 gr/m2 = 4,13 oz/yd2
Sound class E, ISO 354
MO Res A 471 
Colour fastness 4-5 (ISO 105-C06, Scale 1-5) 
Certificate SSE-EN ISO 14001:2004 
Care Instr. 

almedahls

www.almedahls.se

18% påslag på angivna priser

FEATHER NETTOPRIS: 287 SEK/M

curtain

Feather 76731



2



3



14



56



9

Design : Maria Löw

Material : 100 % pes TCS

Shrinkage : 2%

← cm → : 140 cm

↑ cm ↓ : 90 cm

☀ : 6-8

🔔 : 190 gr/m²

🔊 : Tested for soundabsorption



almedahls

www.almedahls.se


18% påslag på angivna priser








HAZE NETTOPPRIS: 445 SEK/M

curtain Haze 75719 



Haze 75719-66



Design: Studio Almedahls
 Material: 100% Polyester FR
 Shrinkage: 2 % [SS-EN ISO 6330+A1]
 → 294 cm, 115,75 inch
 I -
 5-6 [SS-EN ISO 105-B02, Scale 1-8]
 298 gr/m² = 8,79 oz/yd²
 Colour fastness: 4-5 light and medium colours
 3 dark colours
 Care Instr:     
 Certificates: SS-EN ISO 14001:2004
 BS 5867 - 2B, M1, B1, NFP 92 A1,
 IMO Res. A563(14), EN 13773
 Read more: www.almedahls.se

18% påslag på angivna priser


INK NETTOPRIS: 332 SEK/M




Ink 100168 - 0046




0085




0051




0046




0034




0063



0029



0095



0067

Product Specification


Fabric	Ink 100168
Designer	Maria Löw
Material	100% Polyester Trevira CS
Repeat	62 cm, 24,4 inch
Width	140 cm, 55 inch
Weight	140 gr/m ² = 4,13 oz/yd ²
Light fastness SSE-EN ISO 105-B02 (scale 1-8)	6
Light transmission	Transparent
Colour fastness to laundering SSE-EN ISO 105-C06 (scale 1-5)	4 - 5
Shrinkage SSE-EN ISO 6330+A1	2%
Care instructions	
Fire resistance standard SSE-EN 1021-1:2014	IMO Res A 471 (00)
Sound class	E (ISO 354)
Certificates	SSE-EN ISO 14001:2004









18% påslag på angivna priser

KAPRIFOL NETTOPRIS: 299 SEK/M

curtain Kaprifol 76804 



Design	Nygårds Maria Bengtsson
Material	100% Polyester Trevtra CS
Shrinkage	2%
	140 cm
	90 cm
	6-8
	140 gr/m ²
	Sound class D, ISO 354
	


18% påslag på angivna priser

LEAVES II NETTOPRIS: 341 SEK/M


hanging textile **Leaves II 76837** 




Leaves II 76837-5



5






8



11


Product Specification

Fabric	Leaves II 76837
Designer	Claesson Kolvisto Rune
Material	100% Polyester Trevira CS
Repeat	90 cm, 35,5 inch
Width	140 cm, 55 inch
Weight	98 g/m ² , 2,89 oz/yd ²
Light fastness SS-EN ISO 105-B02 (scale 1-8)	6-7
Light transmission	Transparent
Colour fastness to laundering SS-EN ISO 105-C06 (scale 1-5)	4 - 5
Shrinkage SS-EN ISO 6330+A1	1-2%
Care instructions	
Fire resistance standard SS-EN 1021-1:2014	IMO Res A 471 (X11) 
Sound class	E
Certificates	SS-EN ISO 14001:2004 

18% påslag på angivna priser


MASKROS NETTOPRIS: 299 SEK/M


hanging textile **Maskros 100180** 



Maskros 100180-53

Product Specification

Fabric	Maskros 100180
Designer	Ingrid Backman
Material	100% Polyester Trevira CS
Repeat	90 cm, 35,5 inch
Width	140 cm, 55 inch
Weight	140 g/m ² , 4,13 oz/yd ²
Light fastness SS-EN ISO 105-B02 (scale 1-8)	6
Light transmission	Transparent
Colour fastness to laundering SS-EN ISO 105-C06 (scale 1-5)	4 - 5
Shrinkage SS-EN ISO 6330+A1	2%
Care Instructions	
Fire resistance standard SS-EN 1021-1:2014	NFP 92-507 M1, IMO Res A 47 
Sound class	E (ISO 354)
Certificates	SS-EN ISO 14001:2004 



18% påslag på angivna priser

MORRIS NETTOPRIS: 299 SEK/M



Morris 76829



23









65



37





46

Design:	Maria Löw
Material:	100% Polyester Trevira CS
Shrinkage:	Max 2% (SS-EN ISO 6330+A1)
	↔ 140 cm = 55 inch
	↓ 90 cm = 35,4 inch
	🔥 IMO Res A 471
	☀️ 6 [SS-EN ISO 105-B02, Scale 1-8]
	👤 140 gr/m ² = 5,9 oz/yd ²
Colour fastness:	4-5 (ISO 105-C06, Scale 1-5) 
Care instr.:	    
Certificate:	SS-EN ISO 14001:2004
Read more:	www.almedahls.se

18% påslag på angivna priser


OKTAV NETTOPPRIS: 504 SEK/M

curtain Oktav 75701 



curtain Oktav 75701 




Design Studio Almedahl
Material 100% Polyester Trevira CS
Shrinkage 2%
Width 300 cm, 118,1 inches
-
6
98 gr/m² 3,45 oz
Tested for soundabsorption
Turnable pattern
Care Instr.: 




















almedahls

18% påslag på angivna priser

RANGO NETTOPRIS: 299 SEK/M

curtain Rango 76812 




			Design	Jenny Stefansdottir Stenloft
			Material	100% Polyester Trevira CS
1	2	3	Shrinkage	2%
4	5	6		140 cm
				90 cm
				5-7
				140 gr/m ²
				Sound class E, ISO 354
				
				
				
				
				
				
				
				

almedahls


18% påslag på angivna priser

RITZ NETTOPRIS: 331 SEK/M

curtain Ritz 76834 



Curtain Ritz, colour 100

curtain Ritz 76834 



100



5



9




14

Design: Studio Almedahls
Material: 100% Polyester Trevira CS
Shrinkage: Max 2% (SS-EN ISO 6330+A1)
→ 140 cm = 55 inch
↓ -
 IMO Res A 471 
 6-7 (SS-EN ISO 105-B02, Scale 1-8)
 98 gr/m² = 2,89 oz/yd²
Colour fastness: 4.5 (ISO 105-C06, Scale 1-5)
Care instr.:     
Certificate: SS-EN ISO 14001:2004 
Read more: www.almedahls.se

18% påslag på angivna priser

SHADE NETTOPRIS: 301 SEK/M

curtain Shade 75711 



Shade 75711-138


curtain Shade 75711 



Design: Studio Almedahl's
 Material: 100% Polyester Trevira CS
 Shrinkage: Max 2% (SSE-EN ISO 6330+A1)
 Width 330 cm, 130 inch, incl. weight strip
 -
 IMO Res A 471 
 4-5 (SSE-EN ISO 105-B02, Scale 1-8)
 92 gr/m² = 2,89 oz/yd²
 Turnable fabric
 Colour fastness: 4-5 (ISO 105-C06, Scale 1-5)
 Care instr.:     
 Certificate: SSE-EN ISO 14001:2004 
 Read more: www.almedahls.se

18% påslag på angivna priser


SHINE NETTOPRIS: 325 SEK/M

curtain Shine 75712 



Shine 75712-14

curtain Shine 75712 



Design: Studio Almedahls
 Material: 100% Polyester Trevira CS
 Shrinkage: Max 2% (SSEN ISO 6330+A1)
 Width 330 cm, 130 Inch, Incl. walgt
 -
 IMO Res A 471 
 4.5 (SSEN ISO 105-B02, Scale 1-8)
 52 gr/m² = 1,54 oz/yd²
 Turnable fabric
 Colour fastness: 4.5 (ISO 105-C06, Scale 1-5)
 Care Instr.:     
 Certificate: SSEN ISO 14001:2004 
 Read more: www.almedahls.se

18% påslag på angivna priser

SPEGLING NETTOPRIS: 299 SEK/M

Almedahls Award

curtain

Spegling 76725



1



2



41



43



56




96

Design: Jenny Stefansdotter Stentoft


Material: 100% polyester 

↔ cm : 140 cm

↑ cm : 90 cm

 : 6-8

 : 140 gr/m²

 : Ljudmätt textil



Krymp/Shrinkage: 2%


almedahls.se/contract

almedahls


18% påslag på angivna priser

SUNRISE NETTOPRIS: 213 SEK/M

curtain Sunrise 75680 






curtain 49 colours



curtain Sunrise 75680 




- Design Studio Almedahl
- Material 100% Polyester
- Shrinkage 2%
- 1.50 cm
- I 0 cm
-  6-8
-  1.07 gr/m²
-  Tested for soundabsorption



almedahls
www.almedahls.se

18% påslag på angivna priser

WIDE NETTOPRIS: 381 SEK/M

hanging textile **Wide 75723** 



Wide 75723





Product Specification










Fabric	Wide 75723
Designer	Almedahls Design Studio
Material	100% Polyester Trevira CS
Repeat	-
Width	340 cm, 134inch
Weight	130 g/m ² , 4,5 oz/yd ²
Light fastness SS-EN ISO 105-B02 (scale 1-8)	6-7
Light transmission	Transparent
Colour fastness to laundering SS-EN ISO 105-C06 (scale 1-5)	4 - 5
Shrinkage SS-EN ISO 6330+A1	1-2%
Care Instructions	    
Fire resistance standard SS-EN 1021-1:2014	IMO Res A 47 
Certificates	SE-EN ISO 14001:2004 

18% påslag på angivna priser

WUCHANG NETTOPRIS: 299 SEK/M

curtain **Wuchang 76803** 



Design **Josefina Wiel Frödén**
Material **100% Polyester Trevira CS**
Shrinkage **2%**
→ **140 cm**
↓ **90 cm**
 **6-8**
 **140 gr/m²**
 **Sound class D, ISO 354**
     

almedahls
www.almedahls.se


18% påslag på angivna priser

BREEZE NETTOPRIS: 408

curtain Breeze 76623



Concept Breeze: curtain Breeze in burnout together with curtain Feather in Trevira CS.



Design	Maria Löw			
Material	Burnout 70% Cotton 30% Polyester			
Shrinkage	2%			
←	140 cm			
↑	90 cm			
☀	6-8			
▲	65 gr/m ²			
🔊	Tested for soundabsorption			
🧺	🧺	🧺	🧺	🧺

almedahls

18% påslag på angivna priser