

18,5% påslag på angivna priser



STATLIGT RAMAVTAL FÖR TEXTIL INREDNING FÖR FÖNSTERMILJÖ

Avtal 23.3-8004-18:025



Gardintyger från Kvadrat
<https://kvadrat.dk>

Version 1.0

18,5% påslag på angivna priser

AIR 4 NETTOPRIS: 274 SEK/M



Air 4

Design: Erik Ole Jørgensen

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Staple

Binding: Plain

Width: 300 cm

Weight: Approximately 220 g/lin.m

Cleaning: Wash at 60°C. Drip dry

Shrinkage: Approximately 1%

Ironing might be necessary when washed at 60°C

Stain removal: See special guide

Air 4

Lightfastness

Note 5-7 (ISO1-8)

Flame resistance

BS 5867, part 2, type B

DIN 4102 B1

FAR 25.853

IMO FTP Code 2010:Part 7

NF P 92 507 M1

UNI 9177, Classe 1

Quality benefits

Very good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals

No content of formaldehyde

No use of brominated flame retardants

Biodegradable spinning oil

We adhere to the limits set by the Danish Environmental Protection Agency's "List of undesirable substances"

For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5801>

18,5% påslag på angivna priser

CASA NETTOPRIS: 512 SEK/M



Casa

Lightfastness

Note 6-7, ISO 105-B02

Flame resistance

EN 13 773 class 1
BS 5867 part 2 type B
DIN 4102 B1
NFD 92 507 M1
UNI 9177 classe 1
FAR 25.853
IMO FTP Code 2010:Part 7

Quality benefits

Very good lightfastness
Permanent flameretardant
Washable

Casa

Design: Cristian Zuzunaga

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Filament yarn

Binding: Plain

Width: 300 cm

Weight: App. 510 g/lin.m

Cleaning: Washable at max. 60°C. Dripdrying.

Shrinkage app. 1% when washed at 60°C

Stain removal: See special guide

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals/
complies with ETAD norm

No content of formaldehyde

No use of brominated flameretardants

We adhere to the limits set by the Danish Environmental
Protection Agency's 'List of undesirable substances'

Complies with REACH

Reduced emission

Greenguard and Greenguard Gold certified

www.greenguard.org

For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5314>

18,5% påslag på angivna priser

CASITA NETTOPRIS: 510 SEK/M



Casita

Lightfastness

Note 5-7, ISO 105-B02

Sound absorption

0.30/Class D (flat) 0.50/Class D (waved) (EN ISO 354)

Flame resistance

EN 13 773 class 1
BS 5867 part 2 type B
DIN 4102 B1
SN 198 898 5.2
NF D 92 507 M1
UNI 9177 classe 1
IMO FTP Code 2010:Part 7

No use of brominated flame retardants

Casita

Design: Cristian Zuzunaga

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Filament / spun

Binding: Panama

Width: App. 300 cm (app. 118 inches)

Weight: App. 600 g/lin.m

Shrinkage: App. 1% when washed at 60°C

More info: Maintenance instruction–please see website

160/

10 year warranty

Quality benefits

Very good lightfastness
Permanent flame retardant
Washable

Environmental benefits


No use of AZO dyes, which may split off carcinogenic acryl amines
No use of dyes containing heavy metals/ complies with ETAD norm
No content of formaldehyde
No use of brominated flame retardant
We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'
Complies with REACH regulation

For further information
kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7619>

18,5% påslag på angivna priser

CHAINETTE NETTOPRIS: 727 SEK/M



Chainette

Lightfastness

Note 5-6, ISO 105-B02

Light transmittance

52% (DIN EN 410)

Flame resistance

DIN 4102 B1

EN 13 773 class 1

BS 5867 part 2 type B

UNI 9177 classe 1

Quality benefits

Good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals

No content of formaldehyde

No use of brominated flame retardants

Complies with REACH

Reduced emissions

Greenguard and Greenguard Gold certified
www.greenguard.org

For further information

kvadrat.dk

Chainette

Design: Ronan & Erwan Bouroullec

Type: Curtain

Composition: 6100% polyester FR

Yarn type: Filament / Staple

Binding: Plain, embroidery

Width: App. 292 cm (app. 115 inches), Embroidery app. 277 cm (app. 109 inches)

Weight: App. 480 g/lin.m

Repeat: App. 37 cm V, app. 27 cm H

Cleaning: Washing at max. 30°C. Lowest spinning.

Drip drying.

Ironing might be necessary.


All hooks, weights etc. must be removed before washing and a washing bag must be used.

Shrinkage: App 1% when washed at 30°C.

Should a loose thread appear from the embroidery this must be cut carefully not pulled out.

More info: Maintenance instruction–please see website




 10 year warranty

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7796>

18,5% påslag på angivna priser

CASTILLO NETTOPRIS: 512 SEK/M



Castillo

Lightfastness

Note 6-7, ISO 105-B02

Flame resistance

EN 13773 class 1
BS 5867 part 2 type B
DIN 4102 B1
NF D 92 507 M1
UNI 9177 classe 1
FAR 25.853
IMO FTP Code 2010:Part 7

Quality benefits

Very good lightfastness
Permanent flameretardant
Washable

Castillo

Design: Cristian Zuzunaga

Type: curtain

Composition: 100% Trevira CS

Yarn type: Filament yarn

Binding: Plain

Width: 300 cm

Weight: App. 510 g/lin.m

Repeat: App. 303 cm

Cleaning: Washable at max. 60°C. Dripdrying

Shrinkage app. 1% when washed at 60°C

Stain removal: See special guide

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals / complies with ETAD Norm

No content of formaldehyde

No use of brominated flameretardants

We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

Reduced emissions

Greenguard and Greenguard Gold certified

www.greenguard.org

For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5315>

18,5% påslag på angivna priser

DAWN 2 NETTOPRIS: 426 SEK/M



Dawn 2

Design: Cristian Zuzunaga

Type: Dim-out curtain

Composition: 100% polyester FR

Yarn type: Filament

Binding: Satin

Width: 300cm (app. 118 inches)

Weight: App. 780 g/lin.m

Repeat: None

Cleaning: Washable at max. 60°C. Half wash load

Drip drying. Ironing might be necessary when washed at 60°C.

Shrinkage: App. 2% when washed at 60°C

More info: Maintenance instruction—please see website



 10 year warranty

Dawn 2

Lightfastness

Note 5-7, ISO 105-B02

Light transmittance

0.2-0% (DIN EN 410)

Sound absorption

0.45/Class D (flat), 0.65/Class C (waved) EN ISO 354

Airflow

1930 Pa s/m EN 29053

Flame resistance

EN 13 773 class 1

EN 13501, B-s1, d0

BS 5867 part 2 type B

DIN 4102 B1

SN 198 898 5.2

NF D 92 507 M1

UNI 9177 classe 1

Quality benefits

99% dim-out

Very good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acryl amines

No use of dyes containing heavy metals/ complies with ETAD norm

No use of brominated flame retardants

We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

Reduced emission

Greenguard and Greenguard Gold certified

www.greenguard.org

For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5868>

18,5% påslag på angivna priser

DAYBREAK 2 NETTOPRIS: 349 SEK/M



Daybreak

Lightfastness

Note 5-7, ISO 105-B02

Flame resistance

EN 13773 class 1
BS 5867 part 2 type B
DIN 4102 B1
SN 198 898 5.2
NF D 92 507 M1
UNI 9177 classe 1
AS/NZS 1530.3
IMO A.471 (XII)

No use of brominated flameretardants

Quality benefits

Good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals/complies with ETAD norm

No content of formaldehyde

We adhere to the limits set by the the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

Daybreak

Design: Patricia Urquiola

Type: Curtain

Composition: 100% polyester FR

Yarn type: Filament

Binding: Plain

Width: App. 300 cm

Weight: App. 270 g/lin.m

Cleaning: Washable at max. 60°C. Drip drying

Ironing will be necessary

Shrinkage: App. 2-3% when washed at 60°C

Stain removal: See special guide



For further information

www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7401>

18,5% påslag på angivna priser

DIORAMA NETTOPRIS: 740 SEK/M



Diorama

Design: Margrethe Odgaard

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Staple

Binding: Satin

Width: App. 320 cm

Weight: App. 740 g/lin.m

Repeat: 0 cm V, app. 162.5 cm H

Horizontal block stripes and vertical pinstripes when confectioned floor-to-ceiling

Cleaning: Washing at max. 60°C. Drip drying.

Shrinkage app. 1% when washed at 60°C.

Ironing might be necessary

More info: Maintenance instruction—please see website

Colour difference may occur



10 year warranty

Diorama

Lightfastness

Note 5-7 ISO 105-B02

Absorption

0.50/Class C (flat), 0.70/Class C (waved) EN ISO 354

Airflow

388 Pa s/m EN 29053

Flame resistance

BS 5867 part 2 type B

DIN 4102 B1

EN 13 773 class 1

EN 13501 B-s1, d0

IMO FTP Code 2010:Part 7

NF D 92 507 M1

SN 198 898 5.2

UNI 9177 classe 1

Quality benefits

Very good lightfastness

Permanent flame retardant

Washable

Acoustic performance

Environmental benefits

Follow the EU Ecolabel dye restrictions incl. AZO dye and heavy metal restrictions

No content of formaldehyde

No use of halogen based flame retardants (incl. brominated and chlorinated)

Not bleached

Complies with REACH

Reduced emissions

Greenguard and Greenguard Gold certified

www.greenguard.org


For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/1313>

18,5% påslag på angivna priser

DROPS NETTOPRIS: 517 SEK/M



Drops

Lightfastness
Note 6-7, ISO 105-B02

Flame resistance
EN 13773 class 1
BS 5867 part 2 type B
DIN 4102 B1
NF D 92 507 M1
UNI 9177 classe 1
FAR 25.853
IMO FTP Code 2010:Part 7

Quality benefits
Very good lightfastness
Permanent flameretardant
Washable

Drops

Design: Patricia Urquiola

Type: Curtain
Composition: 100% Trevira CS
Yarn type: Filament yarn
Binding: Jacquard
Width: 310 cm
Weight: App. 225 g/lin.m

Cleaning: Washable at max. 60°C. Dripdrying
Shrinkage app. 1% when washed at 60°C
Stain removal: See special guide

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals / complies with ETAD norm

No content of formaldehyde

No use of brominated flameretardants

We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'


Complies with REACH regulation

For further information
kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/1230>

18,5% påslag på angivna priser

DROPS ACOUSTIC NETTOPRIS: 662 SEK/M



Drops Acoustic

Lightfastness

Note 7 ISO 105-B02

Light transmittance

31-46% (DIN EN 41)

Absorbtion

0.35/Class D (flat), 0.55/Class D (waved) EN ISO 354

Airflow

138 Pa s/m EN 29053

Flame resistance

BS 5867 part 2 type B

DIN 4102 B1

EN 13773 Class 1

IMO FTP Code 2010:Part 7

NF P 92 507 M1

SN 198 898 5.2

UNI 9177 classe 1

Quality benefits

Acoustic performance

Very good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acryl amines

No use of dyes containing heavy metals/ complies with ETAD norm

We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

Reduced emission

Greenguard and Greenguard Gold certified
www.greenguard.org

Drops Acoustic

Design: Patricia Urquiola

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Filament

Binding: Jacquard

Width: App. 315 cm (App. 124 inches)

Weight: App. 315 g/lin.m

Repeat: None

Cleaning: Washable at max. 60°C. Drip drying.

Shrinkage app. 1% when washed at 60°C.

Ironing might be necessary

More info: Maintenance instruction—please see website



10 year warranty



Acoustic

For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7914>

18,5% påslag på angivna priser

FROST NETTOPRIS: 191 SEK/M



Frost

Design: Alfredo Häberli

Type: Curtain, panel curtain

Composition: 50% polyester FR, 50% polyester

Yarn type: Filament

Binding: Plain

Width: App. 300 cm

Weight: App. 150 g/lin.m

Cleaning: Washable at max. 60°C. Drip drying

Ironing will be necessary

Shrinkage: App. 1% when washed at 60°C

Stain removal: See special guide



Frost

Lightfastness

Note 5-7, ISO 105-B02

Flame resistance

EN 13 773 class 1

BS 5867 part 2 type B

DIN 4102 B1

SN 198 898 5.2

NF D 92 507 M1

UNI 9177 classe 1

NFPA 701

AS/NZS 1530.3

IMO A.471 (XII)

No use of brominated flameretardants

Quality benefits

Good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals/complies with ETAD norm

No content of formaldehyde

We adhere to the limits set by the the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

For further information

www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7831>

18,5% påslag på angivna priser

GINGER 2 NETTOPRIS: 737 SEK/M



Ginger

Lightfastness
Note 5-7 (ISO 1-8)

Flame resistance
BS 5867, part 2, type B
DIN 4102, B1
FAR 25.853
IMO A.471(XII)
NF P 92 507 M1
UNI 9177, Classe 1

Quality benefits
Very good lightfastness
Permanent flame retardant
Washable

Environmental benefits
No use of AZO dyes, which may split off carcinogenic acrylamines
No use of dyes containing heavy metals
No content of formaldehyde
No use of brominated flame retardants
Biodegradable spinning oil
Complies with Öko-Tex 100
We adhere to the limits set by the Danish Environmental Protection Agency's "List of undesirable substances"

Ginger

Design: Anne Fabricius Møller

Type: Curtain
Composition: 100% Trevira CS
Yarn type: Staple
Binding: Plain
Width: 300 cm
Weight: Approximately 780 g/lin.m

Cleaning: Wash at 60°C. Drip dry
Shrinkage: Approximately 1%
Ironing might be necessary when washed at 60°C
Stain removal: See special guide

For further information
www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5287>

18,5% påslag på angivna priser

HAZE NETTOPRIS: 388 SEK/M



Haze

Lightfastness
Note 5-7, ISO 105-B02

Flame resistance
EN 13 773 class 1
BS 5867 part 2 type B
DIN 4102 B1
SN 198 898 5.2
NFD 92 507 M1
UNI 9177 classe 1
AS/NZS 1530.3
IMO A.471 (XII)

No use of brominated flameretardants

Quality benefits
Good lightfastness

Permanent flame retardant

Washable

Environmental benefits
No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals/complies with ETAD norm

No content of formaldehyde

We adhere to the limits set by the the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

Haze

Design: Alfredo Häberli

Type: Curtain, panel curtain

Composition: 60% polyester FR, 40% polyester

Yarn type: Filament

Binding: Plain

Width: App. 310 cm

Weight: App. 680 g/lin.m

Cleaning: Washable at max. 60°C. Drip drying

Ironing will be necessary

Shrinkage: App. 1% when washed at 60°C

Stain removal: See special guide



 10 year warranty

For further information
www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7832>

18,5% påslag på angivna priser

LUX NETTOPRIS: 315 SEK/M



Lux

Design: Cristian Zuzunaga

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Filament

Binding: Plain variant

Width: 330 cm

Weight: Approximately 65 g/lin.m

Cleaning: Wash at maximum 60°C. Drip dry

Shrinkage: Approximately 1% when washed at 60°

Stain removal: See special guide

Lux

Lightfastness

Note 6-7, ISO 105-B02

Flame resistance

EN 13 773, class 1

BS 5867, part 2, type B

DIN 4102, B1

NF D 92 507 M1

UNI 9177, classe 1

FAR 25.853

IMO A.471(XII)

Quality benefits

Very good lightfastness

Permanent Flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals /

Complies with ETAD Norm

No content of formaldehyde

No use of brominated flameretardants

Complies with REACH Regulation


For further information

www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/6056>

18,5% påslag på angivna priser

MELU ACOUSTIC NETTOPRIS: 867 SEK/M



Melu Acoustic

Lightfastness

Note 5-7 ISO 105-B02

Light transmittance

16-36% (DIN EN 410)

Absorbtion

0.50/Class D (flat), 0.80/Class B (waved) EN ISO 354

Airflow

747 Pa s/m EN 29053

Flame resistance

BS 5867 part 2 type B

DIN 4102 B1

EN 13773 Class 1

IMO FTP Code 2010:Part 7

NFD 92 507 M1

SN 198 898 5.3

UNI 9177 classe 1

Quality benefits

Acoustic performance

Good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acryl amines

No use of dyes containing heavy metals/ complies with ETAD norm

We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

Reduced emission

Greenguard and Greenguard Gold certified
www.greenguard.org

Melu Acoustic

Design: Petra Haikonen

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Filament

Binding: Jacquard

Width: App. 320 cm (App. 126 inches)

Weight: App. 700 g/lin.m

Repeat: None

Cleaning: Washable at max. 60°C. Drip drying.

Shrinkage app. 1% when washed at 60°C.

Ironing might be necessary

More info: Maintenance instruction–please see website



For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7915>

18,5% påslag på angivna priser

MI CASA NETTOPRIS: 510 SEK/M



Mi Casa

Lightfastness

Note 5-7, ISO 105-B02

Sound absorbtion

0.30/Class D (flat) 0.50/Class D (waved) (EN ISO 354)

Flame resistance

EN 13 773 class 1
BS 5867 part 2 type B
DIN 4102 B1
SN 198 898 5.2
NFD 92 507 M1
UNI 9177 classe 1
IMO FTP Code 2010:Part 7

No use of brominated flame retardants

Mi Casa

Design: Cristian Zuzunaga

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Filament / spun

Binding: Panama

Width: App. 300 cm (app. 118 inches)

Weight: App. 600 g/lin.m

Cleaning: Washable at max. 60°C. Half wash load.

Drip drying. Ironing might be necessary when washed at 60°C

Shrinkage: App. 1% when washed at 60°C

More info: Maintenance instruction–please see website



 10 year warranty

Quality benefits

Very good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acryl amines

No use of dyes containing heavy metals/ complies with ETAD norm

No content of formaldehyde

No use of brominated flame retardant

We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

For further information
kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7633>

18,5% påslag på angivna priser

NOIR NETTOPRIS: 559 SEK/M



Noir

Lightfastness

Note 5-7 ISO 105-B02

Light transmittance

0% (DIN EN 410)

Sound absorption

0.10/not classified (flat), 0.35/Class D (waved) EN ISO 354

Airflow

> 40.0000 Pa s/m EN 29053

Flame resistance

AS/NZS 1530.3

BS 5867 part 2 type B

DIN 4102 B1

IMO FTP Code 2010:Part 7

NFPA 701

Quality benefits

100% black out

Very good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acryl amines

No use of dyes containing heavy metals/ complies with ETAD norm

No use of brominated flame retardants

Complies with REACH

Reduced emission

Greenguard and Greenguard Gold certified

www.greenguard.org

Noir

Design: Georgina Wright

Type: Black-out curtain

Composition: 35% polyester, 65% acrylic

Yarn type: Filament

Binding: Plain

Width: 277 cm (app. 109 inches)

Weight: app. 1070 g/lin.m

Repeat: None

Cleaning: Washable at max. 30°C. Drip drying

Remove all hooks and weights before washing.

Dry cleaning is not possible, it will damage the backing

Shrinkage app. 1% when washed at 30°C.

Ironing on woven side if necessary.

More info: Maintenance instruction–please see website



Limited warranty In case of extreme light exposure and washing intensity


For further information

kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5867>

18,5% påslag på angivna priser

NOON NETTOPRIS: 249 SEK/M



Noon

Lightfastness

Note 5-7, ISO 105-B02

Flame resistance

EN 13 773 class 1
BS 5867 part 2 type B
DIN 4102 B1
SN 198 898 5.2
NF D 92 507 M1
UNI 9177 classe 1
NPFA 701
AS/NZS 1530.3
IMO FTP Code 2010: Part 7

No use of brominated flameretardants

Quality benefits

Good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals/complies with ETAD norm

No content of formaldehyde

We adhere to the limits set by the the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

Noon

Design: Patricia Urquiola

Type: Curtain, panel curtain

Composition: 100% polyester FR

Yarn type: Filament

Binding: Plain

Width: App. 300 cm

Weight: App. 180 g/lin.m

Cleaning: Washable at max. 60°C. Drip drying

Ironing will be necessary

Shrinkage: App. 1% when washed at 60°C

More info: Maintenance instruction–please see website

60/ X X P


 10 year warranty

For further information
kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7402>

18,5% påslag på angivna priser

PANORAMA NETTOPRIS: 714 SEK/M



Panorama

Lightfastness

Note 6-7 ISO 105-B02

Absorption

0.50/Class C (flat), 0.70/Class C (waved) EN ISO 354

Airflow

388 Pa s/m EN 29053

Flame resistance

BS 5867 part 2 type B
DIN 4102 B1
EN 13 773 class 1
EN 13501 B-s1, d0
IMO FTP Code 2010:Part 7
NF D 92 507 M1
SN 198 898 5.2
UNI 9177 classe 1

Quality benefits

Very good lightfastness
Permanent flame retardant
Washable
Acoustic performance

Environmental benefits

Follow the EU Ecolabel dye restrictions incl. AZO dye and heavy metal restrictions
No content of formaldehyde
No use of halogen based flame retardants (incl. brominated and chlorinated)
Not bleached
Complies with REACH

Reduced emissions

Greenguard and Greenguard Gold certified
www.greenguard.org

For further information
kvadrat.dk

Panorama

Design: Margrethe Odgaard

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Staple

Binding: Satin

Width: App. 320 cm

Weight: App. 740 g/lin.m

Repeat: 0 cm V, app. 162.5 cm H

Horizontal block stripes when confectioned floor-to-ceiling

Cleaning: Washing at max. 60°C. Drip drying.



Shrinkage app. 1% when washed at 60°C.

Ironing might be necessary

More info: Maintenance instruction—please see website

Colour difference may occur



10 year warranty  

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/1315>

18,5% påslag på angivna priser

ROCKET NETTOPRIS: 259 SEK/M



Rocket

Design: Doshi Levien

Type: Curtain / panel curtain
Composition: 100% Trevira CS
Yarn type: Filament
Construction: Warp knit
Width: 200 cm (app. 79 inches)
Weight: App. 220 g/lin.m
Repeat: None

Cleaning: Washable at max. 60°C. Drip drying.
No shrinkage. Ironing might be necessary.
More info: Maintenance instruction—please see website


Special recommendations

Knitted textiles differ from woven textiles in terms of their performance and construction. As Rocket is a warp knitted textile, we do not recommend any sewing.

In order to adjust the length or the width of the textile, simply cut it along the meshes. Thanks to the construction of the textile it will not fray. This also applies if the textile stretches after installation.

Use a pleating tape in the top.

If more pieces of textile are to be installed next to each other, we recommend making a 4–6 cm loose overlap instead of sewing them together.



Rocket

Lightfastness

Note 7 ISO 105-B02

Light transmission

46–62% (DIN EN 410)

Absorbtion

0.00/not classified (flat), 0.05/not classified (waved)
EN ISO 354

Airflow

< 10 Pa s/m EN 29053

Flame resistance

EN 13 773 class 1
BS 5867 part 2 type B
DIN 4102 B1
SN 198 898 5.2
NF D 92 507 M1
UNI 9177 classe 1
IMO FTP Code 2010:Part 7

Quality benefits

Good lightfastness
Permanent flame retardant
Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals/complies with ETAD norm

No use of brominated flame retardants

We adhere to the limits set by the the Danish Environmental Protection Agency's "List of undesirable substances"

Complies with REACH regulation

Reduced emission

Greenguard and Greenguard Gold certified
www.greenguard.org

For further information
kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/1278>

18,5% påslag på angivna priser

RUBAN 2 NETTOPRIS: 404 SEK/M



Ruban 2

Design: Hans Klein Goldewijk

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Staple

Binding: Dobby

Width: 140 cm

Weight: Approximately 340 g/lin.m

Cleaning: Wash at 60°C. Drip dry

Shrinkage: Approximately 1%

Ironing might be necessary when washed at 60°C

Stain removal: See special guide

Ruban 2

Lightfastness

Note 5-6 (ISO 1-8)

Flame resistance

BS 5867, part 2, type B

DIN 4102, B1

FAR 25.853

IMO A.471(XII)

NF P 92 507 M1

UNI 9177, Classe 1

Quality benefits

Very good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals

No content of formaldehyde

No use of brominated flame retardants

Biodegradable spinning oil

Complies with Öko-Tex 100

We adhere to the limits set by the Danish Environmental Protection Agency's "List of undesirable substances"


For further information

www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5218>

18,5% påslag på angivna priser

SQUARES NETTOPRIS: 454 SEK/M



Squares

Design: Vibeke Roland

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Staple/Filament

Binding: Jacquard

Width: 150 cm

Weight: Approximately 380 g/lin.m

Repeat: Approximately 202 cm

Cleaning: Wash at 60°C. Drip dry

Shrinkage: Approximately 1%

Ironing might be necessary when washed at 60°C

Stain removal: See special guide

Squares

Lightfastness

Note min. 5 (ISO 1-8)

Flame resistance

BS 5867, part 2, type B

DIN 4102, B1

FAR 25.853

IMO A.471(XII)

NF P 92 507 M1

UNI 9177, Classe 1

Quality benefits

Good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals

No content of formaldehyde

No use of brominated flame retardants

Biodegradable spinning oil

Complies with Öko-Tex 100

We adhere to the limits set by the Danish Environmental Protection Agency's "List of undesirable substances"

For further information

www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5297>

18,5% påslag på angivna priser

SUITE NETTOPRIS: 740 SEK/M



Suite

Design: Margrethe Odgaard

Type: Curtain
Composition: 100% Trevira CS
Yarn type: Staple
Binding: Satin
Width: App. 320 cm
Weight: App. 740 g/lin.m
Repeat: 0 cm V, app. 81 cm H. Length striped
40 cm wide vertical stripes when confectioned

Cleaning: Washing at max. 60°C. Drip drying.
Shrinkage app. 1% when washed at 60°C.
Ironing might be necessary
More info: Maintenance instruction–please see website

Colour difference may occur



10 year warranty

Suite

Lightfastness
Note 5-6 ISO 105-B02

Absorption
0.50/Class C (flat), 0.70/Class C (waved) EN ISO 354

Airflow
388 Pa s/m EN 29053

Flame resistance
BS 5867 part 2 type B
DIN 4102 B1
EN 13 773 class 1
EN 13501 B-s1, d0
IMO FTP Code 2010:Part 7
NFD 92 507 M1
SN 198 898 5.2
UNI 9177 classe 1

Quality benefits
Very good lightfastness
Permanent flame retardant
Washable
Acoustic performance

Environmental benefits
Follow the EU Ecolabel dye restrictions incl. AZO dye and heavy metal restrictions
No content of formaldehyde
No use of halogen based flame retardants (incl. brominated and chlorinated)
Not bleached
Complies with REACH

Reduced emissions
Greenguard and Greenguard Gold certified
www.greenguard.org

For further information
kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/1316>

18,5% påslag på angivna priser

TIME 300 NETTOPRIS: 585 SEK/M



Time 300

Design: Erik Ole Jørgensen / Aggebo & Henriksen

Type: Curtain

Composition: 100% Trevira CS

Yarn type: Stable

Binding: Plain

Width: 300 cm

Weight: Approximately 580 g/lin.m

Cleaning: Wash at 60°C. Drip dry

Shrinkage: Approximately 1%

Ironing might be necessary when washed at 60°C

Stain removal: See special guide

Time 300

Lightfastness

Note 5-7 (ISO 1-8)

Flame resistance

BS 5867, part 2, type B

DIN 4102, B1

FAR 25.853

IMO A.471(XII)

NF P 92 507 M1

UNI 9177, Classe 1

Quality benefits

Very good lightfastness

Permanent flame retardant

Washable

Environmental benefits

Complies with Öko-Tex 100

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals

No content of formaldehyde

No use of brominated flame retardants

Biodegradable spinning oil

Complies with Öko-Tex 100

We adhere to the limits set by the Danish Environmental Protection Agency's "List of undesirable substances"

For further information

www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5293>

18,5% påslag på angivna priser

TWILIGHT NETTOPRIS: 446 SEK/M



Twilight

Lightfastness

Note 5-6, ISO 105-B02

Flame resistance

BS 5867 part 2 type B
DIN 4102 B1
SN 198 898 5.2
NFD 92 507 M1
UNI 9177 classe 1
AS/NZS 1530.3
IMO FTP Code 2010:Part 7

No use of brominated flame retardants

Quality benefits

99% dim-out

Good lightfastness

Permanent flame retardant

Washable

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acryl amines

No use of dyes containing heavy metals/ complies with ETAD norm

No content of formaldehyde

We adhere to the limits set by the Danish Environmental Protection Agency's 'List of undesirable substances'

Complies with REACH regulation

For further information
kvadrat.dk

Twilight

Design: Patricia Urquiola

Type: Dim-out curtain

Composition: 59% polyester FR, 41% polyester

Yarn type: Filament, staple

Binding: Plain / Satin

Width: App. 300 cm (app. 118 inches)

Weight: App. 1080/lin.m

Repeat: None

Cleaning: Washing at max. 60°C. Half wash load.

Drip drying. Ironing might be necessary when washed at 60°C.

Shrinkage: App. 1% when washed at 60°C.



 10 year warranty

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/7403>

18,5% påslag på angivna priser

ZULU 2 NETTOPRIS: 444 SEK/M



Zulu

Lightfastness

Note 7, ISO 105-B02

Flame resistance

EN 13773 class 1
BS 5867 part 2
DIN 4102 B1
NF P 92 507 M1
UNI 9177 classe 1
IMO FTP Code 2010:Part 7

Quality benefits

Very good lightfastness
Permanent flameretardant
Washable
No pilling in use and wash

Zulu

Design: Giulio Ridolfo

Type: Curtain

Composition: 100 % Trevira CS

Yarn type: Filament yarn

Binding: Leno

Width: 300cm

Weight: App. 300 g/lin.m

Repeat: None

Cleaning: Wash at 40°C. Dripdrying

Shrinkage: App. 1%

Also washable at 60°C, shrinkage will be app. 2%

Stain removal: See special guide

Environmental benefits

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals /
complies with ETAD norm

No content of formaldehyde

No use of brominated flameretardants

We adhere to the limits set by the Danish Environmental
Protection Agency's 'List of undesirable substances'

Biodegradable spinning oil

For further information

www.kvadrat.dk

LÄNK TILL FÄRGER: <https://kvadrat.dk/products/5300>