



25 % rabatt ska dras av på angivna priser

Statligt Ramavtal - Möbler och inredning  
Delområde - Arbetsplats och Förvaring

BAUX - Produktlista 1.0

**Martela**

Ramavtalsnummer 23.3-5384-2022:025

# BAUX

## Pricelist SEK

Version: 2024-1.5  
Valid from April 2024



### Acoustic Wood Wool

Page 3-9



### Acoustic Pulp

Page 10-12



### Acoustic Felt

Page 13-17


**25% rabatt ska dras av på angivna priser**

Wood Wool is a functional, natural material. BAUX Acoustic Wood Wool is made from two of the world's oldest building materials, wood and cement. The combination is simple and ingenious. Wood fibre offers excellent insulation, heat retention and sound absorption. Cement, a proven and popular building material, is the binder that provides strength, moisture resistance and fire protection. Therefore, BAUX Acoustic products are versatile and durable in all climates.



# Acoustic Wood Wool TILES

**3D Pixel**



A: 290 mm  
B: 290 mm

Thickness:



25 mm



50 mm



70 mm

**Hexagon**



**Small**  
A: 250 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 500 mm  
B: 580 mm  
Thickness: 25 mm

**Square**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

**Quarter Circle**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

**Triangle**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

# Acoustic Wood Wool TILES

## Parallelogram




**Small**  
A: 290 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

Two options: left and right ↔

## Circle



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

## Plank



**Small**  
A: 145 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 290 mm  
B: 1160 mm  
Thickness: 25 mm

## Rectangle



**Small**  
A: 290 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

# Acoustic Wood Wool PANELS

Diagonal



A

B

Two options: left and right ↔

Stripes



A

B

Lines



A

B


Check



A

B

Quilted



A

B

Curve



A

B

Two options: left and right ↔

Arch



A

B

**All Panels**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

## Acoustic Wood Wool CEILING

Flat



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a  
Concealed or Exposed Grid.

Widestripe



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a  
Concealed or Exposed Grid.

Pinstripe



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a  
Concealed or Exposed Grid.

# PRICELIST SEK

## BAUX ACOUSTIC WOOD WOOL

All prices stated in SEK excluding VAT.

Painting of BAUX Acoustic Wood Wool Panels and Tiles with indoor paint and BAUX colour collection included.

### BAUX Acoustic WOOD WOOL – TILES & PANELS

Product	Measurements			Area pieces/m2	Excluding magnet		Incl. magnet SEK/piece
	w: mm	h: mm	t: mm		SEK/piece	~SEK/m2	
3D Pixel <sup>1</sup>	290	290	25/50/70	11,89	360	4 277	446
3D Square t25	290	290	25	11,89	271	3 222	357
3D Square t50	290	290	50	11,89	373	4 435	459
3D Square t70	290	290	70	11,89	435	5 172	521
Mini Hexagon	220	190	25	31,29	107	3 404	150
Small Hexagon	290	250	25	17,82	176	3 222	219
Small Quarter Circle	290	290	25	11,89	271	3 222	357
Small Square	290	290	25	11,89	271	3 222	357
Small Triangle	290	290	25	23,78	136	3 234	179
Small Parallel.	290	580	25	11,89	271	3 222	357
Small Circle	290	290	25	15,14	211	3 194	254
Small Plank	580	145	25	11,89	271	3 222	357
Small Rectangle	580	290	25	5,95	541	3 216	627
Large Hexagon	580	500	25	4,45	456	2 087	585
Large Quarter Circle	580	580	25	2,97	705	2 096	877
Large Square	580	580	25	2,97	705	2 096	877
Large Triangle	580	580	25	5,95	352	2 093	481
Large Parallel.	580	1160	25	2,97	705	2 096	920
Large Circle	580	580	25	3,78	553	2 093	682
Large Plank	1160	290	25	2,97	705	2 096	834
Large Rectangle	1160	580	25	1,49	965	1 434	n.a.
Panels (all patterns)	1160	580	25	1,49	965	1 434	n.a.

1) Price for a 3D tile wall with equal mix of three different thicknesses - 25mm, 50mm and 70mm.

### BAUX Acoustic WOOD WOOL – CEILING

Product <sup>3</sup>		Measurements <sup>2</sup> mm or feet	Area pieces/m2	Price	
				SEK/piece	~SEK/m2
Natur (omålad)	Flat	1200x600x25 mm	1,39	210	292
	Widestripe	1200x600x25 mm	1,39	371	515
	Pinstripe	1200x600x25 mm	1,39	371	515
Målad Vit	Flat	1200x600x25 mm	1,39	269	374
	Widestripe	1200x600x25 mm	1,39	439	610
	Pinstripe	1200x600x25 mm	1,39	439	610
Målad i annan BAUX kulör	Flat	1200x600x25 mm	1,39	330	458
	Widestripe	1200x600x25 mm	1,39	507	704
	Pinstripe	1200x600x25 mm	1,39	507	704

2) Also available for Exposed Lay-In grid dimensions "iläggsmått"

3) All ceiling products are available in different dimensions and edge designs to fit various installation methods, see table below. Same price for all codes.

CODE	EXPLANATION
CT2s.EU	Concealed Grid, Tegular Edge 2 sides, EU.600x1200mm
ET2s.EU	Exposed Lay-In, Tegular Edge 2 sides, EU.593x1193mm
ET4s.EU	Exposed Lay-In, Tegular Edge 4 sides, EU.593x1193mm
CB4s.EU	Concealed Grid, Bevelled Edge 4 sides, EU.600x1200mm (ONLY FLAT)
	Dolt bärverk, L-kant 2 sidor, 600x1200mm
	Synligt bärverk, L-kant 2 sidor, 593x1193mm
	Synligt bärverk, L-kant 4 sidor, 593x1193mm
	Dolt bärverk, Fasad kant 4 sidor, 500x122 (Endast FLAT)

**25% rabatt ska dras av på angivna priser**



# PRICELIST SEK

## BAUX ACOUSTIC WOOD WOOL – INSTALLATION ACCESSORIES ETC.

All prices stated in SEK excluding VAT.

BAUX Acoustic WOOD WOOL – Installation Accessories							
Product		Measurements & amounts			Area (m2/piece)	Price (EXW)	
						SEK/piece	~SEK/m2
Glue	Bostik A785 High Grip Deco (or equal)	280 ml			1,5 - 1,7 m2/tube	168	105
Short Screws	Screw Short - Unpainted	Length 45 mm Box with 100 pcs			See installation manual	284	---
	Screw Short - Painted Natural				See installation manual	320	---
	Screw Short - Painted White				See installation manual	320	---
Long Screws	Screw Long - Unpainted	Length 75 mm Box with 100 pcs			See installation manual	434	---
	Screw Long - Painted Natural				See installation manual	470	---
	Screw Long - Painted White				See installation manual	470	---
Metal Sheets & Magnets	Metal Sheets <sup>1</sup>	w: 500 mm	h: 1000 mm	t: 1 mm	0,5 m2/pc	494	988
	Standard Cassette <sup>2</sup>	w: 690 mm	h: 1120 mm	t: 20 mm	0,77 m2/pc	2 570	3 326
	Magnet	---	---	---	---	43	---
Paint	Touch Up Paint	100 ml			0,3-0,5 m2/can	39,75	---
	Paint	1 litre			3 - 5 m2/can	477	95

1) White painted metal sheet.

2) 0,7mm galvanized, white powder coated with perforation

Custom Shapes and Custom Colours			
Special Requirement	Description	Price	
Custom shape wood wool	Setup fee to create a custom shape, only valid for orders < 150 m2	4 750	SEK/shape
Outdoor paint fee	For outdoor usage an extra fee will be charged for the outdoor paint needed	138	SEK/m2
Custom colour fee wood wool	For custom colour orders less than < 25 m2	3 950	SEK/colour
Custom colour fee screws	Setup fee to get screws with painted head in a custom colour	2 160	SEK/colour
Custom colour fee touch up	Setup fee to get custom colour touch up paint (100ml)	150	SEK/colour
Custom colour fee paint	Setup fee to get custom colour paint (1 litre)	477	SEK/colour

**25% rabatt ska dras av på angivna priser**

The new 100% bio-based BAUX Acoustic Pulp panel is the first in the world to uncompromisingly combine the performance properties of sound absorption, safety and durability with sustainability and modern aesthetics. The result is a restful and sustainable acoustical environment for residential buildings, industrial premises and public spaces that calls us back to the harmonizing pulse of nature. Harmless for us, harmless for the environment. It's nothing short of an acoustical revolution.


This is BAUX Acoustic Pulp.



BAUX Acoustic Pulp 25% rabatt ska dras av på angivna priser FOX

**Acoustic Pulp  
ORIGAMI PANELS**

Origami Energy



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm

Origami Pulse



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm


Origami Sense



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm



Front side of panel (ENERGY)



Back side of panel

# PRICELIST SEK

## BAUX ACOUSTIC PULP

All prices stated in SEK excluding VAT.

BAUX Acoustic PULP						
Product	Measurements <sup>2</sup>			Area pieces/m2	Price (EXW factory)	
	w: mm	h: mm	t: mm		SEK	~SEK/m2
Origami 50x100 – Bio Natural Wheat Box with 6 panels <sup>1</sup>	500	1000	20	2,0	7 800 (1 300 SEK/panel)	2 600
Origami 50x100 – Bio Colours Box with 6 panels <sup>1</sup>	500	1000	20	2,0	9 900 (1 650 SEK/panel)	3 300

1) One box contain 6 panels in one of the variants: Energy, Pulse or Sense. All panels in a box have same colour, i.e. a box can't have mixed colours.

2) Some dimension tolerance should be expected since the material is organic.

BAUX Acoustic PULP - Accessories				
Product	Measurements	Area	Price (SEK)	
	ml	m2/tube	SEK/st.	~SEK/m2
Adhesive Tube	280	1,5 - 1,7 m2/tube	168	105

The excess of unwanted plastics in the world is obvious, only a small fragment is recycled and reused into new products, a devastatingly big amount is still going to the landfill or burned to generate energy.


BAUX Recycled PET products are made from GRS certified and IOAS accredited recycled PET bottles sourced from recycling entities across Europe.

Because origin is important.



# Acoustic FELT Recycled PET FLOOR SCREENS


Feltflex 140x120



A: 1400 mm  
B: 1200 mm  
Thickness: 16 mm (panel), 36 mm (holes)

Set of 2 floor stands needed.


Feltflex 120x120



A: 1200 mm  
B: 1200 mm  
Thickness: 16 mm (panel), 36 mm (holes)

Set of 2 floor stands needed.


Feltflex 70x120



A: 700 mm  
B: 1200 mm  
Thickness: 16 mm (panel), 36 mm (holes)

1 single floor stand needed.


Floor Stand



A: 350 mm (diameter base)  
B: 300 mm (visible height after install)


# Acoustic FELT Recycled PET TABLE SCREENS

**Feltflex 140x60**




A: 1400 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 140x40**




A: 1400 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 120x60**




A: 1200 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 120x40**




A: 1200 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 70x60**



A: 700 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or 1-2 table stands needed.

**Feltflex 70x40**



A: 700 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or 1-2 table stands needed.

**Table Stand**



d150 mm

**Table Clamp Top**



Suitable for tables that are  
12-50 mm

295 x 50 x 32 mm

**Table Clamp Side**



Suitable for tables that are  
12-50 mm

320 x 100 x 32 mm

# PRICELIST SEK

## BAUX ACOUSTIC FELT – RECYCLED PET (GREY SCALE)

All prices stated in SEK excluding VAT.



Below prices are valid for Light Grey, Grey and Dark Grey screens.

BAUX Acoustic FELT – Recycled PET - Screens and Accessories								
Product		Measurement per screen			Price (EXW factory)			
		w: mm	h: mm	t: mm <sup>1</sup>	#	SEK	#	SEK
Table Screens	Acoustic Flexfelt Recycled PET (Grey Scale), 70x40	700	400	16/36	Box 6 screens	6 633	1 scrn	1 356
	Acoustic Flexfelt Recycled PET (Grey Scale), 120x40	1180	400	16/36	Box 3 screens	6 024	1 scrn	2 308
	Acoustic Flexfelt Recycled PET (Grey Scale), 140x40	1400	400	16/36	Box 3 screens	6 362	1 scrn	2 471
	Acoustic Flexfelt Recycled PET (Grey Scale), 70x60	700	600	16/36	Box 4 screens	6 227	1 scrn	1 907
	Acoustic Flexfelt Recycled PET (Grey Scale), 120x60	1180	600	16/36	Box 2 screens	6 136	1 scrn	3 418
	Acoustic Flexfelt Recycled PET (Grey Scale), 140x60	1400	600	16/36	Box 2 screens	6 813	1 scrn	3 797
Floor Screens	Acoustic Flexfelt Recycled PET (Grey Scale), 70x120	700	1200	16/36	Box 2 screens	6 813	1 scrn	3 797
	Acoustic Flexfelt Recycled PET (Grey Scale), 120x120	1180	1200	16/36		---	1 scrn	6 114
	Acoustic Flexfelt Recycled PET (Grey Scale), 140x120	1400	1200	16/36		---	1 scrn	6 362

Hardware	Box 2 pcs - Table Clamp Top, h295	50	295	---	One pair	897
	Box 2 pcs - Table Clamp Side, h320	100	320	---	One pair	1 233
	Box 2 pcs - Table Stand, d150	150	193	---	One pair	1 233
	Box 2 pcs - Floor Stand, d350	350	891	---	One pair	2 914
	Floor Stand - Single, d350	350	891	---	Single	1 457

1) The panel material is 16 mm thick. Over the hardware holes, the panel is 36mm thick




# PRICELIST SEK

## BAUX ACOUSTIC FELT – RECYCLED PET (COLOR SCALE)

All prices stated in SEK excluding VAT.

Below prices are valid for Khaki, Coral red and Jade green screens.



### BAUX Acoustic FELT – Recycled PET COLOR SCALE) - Screens and Accessories

Product		Measurement per screen			Price (EXW factory)			
		w: mm	h: mm	t: mm <sup>1</sup>	#	SEK	#	SEK
Table Screens	Acoustic Flexfelt Recycled PET (Color Scale), 70x40	700	400	16/36	Box 6 screens	8 934	1 scrn	1 739
	Acoustic Flexfelt Recycled PET (Color Scale), 120x40	1180	400	16/36	Box 3 screens	7 919	1 scrn	2 940
	Acoustic Flexfelt Recycled PET (Color Scale), 140x40	1400	400	16/36	Box 3 screens	8 392	1 scrn	3 147
	Acoustic Flexfelt Recycled PET (Color Scale), 70x60	700	600	16/36	Box 4 screens	8 212	1 scrn	2 403
	Acoustic Flexfelt Recycled PET (Color Scale), 120x60	1180	600	16/36	Box 2 screens	8 302	1 scrn	4 501
	Acoustic Flexfelt Recycled PET (Color Scale), 140x60	1400	600	16/36	Box 2 screens	8 663	1 scrn	4 722
Floor Screens	Acoustic Flexfelt Recycled PET (Color Scale), 70x120	700	1200	16/36	Box 2 screens	8 663	1 scrn	4 722
	Acoustic Flexfelt Recycled PET (Color Scale), 120x120	1180	1200	16/36		---	1 scrn	8 212
	Acoustic Flexfelt Recycled PET (Color Scale), 140x120	1400	1200	16/36		---	1 scrn	8 415

Hardware	Box 2 pcs - Table Clamp Top, h295	50	295	---	One pair	897
	Box 2 pcs - Table Clamp Side, h320	100	320	---	One pair	1 233
	Box 2 pcs - Table Stand, d150	150	193	---	One pair	1 233
	Box 2 pcs - Floor Stand, d350	350	891	---	One pair	2 914
	Floor Stand - Single, d350	350	891	---	Single	1 457

1) The panel material is 16 mm thick. Over the hardware holes, the panel is 36mm thick

2) Extended Colours are available with a minimum order quantity of 130 m2 of panels, priced equivalently to Khaki, Coral Red, and Jade Green options