




## Muuto Produktlista 1

**Statligt ramavtal** Möbler och inredning **Delområde** G - Armaturer | Ramavtalsnummer 23.3-5834-2022:015





# LIGHTING

#### **AMBIT LAMP SERIES**

"What defines our attraction to shapes? With the Ambit Lamp Series, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Lamp Series a timeless design that you'll never grow tired of while its handspun aluminum material and contrasting white inner makes for an elegant touch."

#### - TAF Studio



Designed by TAF Studio
Environment Indoor
Country of Production China

Cord Length Pendant Lamp and Rail Lamp: 400 cm / 157.5"

Wall Lamp: 250 cm / 98.4"

**Light Source Included** Pendant Lamp Ø16,5 and Wall Lamp: Yes

Pendant Lamp Ø55, Ø40, Ø25 and Rail Lamp: No

Ceiling Cap Included Pendant Lamp and Rail Lamp: Yes

Wall Lamp: No

**Dimmable Function** Rail lamp: Yes (can be dimmed with industry standard phasecut dimmers, if dimmable bulb is

used)

Ambit Ø16,5: Yes (can be dimmed with industry standard phasecut dimmers)

Ambit Ø25, Ø4O and Ø55: Yes (can be dimmed with industry standard phasecut dimmers, if

dimmable bulb is used)

Socket Size Ambit Ø25 and Rail Lamp: El4

Ambit Ø40 and Ø55: E27 Ambit Ø16,5 and Wall Lamp: GX53

**Description** Embodying the values of Scandinavian design, the Ambit Lamp Series is as timeless as it is

contemporary. Made of hand-spun aluminum that has been hand-painted, the Ambit Lamp Series features clean lines and a white interior that heighten contrasts of its outside shade while enhancing the light emitted in any room of a home, office or commercial space. Use the

design on its own or symmetric formations and vibrant clusters.

Material Aluminum lamp shades. Made from old braizer traditions, the lamp shades are press spun by

hand. Hereafter, the lamp shades are polished and painted by hand. PVC cord.



#### **AMBIT LAMP SERIES**

Cleaning δ Care

Rail Lamp:

The rail for the Ambit Rail Lamp is cut from tubes that are adjusted to fit each other on a lathe machine. Rail made from cast and extruded aluminum.

Wall Lamp:

Arm fixture and wall mount piece for the Ambit Wall Lamp are made from aluminum. An extra wall bracket is included in the Ambit Wall Lamp that allows for the wiring to be integrated into the wall.

Clean the lamp with a soft dry cloth. Always switch off the electricity before cleaning.

#### TESTS & CERTIFICATIONS

EU:

IEC 60598-I and IEC 60598-2-I

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 20I6 Electromagnetic Compatibility Regulations 20I6

The Restriction of the Use of Certain Hazardous Substances in Electrical and

Electronic Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information

(Amendment) (EU Exit) Regulations 2019

USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand:

AS/NZS 60598.1 and AS/NZS 60598.2.1

\*Does not apply to Ambit Pendant Ø16,5 and Ambit Wall Lamp

China

GB 7000.201 and GB 7000.1



### AMBIT PENDANT LAMP / Ø 16,5 CM / 6.5"





Shipper Colli

Gross Weight (kg) 1.0002 Net Weight (kg)

0.69

**Bulb included** 

EU version: yes, US version: no


**Warranty Period** 

5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
15354	Black	SEK I.5O4,IO	-
15353	Dusty Green	SEK I.5O4,IO	-
15351	Grey	SEK I.5O4,IO	-
15358	Light Blue	SEK I.5O4,IO	-
15357	Taupe	SEK I.5O4,IO	-
15352	White	SEK 1.5O4,IO	-
Extras			
24050	Ceiling Cap - White	SEK II6,IO	-

# 26% rabatt ska dras av på angivna priser AMBIT PENDANT LAMP / Ø 25 CM / 9.75"





Shipper Colli

Gross Weight (kg)

1.1092 0.7

Net Weight (kg) **Bulb included** 

**Warranty Period** 


5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
26034	Black	SEK 2.192,1O	-
26033	Dusty Green	SEK 2.192,1O	-
26031	Grey	SEK 2.192,1O	-
26038	Light Blue	SEK 2.192,1O	-
26037	Taupe	SEK 2.192,1O	-
26032	White	SEK 2.192,1O	-
Extras			
24050	Ceiling Cap - White	SEK II6,IO	-



# AMBIT PENDANT LAMP / Ø 40 CM / 15.75"





Shipper Colli

Gross Weight (kg) 2.9002


Net Weight (kg) 1.53

**Bulb included** 

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
26024	Black	SEK 3.482,IO	-
26023	Dusty Green	SEK 3.482,IO	-
26021	Grey	SEK 3.482,IO	-
26028	Light Blue	SEK 3.482,IO	-
26025	Rose	SEK 3.482,IO	-
26027	Taupe	SEK 3.482,IO	-
26022	White	SEK 3.482,IO	-
Extras			
24050	Ceiling Cap - White	SEK II6,IO	-

# 26% rabatt ska dras av på angivna priser AMBIT PENDANT LAMP / Ø 55 CM / 21.7"






Shipper Colli Gross Weight (kg) 5.585 2.7 Net Weight (kg)

**Bulb included** 

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
82270	Black	SEK 5.155,7O	-
82274	Dusty Green	SEK 5.155,7O	-
82271	Grey	SEK 5.155,7O	-
82275	Light Blue	SEK 5.155,7O	-
82273	Taupe	SEK 5.155,7O	-
82272	White	SEK 5.155,7O	-
Extras			
24050	Ceiling Cap - White	SEK II6,IO	-

### **AMBIT RAIL LAMP**





Shipper Colli

Gross Weight (kg)


Net Weight (kg) 2

**Bulb included** 

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
12250	Black	SEK 7.524,IO	-
12254	Dusty Green	SEK 7.524,IO	-
12251	Grey	SEK 7.524,IO	-
12253	Taupe	SEK 7.524,IO	-
12252	White	SEK 7.524,IO	-
Extras			
15802	Ambit Cord - Dusty Gren (per linear meter)	SEK 59,3O	-
15803	Ambit Cord - Grey (per linear meter)	SEK 59,3O	-
15806	Ambit Cord - Taupe (per linear meter)	SEK 59,3O	-
15804	Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	-
15801	Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O	-

### AMBIT WALL LAMP






Shipper Colli I
Gross Weight (kg) 1.734
Net Weight (kg) 1.04
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
15311	Black	SEK 3.138,1O	-
15313	Grey	SEK 3.138,1O	-
15314	Taupe	SEK 3.138,1O	-
15312	White	SEK 3.I38,IO	-
Extras			
15803	Ambit Cord - Grey (per linear meter)	SEK 59,3O	-
15806	Ambit Cord - Taupe (per linear meter)	SEK 59,3O	-
15804	Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	-
15801	Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O	-

#### **BEAM TABLE LAMP**

"The idea for the Beam Table Lamp came while renovating my childhood home. I had made a shelf to use as divider between the hallway and living room and needed a lamp that could at once throw light out into the living room and down the hallway. The Beam Table Lamp mimics a single ray of light that travels through a round tube with its dimmer allowing the user to change the volume of light omitted from both ends of the cylinder shape. Tweak the design to your personal needs through its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow. With the Beam Table Lamp, you can alter the volume of light omitted, change its direction by the turn of its base and place it on any shelf, table or windowsill for a new perspective on modern lighting."



#### Tom Chung

Designed by Tom Chung

**Environment** Indoor

Country of Production China

Cord Length 250 cm / 98.4"

**Light Source Included** Yes - integrated LED

Dimmable Function Yes

**Description** The Beam Table Lamp is a versatile table lamp with a modern expression and intuitive

user-friendliness. With light shone from both ends of a cylinder shape, the user can choose between three different volumes of light and gradually alter the volume of light emitted in each end through the turn of a playful dial. The Beam Table Lamp can be altered for any position with its rotating base and sleek body of anodized aluminum, whether it be as direct lighting or for an ambient glow in any home, offices, hotel room and educational areas.

Material Body in anodized aluminum for a matte feel and vibrant look. Cord in PVC. It has a built-in

energy efficient LED bulb. The lifetime of the LED bulb is defined as the time it takes until the light output/lumen maintenance reaches 90% (L90) of the initial output. The integrated bulb

has a lifespan/lumen maintenance (L9O) of 35,000 hours.

Cleaning  $\delta$  Care Clean with soft dry cloth only. Always switch off electricity supply before cleaning.



#### TESTS & CERTIFICATIONS

FU.

IEC 60598-I and IEC 60598-2-4 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/20O6 WEEE Directive - 2OI2/I9/EU

UK:

BS EN 60598-I and EN 60598-2-4
Electrical Equipment (Safety) Regulations 20I6
Electromagnetic Compatibility Regulations 20I6
The Restriction of the Use of Certain Hazardous Substances in
Electrical and Electronic Equipment Regulations 20I2
The Ecodesign for Energy-Related Products and Energy
Information (Amendment) (EU Exit) Regulations 20I9

The Eurasian Economic Union: TP TC OO4 and TP TC O2O

USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4



### **BEAM TABLE LAMP**





Shipper Colli I
Gross Weight (kg) 1.72
Net Weight (kg) 1.234

Bulb included Yes. Integrated non-replaceable LED

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
12124	Aluminum	SEK 2.536,IO	-
12121	Black	SEK 2.536,IO	-
12123	Green	SEK 2.536,IO	-
12122	Umber	SEK 2.536,IO	-

#### **CALM WALL LAMP**

"Scandinavian design is partially characterized by its great respect for nature in terms of materials and light; something that I wanted to infuse the Calm Wall Lamp with, creating a light that isn't tamed but instead has an organic flow. This makes for a beautiful gradient between light and shadows that is enhanced by its textile surface for a tactile appearance. The Calm Wall Lamp has a sculptural identity that brings a soft and calming yet powerful presence to any atmosphere."

#### Iskos Design



Designed by Iskos Design

Environment Indoor

Country of Production China

**Cord Length** 250 cm / 98.5"

Light Source Included Yes

Dimmable Function Yes

**Description** Calm Wall Lamp offers a new perspective on lightning altogether, with a rare blend of atmo-

spheric lighting and sculptural qualities. While it is inherently functional, it is also a work of art in its own right. Its textile surface gently diffuses the light, forming a gradient from its edge to the central light source. The ability to adjust the lighting temperature allows the user to create calm, atmospheric light according to their own preferences and needs. A matter rubber band

frames Calm Wall Lamp, lending a crisp edge to the softness of the organic design.

Material Extruded aluminum profile, steel mounting plates. Injection molded ABS cover, soft diffusing

textile shades (front and back). Integrated LED, that is temperature dimmable (dim to warmer lighting). Colored silicone band. Ø5O touch dim comes with a touch button and cable with a plug (no dimmer on the cable. All other sizes/variants come as hard-wired (Wall dim). Cord with inline dimmer and plug can be purchased separately and works for hard-wired versions.

Lumen Maintenance: 60.000h. Kelvin: 2200-3000K. CRI >90.

Clean gently with a dry cloth. Fabric shade: Wash cold 3O degrees C or 85 degrees F. Do not

bleach. Machine wash gentle or delicate. Flat dry. Do not tumble dry. Do not iron.

Always switch off electricity before cleaning.



#### TESTS & CERTIFICATIONS

FIJ

REACH Directive - EC/I9O7/20O6 IEC 60598-I and IEC 60598-2-I ROHS Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863 ECO Design Directive - 245/2009/EC Electromagnetic Compatibility (EMC) Directive - 20I4/30/EU WEEE Directive - 20I2/I9/EU

UK:

Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

Australia/New Zealand: AS/NZS 6O598.I and AS/NZS 6O598.2.I \*Does not apply to Ø5O Touch.

The Eurasian Economic Union: TP TC OO4 and TP TC O20

Fire test of textile: EN 13823:2010+A1:2014 and EN ISO 11925-2:2020 EN 13501-1: B-s1,d0



### CALM WALL LAMP / Ø 50 CM / 19.6"





Shipper Colli 2 Gross Weight (kg) 7.543 Net Weight (kg) 4.97

Bulb included Yes. Integrated, Non-replaceable LED.


Please note This lamp is hard-wired. A cord with inline dimmer and plug can be purchased separately.

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22635	White/Black	SEK 6.922,IO	-
22636	White/Grey	SEK 6.922,IO	-
22637	White/Orange	SEK 6.922,IO	-
Extras			
22690	Extra Silicone Band - Black - Ø 50 CM / 19.6"	SEK 417,10	-
22691	Extra Silicone Band - Grey - Ø 50 CM / 19.6"	SEK 417,10	-
22692	Extra Silicone Band - Orange - Ø 50 CM / I9.6"	SEK 417,10	-
22705	Add-on cord w.inline dim and plug - White - L 25O CM / 98.4"	SEK 571,9O	-



# CALM WALL LAMP / Ø 50 CM / 19.6" - TOUCH DIM





Shipper Colli 2 Gross Weight (kg) 7.793 Net Weight (kg) 4.97


Bulb included Yes. Integrated, Non-replaceable LED.


Please note This lamp comes with a touch dim button and a cable with plug.

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22620	White/Black	SEK 6.922,IO	-
22621	White/Grey	SEK 6.922,IO	-
22622	White/Orange	SEK 6.922,IO	-
Extras			
22707	Extra Silicone Band - Black - Ø 50 CM / 19.6" - Touch Dim	SEK 417,1O	-
22708	Extra Silicone Band - Grey - Ø 50 CM / 19.6" - Touch Dim	SEK 417,10	-
22709	Extra Silicone Band - Orange - Ø 50 CM / 19.6" - Touch Dim	SEK 417,10	-



### CALM WALL LAMP / Ø 68 CM / 26.7"





Shipper Colli 2
Gross Weight (kg) 9.893
Net Weight (kg) 6.18

Bulb included Yes. Integrated, Non-replaceable LED.


Please note This lamp is hard-wired. A cord with inline dimmer and plug can be purchased separately.

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22640	White/Black	SEK 9.455,7O	-
22641	White/Grey	SEK 9.455,7O	-
22642	White/Orange	SEK 9.455,7O	-
Extras			
22695	Extra Silicone Band - Black - Ø 68 CM / 26.7"	SEK 463,5O	-
22696	Extra Silicone Band - Grey - Ø 68 CM / 26.7"	SEK 463,5O	-
22697	Extra Silicone Band - Orange - Ø 68 CM / 26.7"	SEK 463,5O	-
22705	Add-on cord w.inline dim and plug - White - L 25O CM / 98.4"	SEK 571,9O	-



# 26% rabatt ska dras av på angivna priser CALM WALL LAMP / Ø 90 CM / 35.4"





Shipper Colli Gross Weight (kg) 14.82 8.3 Net Weight (kg)

Yes. Integrated, Non-replaceable LED. Bulb included

Please note This lamp is hard-wired. A cord with inline dimmer and plug can be purchased separately.

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22645	White/Black	SEK II.605,70	-
22646	White/Grey	SEK II.605,70	-
22647	White/Orange	SEK II.6O5,7O	-
Extras			
22705	Add-on cord w.inline dim and plug - White - L 250 CM / 98.4"	SEK 571,9O	-
22700	Extra Silicone Band - Black - Ø 90 cm / 35.4"	SEK 58O,5O	-
22701	Extra Silicone Band - Grey - Ø 90 cm / 35.4" SEK 580,50		-
22702	Extra Silicone Band - Orange - Ø 90 cm / 35.4"	SEK 580,50	-



#### **CONTROL TABLE LAMP**

"The Control Table Lamp is a unique and playful lamp with references to hi-fi and industrial machinery. The light and dimmer is controlled by a switch, referencing volume controls, and is an inviting and simple way of interacting with the user. While designing the lamp, we were inspired by the idea of displaying the different lamp components on a serving plate—almost as a still life. It was a pragmatic approach to making a lamp by the simplest means, a reduced design beyond reduction."

#### - TAF Studio



**Designed by** TAF Studio

Environment Indoor

Country of Production China

**Cord Length** 250 cm / 98.5"

Light Source Included Yes

Dimmable Function Yes

Socket Size E27

**Description** The Control Table Lamp places the iconic E27 bulb in a modern context. With the user being

able to alter the volume of light emitted according to their preferences through the playful turn of a dial, the Control Table Lamp combines industrial design with Scandinavian values.

Material The lamp's base is casted in aluminum, polished and finally powder coated. Cord in PVC.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

EN 60598-I and EN 60598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 6O598-I and EN 6O598-2-4  $\,$ 

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

USA/Canada:

UL STD. 153 / CSA STD. C22.2 NO.25O.4


Australia/New Zealand:

AS/NZS 6O598.1 and AS/NZS 6O598.2.4 \*Does not apply to the following colors: Red



### **CONTROL TABLE LAMP**





Shipper Colli I
Gross Weight (kg) I.4O55
Net Weight (kg) O.9125
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
15410	Black	SEK 1.5O4,IO	-
15412	Grey	SEK 1.5O4,1O	-
15413	Red	SEK 1.5O4,1O	-
15411	White	SEK 1.5O4,1O	-

#### **COSY IN GREY TABLE LAMP**

"The idea for the Cosy In Grey was to create a lamp that created a spatial atmosphere within the room. I put my trust in the natural material of glass; its beauty and changing reflections. The Cosy In Grey Table Lamp expresses the beauty of electrical light in a modern form. Whether it be early mornings, during lunch or a cold night, the Cosy In Grey Table Lamp will bring a warm and friendly atmosphere to any space."

#### - Harri Koskinen



Designed by Harri Koskinen

**Environment** Indoor

Country of Production China

**Cord Length** 260 cm / 102.25"

**Light Source Included** No. Only use dimmable bulb.

Dimmable Function Yes
Socket Size E27

**Description** With its modern shape in mouth-blown glass, the Cosy In Grey Table Lamp provides gentle

lighting through its dimmable naked bulb, encased in smoked grey glass. Place the Cosy In

Grey Table Lamp in any space for a new perspective on ambient lighting.

Material The Cosy in Grey Table Lamp is handmade, mouth blown in colored soda lime glass, cut

grinded and polished by hand. PVC cord with a dimmer, plastic socket and an internal clear

plastic construction to secure cord and socket. Bulb not included.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

EN 60598-I and EN 60598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 6O598-I and EN 6O598-2-4

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012


The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)

Regulations 2019



### **COSY IN GREY TABLE LAMP**





Shipper Colli I
Gross Weight (kg) 4.3
Net Weight (kg) 3.4

**Bulb included** 

Warranty Period 5 years

 Ready-To-Ship
 Grey
 SEK 2.317,70

#### **DEDICATE LAMP SERIES**

"From a design perspective, the Dedicate Lamp is a harmonious exploration of an iconic form, ingeniously enhancing its functionality while maintaining a strong connection to its original concept. This transformation pays homage to its predecessor, seamlessly melding tradition with innovation."

- Thomas Bentzen



Designed by Thomas Bentzen

Environment Indoor

Country of Production China

Cord Length 250 cm / 98.4"

**Light Source Included** Yes - integrated LED

Dimmable Function Yes

**Description** The Dedicate Table Lamp is a contemporary take on the classic architect lamp, where design

meets functionality seamlessly. Meticulously engineered, the lamp offers integrated cooling ribs, quality lighting, dimming, and an auto-turn-off feature — while guaranteeing steadiness through its flexible arms. Available in various sizes, the Dedicate Table Lamp caters to diverse

lighting needs and design preferences, providing a versatile lighting solution.

Material The lamp head and hinges are in die-casted aluminum, and the lamp arms are in extruded

aluminum. All powder coated. Diffuser in injection molded plastic. Table base in machined steel. Clamp in die-casted aluminum and screw in stainless steel—pin in machined steel screw

and fixing nut.

Integrated dimmable LED light source. Lumen: 750lm on IOO% brightness. Lumen Maintenance (80%): 35.000h. Kelvin: 3000K. CRI >90. The lamp comes with a built-in 8-hour timer.

Cleaning  $\delta$  Care Clean the Dedicate Lamp with a soft, dry cloth only. Always switch off the electricity supply

before cleaning.



# 26% rabatt ska dras av på angivna priser DEDICATE LAMP SERIES

#### TESTS & CERTIFICATIONS

EU:

IEC 60598-I and IEC 60598-2-4 Low Voltage Directive (LVD) - 20I4/35/EU ECO Design Directive - 245/2009/EC Electromagnetic Compatibility (EMC) Directive - 20I4/30/EU ROHS Directive - 20II/65/EU amended RoHS 3 Directive 20I5/863 REACH Directive - EC/I907/2006 WEEE Directive - 20I2/I9/EU

UK:

BS EN 60598-I and EN 60598-2-4
Electrical Equipment (Safety) Regulations 2016
Electromagnetic Compatibility Regulations 2016
The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012
The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)
Regulations 2019

USA/Canada: UL STD. 153 / CSA STD. C22.2 NO.250.4

Australia/New Zealand: AS/NZS 6O598.1 and AS/NZS 6O598.2.4



### **DEDICATE TABLE LAMP / SI**





Shipper Colli 2
Gross Weight (kg) 5.26
Net Weight (kg) 4.41
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14379	Black	SEK 4.037,70	-
14391	Brown Green	SEK 4.037,70	-

### **DEDICATE TABLE LAMP / S2**



38,9 cm / 15.31"


.i. ST / E5 0, %
19 cm / 7.48"

Shipper Colli 2
Gross Weight (kg) 5.59
Net Weight (kg) 4.52
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14380	Black	SEK 4.295,7O	-
14392	Brown Green	SEK 4.295,7O	-

### DEDICATE TABLE LAMP / L2





Shipper Colli 2
Gross Weight (kg) 5.74
Net Weight (kg) 4.555
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14381	Black	SEK 4.295,7O	-
14393	Brown Green	SEK 4.295,7O	-

# 26% rabatt ska dras av på angivna priser DEDICATE TABLE LAMP / W. CLAMP - SI





Shipper Colli Gross Weight (kg) 0.885 0.605 Net Weight (kg) Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Shi	p		
14382	Black	SEK 3.263,7O	-
14394	Brown Green	SEK 3.263,7O	-

# 26% rabatt ska dras av på angivna priser DEDICATE TABLE LAMP / W. CLAMP - S2






Shipper Colli Gross Weight (kg) 1.215 0.715 Net Weight (kg) Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14383	Black	SEK 3.482,IO	-
14395	Brown Green	SEK 3.482,IO	-



# 26% rabatt ska dras av på angivna priser DEDICATE TABLE LAMP / W. CLAMP - L2





Shipper Colli Gross Weight (kg) 1.365 0.75 Net Weight (kg) Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship	•		
14384	Black	SEK 3.482,IO	-
14396	Brown Green	SEK 3.482,IO	-

### **DEDICATE TABLE LAMP / W. PIN - SI**





Shipper Colli 2
Gross Weight (kg) 0.76407
Net Weight (kg) 0.58
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14385	Black	SEK 3.263,7O	-
14397	Brown Green	SEK 3.263,7O	-

### **DEDICATE TABLE LAMP / W. PIN - S2**






Shipper Colli 2
Gross Weight (kg) 1.235
Net Weight (kg) 0.69
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14386	Black	SEK 3.482,IO	-
14398	Brown Green	SEK 3.482,IO	-

### DEDICATE TABLE LAMP / W. PIN - L2





Shipper Colli 2
Gross Weight (kg) 1.385
Net Weight (kg) 0.725
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14387	Black	SEK 3.482,IO	-
14399	Brown Green	SEK 3.482,IO	-

### **DEDICATE WALL LAMP / SI**



Shipper Colli 2
Gross Weight (kg) 0.84
Net Weight (kg) 0.56
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14388	Black	SEK 3.263,7O	-
14400	Brown Green	SEK 3.263,7O	-

### **DEDICATE WALL LAMP / S2**




37.6 cm/ 12:31., 37.6 cm/ 14.8"

Shipper Colli 2
Gross Weight (kg) 1.17
Net Weight (kg) 0.67
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14389	Black	SEK 3.482,IO	-
14401	Brown Green	SEK 3.482,1O	-

### **DEDICATE WALL LAMP / L2**





Shipper Colli 2
Gross Weight (kg) 1.32
Net Weight (kg) 0.705
Warranty period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
14390	Black	SEK 3.482,IO	-
14402	Brown Green	SEK 3.482,IO	-



#### **E27 PENDANT LAMP**

"The simplicity of the naked bulb is hard to compete with. It stands for something that feels romantic and contemporary at the same time. The E27 Pendant Lamp departs from the essence of a lamp—the socket—creating a simple yet strong object that celebrates the potential beauty in simplicity."

— Mattias Ståhlbom



**Designed by** Mathias Ståhlbom

**Environment** Indoor

Country of Production China

**Cord Length** 400 cm / I57.5"

Light Source Included Yes

Dimmable Function Yes

Socket Size E27

**Description** The E27 Pendant Lamp joins together the ideas of industrial design and Scandinavian

simplicity. With its naked LED bulb and sleek in a playful silicone rubber material, the design makes for a simple yet distinctive addition to any space. Use the E27 Pendant Lamp on its own or in clusters for any space of a home, workplace, restaurant, educational institution or

retail space.

Material The E27 Pendant Lamp is pressed in vulcanised silicone rubber under high temperature. The

inside plastic socket and PVC cord is assembled by hand.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.



### **E27 PENDANT LAMP**

#### TESTS & CERTIFICATIONS

EU:

IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

#### UK:

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

#### USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I

Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.1 The Eurasian Economic Union: TP TC 004 and TP TC 020

#### China:

GB 7000.201 and GB 7000.1

\*Does not apply to the following colors: Beige-Green, Burgundy, Clay Brown



### **E27 PENDANT LAMP**





Shipper Colli I
Gross Weight (kg) O.7
Net Weight (kg) O.3
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
13355	Beige-Green	SEK 752,5O	-
13345	Black	SEK 752,5O	-
05291	Burgundy ***	SEK 752,5O	-
13330	Dark Green	SEK 752,5O	-
13340	Dark Grey ***	SEK 752,5O	-
13334	Deep Red	SEK 752,5O	-
13333	Dusty Lilac	SEK 752,5O	-
13331	Light Blue	SEK 752,5O	-
13347	Light Green	SEK 752,5O	-
13348	Light Grey	SEK 752,5O	-
13335	Light Orange	SEK 752,5O	-
13332	Midnight Blue	SEK 752,5O	-
13350	Mustard ***	SEK 752,5O	-
13353	Olive	SEK 752,5O	-
13356	Pale Blue	SEK 752,5O	-
13341	White	SEK 752,5O	-
Extras			
12270	E27 Cord - Dark Green (per linear meter)	SEK 26,00	-

E27 Cord - Deep Red (per linear meter)

E27 Cord - Dusty Lilac (per linear meter)

E27 Cord - Light Blue (per linear meter)

12278

12277

12275

SEK 26,00

SEK 26,00

SEK 26,00

Item No.	Color	Contract Price	Lead Time
12287	E27 Cord - Light Green (per linear meter)	SEK 26,00	-
12279	E27 Cord - Light Orange (per linear meter)	SEK 26,00	-
12276	E27 Cord - Midnight Blue (per linear meter)	SEK 26,00	-
12296	E27 Cord - Pale Blue (per linear meter)	SEK 26,00	-
12285	Unfold / E27 Cord - Black (per linear meter)	SEK 26,00	-
12297	Unfold / E27 Cord - Burgundy (per linear meter) ***	SEK 26,00	-
12280	Unfold / E27 Cord - Dark Grey (per linear meter)	SEK 26,00	-
12288	Unfold / E27 Cord - Light Grey (per linear meter)	SEK 26,00	-
12290	Unfold / E27 Cord - Mustard (per linear meter)	SEK 26,00	-
12293	Unfold / E27 Cord - Olive (per linear meter)	SEK 26,00	-
12281	Unfold / E27 Cord - White (per linear meter)	SEK 26,00	-
24050	Ceiling Cap - White	SEK II6,IO	-



#### **EASE PORTABLE LAMP**

"I wanted the Ease Portable Lamp to have a remarkable quality of light, striking a versatile balance between atmospheric and functional light — after all, that is the wonderful thing about a portable lamp — you can bring a distinct ambience to literally anywhere. I landed on the idea of the top and bottom gently touching, softly meeting each other. There is a sense of lightness to it. This feature allows a large surface to emit light, while the flared bottom firmly stabilizes it. It is these details that give the lamp a sort of human quality, making it a reliable friend."

#### - Johan van Hengel

Design by Johan van Hengel

Environment Indoor / Outdoor

Country of Production China

Cord Length 90 cm / 35.4" USB wire incl. charging dock (no power adapter included)

**Light Source Included** Yes - Integrated, non replaceable LED

Dimmable Function Yes - Three step dimming

**Description** Inspired by shapes of traditional table lamps, the Ease Portable Lamp transforms this typology

into a carriable size, suitable to take wherever. Ease offers a high-quality dimmable, no-glare light with three levels, striking a balance between atmospheric and functional light. The design has a distinct lightness to it, with the top and bottom gently touching. A slightly flared bottom mimics the lip of a vase in a grounding gesture that allows the base to be slimmer and easier to grab. Ease Portable Lamp is a humble friend with a strong character that works alone or in repetition in any setting; from the bedside, reading nook and home office to the restaurant or

café table, co-working space or library.

Material Battery-powered, dimmable and portable lamp with 8 hours of battery life on IOO% intensity, 16

hours on 50% intensity and 29 hours on 25% intensity. Body and lampshade made in injection-molded ABS plastic, with an integrated LED light source. Diffuser in opal acrylic. Charging dock made in injection-molded ABS plastic with USB-C cable. Lumen Maintenance (L7O): 52.000h.

Lumen: 23Olm on IOO% brightness. Kelvin: 27OOK. CRI >9O.

The Ease Portable lamp is suitable for outdoor use with an IP54 rating. The lamp is protected and tested against solid foreign objects, such as dust ingress, as well as liquids, such as water

splashes, from all angles.

Clean with a moist cloth. If necessary, use a little dish soap on the cloth.

#### TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-I

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2OI2/I9/EU

Electromagnetic Compatibility (EMC) Directive - 2014/30/EU

UK:

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I

Electrical Equipment (Safety) Regulations 2016

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)

Regulations 2019

Australia/New Zealand:

AS/NZS 60598.I and AS/NZS 60598.2.4



### **EASE PORTABLE LAMP**





Shipper Colli I
Gross Weight (kg) I
Net Weight (kg) O.6

Bulb included Yes. Integrated, dimmable, non-replaceable LED module.

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time	
Ready-To-Ship				
22740	Black	SEK 1.762,1O	-	
22741	Grey	SEK 1.762,1O	-	
22743	Light Blue	SEK 1.762,1O	-	
22742	Taupe	SEK 1.762,IO	-	
Extras				
22746	Ease Portable Lamp Dock - Black	SEK 214,1O	-	
22744	Portable Charging Station - Black	SEK 5.8O4,IO	-	



#### PORTABLE CHARGING STATION



Environment Indoor

Country of Production China

Assembly Required Yes. Only need to be mounted if needed.

Cord Length 30 cm / II.8I"

**Description** A charging tray unit allows one to charge 8 portable Ease Portable Lamps at the same time.

The system is scalable, as it allows one to stack trays, and the unit is easily made mobile by placing it on top a standard Euro container Dolly or trolley. This makes it a solution that fits the needs and requirements of a broad customer range; from small cafés and restaurants to large conference centers and hotels. The charging station is easy to assemble and comes flat

packed.

Materials Sheet metal, aluminum handles, ABS Charging docks.

Clean with a moist cloth. Always disconnect from electricity before cleaning.

Additional information Scalable system that allows up to 3 charging trays to be stacked on top of each other.

Dimensions on the charging tray is compatible to a standard Euro container Dolly or trolley. A dolly or trolley is not offered by Muuto. Height on tray incl. charging dock: 8 cm / 3.1"

#### TESTS & CERTIFICATIONS

EU:

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2006 WEEE Directive - 2012/I9/EU

Electromagnetic Compatibility (EMC) Directive - 2014/30/EU

UK

Electrical Equipment (Safety) Regulations 2OI6 - IEC 6O35-I and IEC 6O335-2  $\,$ 

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012


The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019



### PORTABLE LAMP CHARGING STATION





L 6O cm / 23.62"

Shipper Colli I
Gross Weight (kg) 9.2
Net Weight (kg) 7.7

Please note A maximum of 3 trays can be stacked on top of one another.

Warranty Period 5 years

Item No. Color Contract Lead Time Price

Ready-To-Ship

22744 Portable Charging Station - Black SEK 5.8O4,IO -

#### FLUID PENDANT LAMP

"We wanted to give the lamp a form with a certain softness, towards a more natural language and further removed from pure geometry. Fascinated by the way that surface tension governs the curvature of a resting water droplet, we have tried to capture its essence. The subtle irregularity of the Fluid Pendant Lamp means that their silhouette gently changes depending upon the viewing angle. It also brings a greater light intensity to the lamp's underside—just where you need it."

#### Claesson Kovisto Rune



Designed by Claesson Kovisto Rune

Environment Indoor

Country of Production China

**Cord Length** 350 cm / I37.75"

Light Source Included Ø42: No / Ø23: Yes

Dimmable Function Ø42: Yes / Ø23: No

Socket Size Ø42: E27 / Ø23: G9

Ceiling Cap Included Yes

**Description** Inspired by a resting drop of water, the Fluid Pendant Lamp shows how soft light can diffuse

across a space for a cosy atmosphere. The frosted matte surface creates a glowing ambience that fits into any home or casual business setting. Present the design individually or in a group

for an intimate atmosphere.

Material White silk matte opal glass, lid in Nylon 66 with fibre glass.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

IEC 60598-1 and IEC 60598-2-1

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2006 WEEE Directive - 20I2/I9/EU

UK:

BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 20I6 Electromagnetic Compatibility Regulations 20I6

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand:

AS/NZS 6O598.1 and AS/NZS 6O598.2.1


China:

GB 7000.201 and GB 7000.1



### FLUID PENDANT LAMP / LARGE





Shipper Colli

Gross Weight (kg) 4.95 Net Weight (kg) 3.1

**Bulb included** 

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
15401	Opal White	SEK 3.349,7O	-
Extras			
15804	Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	-
24052	Ceiling Cap for wire suspension lamps - White	SEK 262,3O	-

### FLUID PENDANT LAMP / SMALL





Shipper Colli I
Gross Weight (kg) 1.55
Net Weight (kg) 0.85
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
15400	Opal White - Small	SEK I.848,IO	-
Extras			
15804	Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	
24052	Ceiling Cap for wire suspension lamps - White	SEK 262,3O	-

#### **FOCUS TABLE LAMP**

"The Focus Table Lamp is an everyday object with a sculptural appeal and an apparent function: it is a lamp and a pedestal where your favorite small objects may be placed and highlighted. Working with the appearance and the delicate dimensions, I tried to give the lamp a unique personality characterized by an embracing and protective nature. The focus is on the pedestal and the object which is placed on it. Therefore, all components are fixed in position. Personally, the pedestal, with a cone of ambient light, solved my problem of misplacing my keys. Now I always know where they are."

#### Andreas Bergsaker

**Designed by** Andreas Bergsaker

**Environment** Indoor

Country of Production China

Light Source Included Yes

Dimmable Function No

Socket Size GUIO

**Description** Scandinavian in its expression, the Focus Table Lamp highlights its ash wood body with black

paint that allows for the texture of the wood to shine through. With a protruding base that is perfect for small items, the lamp fits seamlessly on a windowsill or shelf in need a bit of light.

Material Focus Lamp's wooden components are shaped on a lathe machine. The electrical parts are

hidden inside the lamps components, which are glued together to hide that they were ever

apart. Thereafter, the lamp is painted. Ash wood and PVC cord.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

EN 60598-I and EN 60598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK

BS EN 6O598-I and EN 6O598-2-4  $\,$ 

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012


The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019



### **FOCUS TABLE LAMP**





Shipper Colli I
Gross Weight (kg) 1.05
Net Weight (kg) 0.695

Bulb included Yes. Integrated LED.

Warranty Period 5 years

 Item No.
 Color
 Contract Price
 Lead Time

 Ready-To-Ship

 21952
 Black
 SEK I.339,IO

#### FINE SUSPENSION LAMP

"Fine Suspension Lamp is a minimal design refined to include only the essential; a slim light, a form-pressed fixture with aluminum end caps, a cord. We wanted it to feel delicate, almost jewelry-like — a sleek band of white light. It is a simple, raw expression of clarity and directness with an industrial character. Possible to hang both horizontally and vertically, we designed it so that the lamp's light source is laid bare, yet gives a no-glare, comfortable light."

#### - TAF Studio



**Designed by** TAF Studio

**Environment** Indoor

Country of Production China

Cord Length 400 cm / 157.5"

**Light Source Included** Yes - integrated LED

Dimmable Function Yes

**Description** Fine Suspension Lamp is a take on a classic tube light combining industrial minimalism with

refined detailing for a truly elegant expression. A uniquely versatile piece, it offers a myriad of options, available in three sizes that can be hung both horizontally and vertically, and as an ambient, general or task light with a 32O degree beam angle. These qualities make it a design with many faces; as understated lighting enhancing the space or a statement piece

whether hung alone and in clusters.

Material Body in pressure-die casted and extruded, powder coated aluminum. Diffuser in extruded

opaque plastic. Lamp driver integrated in white plastic canopy.

Dimmable, integrated and replaceable LED light designed for Right to Repair, meaning that light source can be replaced by an electrician only. Lumen maintenance: 35.000h. Kelvin:

2700K. CRI: >90.

Clean with moist cloth. Always switch off electricity supply before cleaning.

Additional Product Information Please note that the main wire connecting to the electrical outlet is not included, and it is the responsibility of the end user to make arrangements for installation. We recommend that any tasks related to high-voltage systems only be performed by a licensed electrical contractor.

#### TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-I

Low Voltage Directive (LVD) - 2014/35/EU

REACH Directive - EC/I9O7/2OO6

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic


Equipment Regulations 2012

The Eurasian Economic Union: TP TC 004 and TP TC 090



### FINE SUSPENSION LAMP / 60 CM / 23.5"





Shipper Colli I
Gross Weight (kg) I.O8
Net Weight (kg) O.65

Bulb included Yes. Integrated LED.

Warranty Period 5 years


 Ready-To-Ship
 SEK 3.482,IO

 22750
 Deep Red
 SEK 3.482,IO

 22751
 Grey
 SEK 3.482,IO

### FINE SUSPENSION LAMP / 90 CM / 35.5"






Shipper Colli I
Gross Weight (kg) 1.46
Net Weight (kg) 0.75


Bulb included Yes. Integrated LED.

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22755	Black	SEK 4.037,70	-
22757	Deep Red	SEK 4.037,70	-
22756	Grey	SEK 4.037,70	-

# FINE SUSPENSION LAMP / 120 CM / 47.25"





Shipper Colli I
Gross Weight (kg) 1.73
Net Weight (kg) O.8

Bulb included Yes. Integrated LED.

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22760	Black	SEK 4.639,7O	-
22762	Deep Red	SEK 4.639,7O	-
22761	Grey	SEK 4.639,7O	-

#### **LEAF LAMP SERIES**

"Combining a light and elegant design with an energy-efficient LED technology, the Leaf Lamp Series has a clean and refined expression. The asymmetric geometry of the design gives it an organic and friendly appearance, inspired by the leaves on a tree. Turn the Leaf Lamp according to your needs and discover how the lamp will subtly transform its shape, adding a graphic and gentle light silhouette to any space."

#### Broberg δ Ridderstråle



Designed by Broberg  $\delta$  Ridderstråle

Environment Indoor

Country of Production China

Cord Length 180 cm / 71"

**Light Source Included** Yes - integrated LED

Dimmable Function Yes

**Description** With its elegantly simple lines, the Leaf Lamp Series brings ambient as well as direct lighting

to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the

light as desired for one's individual space and atmosphere.

Material Aluminum, brass, colored PVC cord.

Leaf is a result of a process combining turned and casted aluminum and steel, with a strong

powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen

Maintenance (Lifetime) of L9O BIO 35.000 hours.

Cleaning  $\delta$  Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Do not use abrasive

cleaning agents. Always switch off the electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK

BS EN 60598-I and EN 60598-2-4

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

USA/Canada:

UL STD. 153 / CSA STD. C22.2 NO.25O.4

Australia/New Zealand:

AS/NZS 60598.I and AS/NZS 60598.2.4

\*Does not apply to the following colors: Copper Brown, Dark Green



### **LEAF TABLE LAMP**






Shipper Colli I
Gross Weight (kg) 2.5
Net Weight (kg) 1.75
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
13422	Black	SEK 2.536,IO	-
13423	Copper Brown	SEK 2.536,IO	-
13424	Dark Green	SEK 2.536,IO	-
13420	Grey	SEK 2.536,IO	-
13421	White	SEK 2.536,IO	

### LEAF FLOOR LAMP





Shipper Colli I
Gross Weight (kg) 5.2
Net Weight (kg) 2.8
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
13432	Black	SEK 3.482,IO	-
13433	Copper Brown	SEK 3.482,IO	-
13434	Dark Green	SEK 3.482,IO	-
13430	Grey	SEK 3.482,IO	-
13431	White	SEK 3.482.IO	-

#### LINEAR LAMP SERIES

"The Linear Lamp Series is designed from the idea of creating smaller atmospheres through modern light, bringing a sense of intimacy to larger spaces. With their elegant expression, subtle details and inherent functionality, the designs create space for both being and working on your own as well as making for a friendly environment when in the company of others. Use the Linear Lamp Series in any space in need of modern, functional lighting."

#### — Thomas Bentzen



Designed by Thomas Bentzen

Environment Indoor

Country of Production China

Cord Length Table Lamp: 250 cm / 98.4". Mounted Lamp: 150 cm / 59.1". Pendant Lamp: 400 cm / 157.5"

**Light Source Included** Yes - integrated LED

Dimmable Function Yes: Table Lamp and Mounted Lamp / No: Pendant Lamp

**Description** Designed from the idea of creating smaller spaces within larger settings, the Linear Lamp

Series by Thomas Bentzen is created with subtlety at its heart—simple lines, inviting functionalities and dimmable light that can be adjusted to any setting. The Linear Table  $\delta$  Mounted Lamps hint toward the archetypal library lamp with a modern expression, paired with the extensive functionality of dimmability. Available in two sizes, the Linear Mounted

Lamp brings a friendly canopy of light to any space.

Material Linear Pendant Lamp:

Powder coated lamp head in pressure die-casted and extruded aluminum.

Linear Table Lamp & Linear Mounted Lamp:

Powder coated lamp head in extruded aluminum. Diffuser in polycarbonate. PVC cord.

Cleaning  $\delta$  Care Clean with a moist cloth. If necessary, use a little dish soap on the cloth.



### LINEAR LAMP SERIES

#### TESTS & CERTIFICATIONS

EU:

Linear Table / Linear Mounted: IEC 60598-1 and IEC 60598-2-4

Linear Pendant:

IEC 60598-I and IEC 60598-2-I

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2OI2/I9/EU

UK:

Linear Table / Linear Mounted: BS EN 60598-I and EN 60598-2-4

Linear Pendant:

BS 4533-IO2.I, EN 6O598-2-I

Electrical Equipment (Safety) Regulations 2016

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

US/Canada:

UL 153 / CSA C22.2 No. 25O.4

Australia/New Zealand: Linear Table / Linear Mounted: AS/NZS 60598.I AS/NZS 60598.2.4 Linear Pendant: AS/NZS 60598.2.I



### LINEAR TABLE LAMP





Shipper Colli I
Gross Weight (kg) 1.832
Net Weight (kg) 1.3

Bulb included Yes. Integrated LED.


Warranty Period 5 years

 Ready-To-Ship
 22510
 Black
 SEK 9.536,IO

 22511
 Grey
 SEK 9.536,IO

### LINEAR PENDANT LAMP / 169,2 CM / 66.6"





Shipper Colli I
Gross Weight (kg) 5.185
Net Weight (kg) 3.3

Bulb included Yes. Integrated LED.

Warranty Period 5 years


 Ready-To-Ship
 SEK 7.305,70

 22519
 Grey
 SEK 7.305,70



### LINEAR PENDANT LAMP / 87,2 CM / 34.3"





Shipper Colli I
Gross Weight (kg) 3.485
Net Weight (kg) 2.2


Bulb included Yes. Integrated LED.

Warranty Period 5 years

 Ready-To-Ship
 22516
 Black
 SEK 5.546,IO

 22517
 Grey
 SEK 5.546,IO

# LINEAR MOUNTED LAMP / 209,2 CM / 82.4"





Shipper Colli I
Gross Weight (kg) 7.78
Net Weight (kg) 5.3

Please note The connector pins in this product contains lead, CAS no. 7439-92-1

Bulb included Yes. Integrated LED.

Warranty Period 5 years


 Ready-To-Ship
 22514
 Black
 SEK IO.315,7O

 22515
 Grey
 SEK IO.315,7O



### LINEAR MOUNTED LAMP / 23,2 CM / 9.1"





Shipper Colli I
Gross Weight (kg) 1.681
Net Weight (kg) O.78

Please note The connector pins in this product contains lead, CAS no. 7439-92-1

Bulb included Yes. Integrated LED.

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship	o		
22512	Black	SEK 3.138,1O	-
22513	Grey	SEK 3.138,1O	-



#### **GRAIN PENDANT LAMP**

"The Grain Pendant Lamp is a versatile light with a warm and welcoming appearance, complemented by a soft form that generously spreads the light underneath. The design is made from a unique mix of bamboo grain and plastic, adding a new perspective to the archetypal pendant lamp through its visual expression and matte touch."

- Jens Fager



Designed by Jens Fager

Environment Indoor

Country of Production China

**Cord Length** 400 cm / 157.5"

Light Source Included Yes

Dimmable Function Yes

Socket Size G9

Ceiling Cap Included Yes

**Description** The traditional pendant silhouette receives a poetic reinterpretation with the Grain Lamp.

Simple and elegant, the lamp has small grains of fiber in its surface, creating a subtle texture and change in the diffusion of light. The pendant includes an LED lightbulb that lasts for up to

IO,000 hours and provides a warm, natural glow.

Material Lamp Shade in mixture of bamboo fibers and polypropolene. PVC cord. The lamp's shade is

made under high pressure casting. Shade and electrical components are hereafter

assembled by hand.

Clean with a moist cloth. Always switch off the electricity supply before cleaning.



### **GRAIN PENDANT LAMP**

#### **TESTS & CERTIFICATIONS**

EU:

IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

#### UK:

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 20I6 Electromagnetic Compatibility Regulations 20I6 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20I2 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 20I9

USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.1

China:

GB 7000.201 and GB 7000.1



### **GRAIN PENDANT LAMP**





Shipper Colli I
Gross Weight (kg) I.17
Net Weight (kg) O.76
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
12237	Black	SEK 1.5O4,1O	-
12239	Blue-Grey	SEK 1.5O4,1O	-
12238	Dark Green	SEK 1.504,10	-
12235	Dusty Green	SEK 1.504,10	-
12232	Grey	SEK 1.5O4,1O	-
12233	Nature	SEK 1.5O4,1O	-
Extras			
15801	Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O	-
60285	Grain Cord - Blue-Grey (per linear meter)	SEK 59,3O	-
60284	Grain Cord - Dark Green (per linear meter)	SEK 59,3O	-
60282	Grain Cord - Dusty Green (per linear meter)	SEK 59,3O	-
60280	Grain Cord - Grey (per linear meter)	SEK 59,3O	
60281	Grain Cord - Nature (per linear meter)	SEK 59,3O	-
24050	Ceiling Cap - White	SEK II6,IO	-
21100	Dimmable Bulb for Fluid Small and Grain Pendant Lamp	SEK 193,50	

#### PITON PORTABLE LAMP

"My idea for Piton started from the desire to create a rechargeable portable lamp that could be adapted in a multitude of ways while functioning in various environments. I wanted the design to fulfill the inherent needs of a torch; providing security and warmth while clearly illuminating your field of vision. Piton takes its name from a climbing apparatus that is jammed into cracks and crevices on mountainsides to which the climber can attach hooks, tools and ropes while rigging it in various positions; an element that is also present in the design of the Piton Portable Lamp."

### — Tom Chung

Designed by Tom Chung

Environment Indoor / Outdoor

Country of Production China

Cord Length 300 cm textile USB cable (no power adapter included)

**Light Source Included** Yes - integrated LED

Dimmable Function Yes - Continuous

**Description** Piton is an untraditional take on the battery-powered portable lamp, playfully referencing the

archetypal flashlight. Refined anodized extruded aluminum enhances its elegant form and distinct functionality inspired by tools used for mountain climbing. It is a versatile ambient light with 6 hours of battery life on IOO\$ brightness and I3,5 hours on 5O\$ brightness that can be used lying, standing, tilting on a shelf or suspended, depending on the space or spot you

want to illuminate, effortlessly moving between indoors and outdoors.

Material Battery-powered portable lamp with 6 hours of battery life on IOO% brightness and 13,5 hours

on 50% brightness. Continuous dim function. Body made from anodized extruded aluminum. Lamp shade made in injection molded plastic with an integrated and replaceable LED light

bulb. Comes with a woven fabric USB-C cable for charging.

The Piton Portable Lamp is suitable for outdoor use with an IP54 rating. The lamp is protected and tested against solid foreign objects, such as dust ingress, as well as liquids, such as water

splashes, from all angles.

Clean with a moist cloth. If necessary, use a little dish soap on the cloth. Always switch off the

electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2OI2/I9/EU

Electromagnetic compatibility - EN IEC 55015 / EN IEC 61000 / EN 61547

UK

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

Electromagnetic compatibility - BS EN 6100 / BS EN 1EC 55015 / BS EN 61547


Australia/New Zealand: AS/NZS 60598.I / 60598.2.4 AS/NZS 61347.I / 61347.2.I3 IEC 6203I

IEC 62031 IEC TR62778



### PITON PORTABLE LAMP





Shipper Colli I
Gross Weight (kg) I.45
Net Weight (kg) O.55

Bulb included Yes. Integrated, dimmable, replaceable LED module.

Warranty period 5 years

 Item No.
 Color
 Contract Price
 Lead Time

 Ready-To-Ship

 22581
 Aluminum
 SEK 1.973,70

 22580
 Black
 SEK 1.973,70

#### **POST LAMP SERIES**

"The Post Lamp Series came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp's light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Lamp Series represents a new perspective through its graphic character and forward-thinking functionality."

#### - Earnest Studio



Designed by Earnest Studio

Environment Indoor

Country of Production China

Cord Length Lighting units: 250 cm / 98.4" / Power Hub: 200 cm / 78.7"

**Light Source Included** Yes - integrated LED

Dimmable Function Yes

**Description** The Post Lamp Series is an innovative lighting design with an archetypal appearance, graphic

character and forward-thinking functionalities. Exploring the utmost flexibility of a magnetic joint, the user can position, dim and turn the lamp according to individual needs. Arrange the cord of the design in linear or playful formations on the wall, using its cable drop. Additional

lighting units can be purchased as spare part and plugged into power hub.

Material Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffuser. Power

hub in powder coated plastic with PVC cord.

Post Wall Lamp:

Wall mounting bracket in powder coated steel. Wall cable drops in powder coated steel with

magnet and repositionable adhesive tape.

Post Floor Lamp:

Base in powder coated steel. Cable drops in powder coated plastic with magnet.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.



### **POST LAMP SERIES**

#### TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-4 Low Voltage Directive (LVD) - 2OI4/35/EU

ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/20O6 WEEE Directive - 20I2/I9/EU

HK.

BS EN 60598-I and EN 60598-2-4

Electrical Equipment (Safety) Regulations 2016

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU

Exit) Regulations 2019

The Eurasian Economic Union:

TP TC OO4 and TP TC O2O

USA/Canada:


UL STD. 153 / CSA STD. C22.2 NO.25O.4

Australia/New Zealand: AS/NZS 60598.1 / 60598.2.4



### **POST WALL LAMP**





Shipper Colli I
Gross Weight (kg) 1.05
Net Weight (kg) 0.55


Bulb included Yes. Integrated non-replaceable LED

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22601	Black	SEK 2.536,IO	-
Extras			
22509	Extra Wall Mount - Black	SEK 210,70	-
22499	Extra Cable Drops - Black ***	SEK 270,90	-
22602	Extra Lighting Unit - Black	SEK 2.192,1O	-

### POST FLOOR LAMP





Shipper Colli I
Gross Weight (kg) 12.5
Net Weight (kg) 10.2

Bulb included Yes. Integrated non-replaceable LED

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22600	Black	SEK 6.015,70	-
Extras			
22386	Extra Cable Drops - Black	SEK 270,90	-
22602	Extra Lighting Unit - Black	SEK 2.192,1O	-

#### **PULL FLOOR LAMP**

"The Pull Floor Lamp brings a new perspective to the traditional floor light through its playful personality and warm, Scandinavian materials. With its partially hidden cord connecting the elements of the design and allowing for adjusting of its shade, the Pull Lamp can be tweaked to the mood and needs of any space, enhancing the expression of the design as well as the ambience of the room."

#### - Whatswhat



Designed by Whatswhat

**Environment** Indoor

Country of Production Denmark

**Cord Length** 200 cm / 78,7"

Light Source Included No

Dimmable Function Yes - dimmable switch included

Socket Size E27

**Description** Taking cues from the materiality of Scandinavian design with a playful approach, the Pull

Floor Lamp's combines the warmth of oak with an adjustable shade, allowing for its direction

of light to be altered according to your given spatial needs.

Material Natural oak wood with white covered plast composite. Wood parts are handmade by manual

lathe and wood carving machines. Shade is hand crafted and handled carefully through

every step. Cord in PVC.

Cleaning  $\delta$  Care Wipe off dust with dry cloth. If necessary use moist cloth, then dry off. Always clean along the

grains of the wood. Always switch off the electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

IEC 60598-I and IEC 60598-2-4

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I907/2006 WEEE Directive - 2012/I9/EU

UK:

BS EN 60598-I and EN 60598-2-4

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)

Regulations 2019

USA/Canada:

UL STD. 153 / CSA STD. C22.2 NO.25O.4



### **PULL FLOOR LAMP**





Shipper Colli I
Gross Weight (kg) 7
Net Weight (kg) 3

**Bulb included** 

Warranty Period 5 years

 Item No.
 Color
 Contract Price
 Lead Time

 Ready-To-Ship

 12044
 Oak/White
 SEK 5.II6,IO

#### RIME PENDANT LAMP

"Designing simple things is often one of the hardest things to do. We wanted to create a simple lamp with a glass shape, giving it a soft expression while making its top and pendant tube as subtle as possible. We were inspired by the shape of acorns for the gentle lines of the pendant while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for the light to shine slightly through with a refined touch. The Rime Pendant Lamp brings a timeless yet modern perspective to the archetypal light through its translucent shade and graphic form."

#### - TAF Studio

Designed by TAF Studio

**Environment** Indoor

Country of Production

**Cord Length** 400 cm / I57.5"

Light Source Included Ø12 and Ø18: Yes / Ø25, Ø37 and Ø45: No

Poland

Dimmable Function Yes - If dimmable bulb is used

Socket Size Ø12 and Ø18: G9 / Ø25: E14 / Ø37 and Ø45: E27

Ceiling Cap Included Yes - for pendant lamp

Ø12, Ø18 and Ø25: Ø9 / 3.5" H 5,6 cm / 2.2 Ø37 and Ø45: Ø11 / 4.3" H 3,5 / 1.4"

**Description** The Rime Lamp Series brings an elegant perspective to the glass light through its semitrans-

parent glass that has been sandblasted for a refined expression. The design features a characteristic form, inspired by the shape of acorns, complemented by its powder coated

elements for a subtle touch.

\*Please note that the availability of sizes and/or colors of this product are subject to

regional stock levels.

Material Pendant:

Mouth-blown glass shade. Aluminum, powder coated top-piece and pendant tube. PVC cord.

Wall lamp:

Mouth-blown glass shade. Wall bracket in aluminum, pressure die-casted and powder

coated.

Wall bracket in steel and chrome plated.

Cleaning  $\delta$  Care Clean with a moist cloth. If necessary, use a little dish soap on the cloth.

Always switch off the electricity supply before cleaning.



#### RIME PENDANT LAMP

#### TESTS & CERTIFICATIONS

EU:

IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 20I6 Electromagnetic Compatibility Regulations 20I6 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20I2 The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 20I9

USA/Canada\*:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand\*\*: AS/NZS 6O598.1 and AS/NZS 6O598.2.1

- \* Does not apply to Rime Ø12 and Rime Wall
- \*\* Does not apply to Rime Wall



# 26% rabatt ska dras av på angivna priser RIME PENDANT LAMP / Ø 12 CM / 4.7"





Shipper Colli Gross Weight (kg) 2.1 0.8 Net Weight (kg) **Bulb included** Yes **Warranty Period** 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22414	Black	SEK 1.973,7O	-
22240	Deep Red	SEK 1.973,7O	-
22418	Grey	SEK 1.973,7O	-
22422	Orange	SEK 1.973,7O	-
22410	White	SEK 1.973,7O	-
Extras			
22540	Rime Cord for Ø12+Ø18+25 - Grey (per linear meter)	SEK 34,00	-
22541	Rime Cord Ø12+Ø18+25 cm - Orange (per linear meter)	SEK 34,00	-
15804	Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	-
15801	Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O	-
15800	Rime Cord for Ø12+Ø18+25 - Deep Red (per linear meter)	SEK 59,3O	-

### RIME PENDANT LAMP / Ø 18 CM / 7.1"





Shipper Colli Gross Weight (kg) 1.912 0.712 Net Weight (kg) **Bulb included** Yes **Warranty Period** 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22251	Black	SEK 2.364,IO	-
22254	Deep Red	SEK 2.364,IO	-
22252	Grey	SEK 2.364,IO	-
22253	Orange	SEK 2.364,IO	-
22250	White	SEK 2.364,IO	-
Extras			
22540	Rime Cord for Ø12+Ø18+25 - Grey (per linear meter)	SEK 34,00	-
22541	Rime Cord Ø12+Ø18+25 cm - Orange (per linear meter)	SEK 34,00	-
15804	Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	-
15801	Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O	-
15800	Rime Cord for Ø12+Ø18+25 - Deep Red (per linear meter)	SEK 59,3O	-

# 26% rabatt ska dras av på angivna priser RIME PENDANT LAMP / Ø 25 CM / 9.8"





Shipper Colli Gross Weight (kg) 3.4 1.5 Net Weight (kg)

**Bulb included** 

**Warranty Period** 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22415	Black	SEK 3.138,1O	-
22241	Deep Red	SEK 3.138,1O	-
22419	Grey	SEK 3.138,1O	-
22423	Orange	SEK 3.138,1O	-
22411	White	SEK 3.138,1O	-
Extras			
22540	Rime Cord for Ø12+Ø18+25 - Grey (per linear meter)	SEK 34,00	-
22541	Rime Cord Ø12+Ø18+25 cm - Orange (per linear meter)	SEK 34,00	-
15804	Fluid / Rime Ø12+Ø18+25 Cord - White (per linear meter)	SEK 59,3O	-
15801	Grain / Rime Ø12+Ø18+25 Cord - Black (per linear meter)	SEK 59,3O	-
15800	Rime Cord for Ø12+Ø18+25 - Deep Red (per linear meter)	SEK 59,3O	-

# 26% rabatt ska dras av på angivna priser RIME PENDANT LAMP / Ø 37 CM / 14.6"





Shipper Colli Gross Weight (kg) 6.5 3.5


Net Weight (kg) **Bulb included** 

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22416	Black	SEK 4.295,7O	-
22242	Deep Red	SEK 4.295,7O	-
22420	Grey	SEK 4.295,7O	-
22424	Orange	SEK 4.295,7O	-
22412	White	SEK 4.295,7O	-
Extras			
22542	Rime Cord Ø37 + 45 cm - Black (per linear meter)	SEK 69,00	-
22549	Rime Cord Ø37 + 45 cm - Deep Red (per linear meter)	SEK 69,00	-
22545	Rime Cord Ø37 + 45 cm - Grey (per linear meter)	SEK 69,00	-
22546	Rime Cord Ø37 + 45 cm - Orange (per linear meter)	SEK 69,00	-
22543	Rime Cord Ø37 + 45 cm - White (per linear meter)	SEK 69,00	-

# 26% rabatt ska dras av på angivna priser RIME PENDANT LAMP / Ø 45 CM / 17.7"





Shipper Colli Gross Weight (kg) Net Weight (kg)


**Bulb included** 

**Warranty Period** 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22417	Black	SEK 5.8O4,IO	-
22243	Deep Red	SEK 5.8O4,IO	-
22421	Grey	SEK 5.8O4,IO	-
22425	Orange	SEK 5.8O4,IO	-
22413	White	SEK 5.8O4,IO	-
Extras			
22542	Rime Cord Ø37 + 45 cm - Black (per linear meter)	SEK 69,00	-
22549	Rime Cord Ø37 + 45 cm - Deep Red (per linear meter)	SEK 69,00	-
22545	Rime Cord Ø37 + 45 cm - Grey (per linear meter)	SEK 69,00	-
22546	Rime Cord Ø37 + 45 cm - Orange (per linear meter)	SEK 69,00	-
22543	Rime Cord Ø37 + 45 cm - White (per linear meter)	SEK 69,00	-

### RIME WALL LAMP





Shipper Colli I
Gross Weight (kg) O.694
Net Weight (kg) O.3
Bulb included Yes
Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22427	Black	SEK 3.005,70	-
22428	Grey	SEK 3.005,70	-
22429	Orange	SEK 3.005,70	-
22426	White	SEK 3.005,70	-

#### STRAND LAMP SERIES

"The Strand Pendant Lamp is formed from a sprayed cocoon material with its cloud-like appearance that tightly clings to a spinning steel frame. It consists of tiny strands for a complex, intriguing structure that shrouds the light source while acting as its diffuser. With its see-through expression, the cocoon material allows for the Strand Pendant Lamp to filter light for a warm, comfortable glow. Designed in various sizes and shapes, the Strand Pendant Lamp hovers lightly in space, bringing comfort, harmony and a refined sensitivity into any room."

#### - Benjamin Hubert

Designed by Benjamin Hubert

Environment Indoor

Country of Production Italy

**Cord Length** Ø28 δ Ø40: 300 cm / II8.I"

Ø45, Ø60 & Ø80: 500 cm / 196.9"

Table: 250 cm / 98.4"

Light Source Included No.

Dimmable Function Yes - if dimmable bulb is used

Socket Size E27

Ceiling Cap Included Yes

**Description** The Strand Pendant Lamp is designed with soft, playful forms for a modern expression. The

design provides both diffused lighting and direct lighting, the latter through its top and bottom opening. The design is made in a sprayed cocoon material that consists of tiny strands for a complex, intriguing structure that, paired with its modern form, gives the Strand Pendant Lamp an almost cloud-like appearance. With its cocoon material filtering light through for a warm, comfortable glow, the Strand Pendant Lamp hovers lightly in space,

bringing comfort, harmony and a refined sensitivity to any room.

The Strand Table Lamp references design history while remaining distinctly modern. Its shape is soft and playful, a sculptural design fitted with a hidden light source that illuminates the whole of its monolithic form. The lamp is made in a sprayed cocoon material that consists of tiny strands for a complex, intriguing structure that gives the Strand Table Lamp an almost cloud-like appearance. Filtering light through for a warm, comfortable glow, it brings a sense

of comfort, harmony and a refined sensitivity to any room.

Material The Strand Pendant Lamp is made of a cocoon layer with an inner steel structure, a PVC cord

and PVC covered steel wire.

The Strand Table Lamp is made of a cocoon layer with inner steel structure, base in iron and

aluminum, PVC cord with inline dimmer.

Cleaning  $\delta$  Care Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

Additional info Please note that the Open Ø60, Closed Ø45, Ø60 and Ø80 come with a wire suspension

system with three metal wires. Metal wires 490 cm. Cord length 500 cm. Total possible suspension length from ceiling 480 cm.



## 26% rabatt ska dras av på angivna priser STRAND LAMP SERIES

#### TESTS & CERTIFICATIONS

IEC 60598-I and IEC 60598-2-I

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2OO6 WEEE Directive - 2012/19/EU

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 2016

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand:\* AS/NZS 6O598.1 and AS/NZS 6O598.2.1

The Eurasian Economic Union: TP TC OO4 and TP TC O2O  $\,$ 

GB 7000.201 and GB 7000.1

\* Does not apply to Strand Table Lamp



# STRAND PENDANT LAMP / OPEN - Ø 28 CM / II"





Shipper Colli I
Gross Weight (kg) 2.35
Net Weight (kg) 1.4

**Bulb included** 

Warranty Period 5 years

 Ready-To-Ship
 22450
 White - Open
 SEK 3.435,70

# STRAND PENDANT LAMP / OPEN Ø 40 CM / 16"





Shipper Colli I
Gross Weight (kg) 3.7
Net Weight (kg) 2.1

**Bulb included** 

Warranty Period 5 years


 Item No.
 Color
 Contract Price
 Lead Time

 Ready-To-Ship

 22451
 White - Open
 SEK 4.639,7O

# STRAND PENDANT LAMP / OPEN - Ø 60 CM / 23.5"





Shipper Colli I
Gross Weight (kg) 6.6

Net Weight (kg) Bulb included

Warranty Period 5 years

4.05

 Item No.
 Color
 Contract Price
 Lead Time

 Ready-To-Ship

 22452
 White-Open
 SEK 6.359,70

# STRAND PENDANT LAMP / CLOSED Ø 45 CM / 17.7"





Shipper Colli

Gross Weight (kg) 4.29

2.1

Net Weight (kg) Bulb included

Warranty Period 5 years

Item No. Color Contract Lead Time Price

Ready-To-Ship

22368 White - Closed SEK 5.202,IO

# STRAND PENDANT LAMP / CLOSED - Ø 60 CM / 23.5"





Shipper Colli I
Gross Weight (kg) 8.4
Net Weight (kg) 5.4


**Bulb included** 

Warranty Period 5 years

 Ready-To-Ship
 22453
 White - Closed
 SEK 6.992,IO

### STRAND PENDANT LAMP / CLOSED - Ø 80 CM / 31.5"





Shipper Colli

Gross Weight (kg)

11.05

6.35

Net Weight (kg)

**Bulb included** 

**Warranty Period** 5 years

Item No. Color Contract Price


**Lead Time** 

Ready-To-Ship

22454 White - Closed SEK 8.642,IO

### STRAND TABLE LAMP





D 29 cm / II.6"

Shipper Colli I
Gross Weight (kg) 5
Net Weight (kg) 2.9

**Bulb included** 

Warranty Period 5 years

 Item No.
 Color
 Contract Price
 Lead Time

 Ready-To-Ship

 22729
 White
 SEK 5.II6,IO

#### TIP LAMP SERIES

"The Tip Lamp Series is a simplistic and friendly design featuring a characteristic architectural silhouette. During the design process, we focused on polishing every single detail alongside the design's functionality. I wanted to reduce the design to the very essence of its purpose—intending to create a product that anyone would understand and be able to use in their daily lives. Its molded body gives the Tip Lamp Series a clean and precise look, highlighting its appearance of quality."

#### Jens Fager



Designed by Jens Fager

Environment Indoor

Country of Production China

**Cord Length** 250 cm / 98.5"

**Light Source Included** Yes - integrated LED

Dimmable Function Yes

**Description** Created from the idea of stripping a design down to its essentials, the Tip Lamp Series is an

example of simple, functional design with careful attention to detail. Offering direct as well as ambient light, the lamp's adjustable head feature an opal diffuser and dimmer function that

effortlessly alters the volume of light.

Material Casted and extruded aluminum. It has a build-in energy-efficient LED bulb with a Lumen

Maintenance (Lifetime) of L9O BIO 35.000 hours. Cord in PVC.

Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

Tip Table / Tip Floor: IEC 6O598-I and IEC 6O598-2-4

Tip Wall: IEC 60598-1 and IEC 60598-2-1 Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/20O6 WEEE Directive - 2OI2/I9/EU

UK:

Tip Table / Tip Floor: BS EN 6O598-I and EN 6O598-2-4 Tip Wall: BS EN 6O598-I and BS 4533-IO2.I, EN 6O598-2-I

Electrical Equipment (Safety) Regulations 2016 Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit)

Regulations 2019

USA/Canada:

Tip Table & Tip Wall: UL STD. 153 / CSA STD. C22.2 NO.25O.4 Tip Wall: UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand\*:

Tip Table & Tip Wall: AS/NZS 6O598.1 and AS/NZS 6O598.2.4 Tip Wall: AS/NZS 6O598.1 and AS/NZS 6O598.2.1

\*Does not apply to the following colors: Copper Brown, Grey



<sup>\*</sup>Does not apply to Tip Floor Lamp

### TIP TABLE LAMP





Shipper Colli I
Gross Weight (kg) 2.4
Net Weight (kg) 1.5

Bulb included Yes. Integrated LED.

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22321	Black	SEK 2.536,IO	-
22323	Copper Brown	SEK 2.536,IO	-
22320	Grey	SEK 2.536,IO	-
22322	White	SEK 2.536,IO	-

### **TIP FLOOR LAMP**





Shipper Colli I
Gross Weight (kg) 5.6
Net Weight (kg) 2.65

Bulb included Yes. Integrated LED.

Warranty Period 5 years

 Item No.
 Color
 Contract Price
 Lead Time

 Ready-To-Ship


 22317
 Black
 SEK 4.037,70

 22316
 Grey
 SEK 4.037,70

 22318
 White
 SEK 4.037,70

## TIP WALL LAMP





Shipper Colli I
Gross Weight (kg) O.75
Net Weight (kg) O.45

Bulb included Yes. Integrated LED.

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22326	Black	SEK 1.762,IO	-
22328	Copper Brown	SEK 1.762,1O	-
22325	Grey	SEK 1.762,1O	-
22327	White	SEK 1.762,IO	-

#### TOP PENDANT LAMP

"Top Lamp is our interpretation of the archetypical coneshaped pendant, with a universal and simple design. The lamp's distinctive top encases its most innovative part—the energyefficient LED light source. Manufactured in spun steel with a graphic rolled hem, the versatile series offers an array of sizes and colors and is as much at home above a bustling bistro table as in the intimate ambiance of a living room."

#### - Big-Game



**Design by** Big-Game

Environment Indoor

Country of Production China

**Cord Length** 400 cm / 197"

Light Source Included Yes

Dimmable Function Yes

Socket Size GX53

Ceiling Cap Included Yes

**Description** With its universal and simple design, Top Pendant Lamp is a contemporary reinterpretation of

the archetypical cone-shaped pendant. Its top is a striking feature designed to neatly fit its compact LED light source. Manufactured in spun steel with a graphic rolled hem, it is a versatile

lighting family that offers an array of opportunities in color, size and function.

Material Spun steel shade with a high gloss powder paint finish. PVC cord. Socket and canopy in ABS.

GX53 light bulb included.

Cleaning  $\delta$  Care Clean the lamp with a soft dry cloth only. Always switch off electricity supply before cleaning.

#### TESTS & CERTIFICATIONS

EU:

IEC 6O598-I and IEC 6O598-2-I

Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/2OO6

UK:

BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 20I6 Electromagnetic Compatibility Regulations 20I6

The Restriction of the Use of Certain Hazardous Substances in Electrical and

Electronic Equipment Regulations 2012 The Ecodesign for Energy-Related Products


Australia/New Zealand:

AS/NZS 60598.1 and AS/NZS 60598.2.1



# 26% rabatt ska dras av på angivna priser TOP PENDANT LAMP / Ø 21 CM / 8.3"






Shipper Colli Gross Weight (kg) 1.54 0.82 Net Weight (kg) Yes **Bulb included Warranty Period** 5 Years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22868	Dark Green	SEK 1.5O4,1O	-
22867	Deep Red	SEK 1.5O4,1O	-
22865	Grey	SEK 1.5O4,1O	-
22866	Sand	SEK 1.504,10	-

# 26% rabatt ska dras av på angivna priser TOP PENDANT LAMP / Ø 28 CM / II"






Shipper Colli Gross Weight (kg) 2.13 1.09 Net Weight (kg) **Bulb included** Yes **Warranty Period** 5 Years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22863	Dark Green	SEK 2.317,7O	-
22862	Deep Red	SEK 2.317,7O	-
22860	Grey	SEK 2.317,7O	-
22861	Sand	SEK 2.317,7O	-

# 26% rabatt ska dras av på angivna priser TOP PENDANT LAMP / Ø 36 CM / 14.2"






Shipper Colli Gross Weight (kg) 2.68 1.3 Net Weight (kg) **Bulb included** Yes **Warranty Period** 5 Years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22858	Dark Green	SEK 2.106,10	-
22857	Deep Red	SEK 2.106,10	-
22855	Grey	SEK 2.106,10	-
22856	Sand	SEK 2.106,10	-

# 26% rabatt ska dras av på angivna priser TOP PENDANT LAMP / Ø 38 CM / 15"





Shipper Colli Gross Weight (kg) 3.32 1.57 Net Weight (kg) **Bulb included** Yes **Warranty Period** 5 Years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
22853	Dark Green	SEK 2.88O,IO	-
22852	Deep Red	SEK 2.88O,IO	-
22850	Grey	SEK 2.88O,IO	-
22851	Sand	SEK 2.88O,IO	-

#### **UNFOLD PENDANT LAMP**

"We wanted to bring a new perspective to the classic industrial light with the Unfold Pendant Lamp, creating an expression that is at once timeless and modern. To achieve this, the design comes in a rubber silicone material for a playful and tactile character along with a matte touch. With its modern and flexible material, the Unfold Pendant Lamp can be folded into a flat box for eco-friendly shipping and a contemporary look."

#### - Form Us With Love



**Designed by** Form Us With Love

Environment Indoor

Country of Production China

**Cord Length** 260 cm / I4I.5"

Light Source Included No

Dimmable Function Yes - if dimmable bulb is used

Socket Size E27

Ceiling Cap Included Yes

**Description** A quirky take on the industrial pendant lampshade, the Unfold Pendant Lamp useful in any

home or professional space. Made of soft silicone rubber, the pendant is available in a wide

range of colors to brighten any room.

Material Shade in silicone rubber, PVC cord. Diffuser clear frosted opal acrylic material. The shade is

pressed in vulcanised rubber under high temperature. Diffuser and socket holder cut by laser.

Clean with soft dry/wet cloth. Always switch off the electricity supply before cleaning.

# 26% rabatt ska dras av på angivna priser UNFOLD PENDANT LAMP

#### TESTS & CERTIFICATIONS

EU:

IEC 60598-I and IEC 60598-2-I Low Voltage Directive (LVD) - 2014/35/EU ECO Design Directive - 245/2009/EC ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863 REACH Directive - EC/1907/2006 WEEE Directive - 2012/19/EU

UK:

Electrical Equipment (Safety) Regulations 2016
Electromagnetic Compatibility Regulations 2016
The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I

Australia/New Zealand: AS/NZS 60598.1 and AS/NZS 60598.2.1

The Eurasian Economic Union: TP TC OO4 and TP TC O2O

China:

GB 7000.201 and GB 7000.1



### **UNFOLD PENDANT LAMP**





Contract

Shipper Colli I
Gross Weight (kg) 1.8
Net Weight (kg) 1.26

**Bulb included** 

Item No.

Warranty Period 5 years

Color

		Price	
Ready-To-Ship			
14210	Beige-Rose	SEK 1.848,10	
14201	Black	SEK 1.848,1O	
14200	Dark Grey	SEK I.848,IO	
	<u> </u>	·	-
14206	Dusty Red ***	SEK I.848,IO	-
14204	Green	SEK I.848,IO	-
14203	Light Grey	SEK I.848,IO	-
14208	Mustard	SEK I.848,IO	-
14211	Olive	SEK I.848,IO	-
14205	Orange	SEK I.848,IO	-
14209	Terracotta	SEK I.848,IO	-
14207	White	SEK I.848,IO	-
14202	Yellow ***	SEK I.848,IO	-
Extras			
12292	Unfold / E27 Cord - Beige-Rose (per linear meter)	SEK 26,00	-
12285	Unfold / E27 Cord - Black (per linear meter)	SEK 26,00	-
12280	Unfold / E27 Cord - Dark Grey (per linear meter)	SEK 26,00	-
12288	Unfold / E27 Cord - Light Grey (per linear meter)	SEK 26,00	-
12290	Unfold / E27 Cord - Mustard (per linear meter)	SEK 26,00	-
12293	Unfold / E27 Cord - Olive (per linear meter)	SEK 26,00	-
12281	Unfold / E27 Cord - White (per linear meter)	SEK 26,00	-
12298	Unfold Cord - Green (per linear meter)	SEK 26,00	-

**Lead Time** 

Item No.	Color	Contract Price	Lead Time
12299	Unfold Cord - Dusty Red (per linear meter)	SEK 26,00	-
12289	Unfold Cord - Orange (per linear meter) ***	SEK 26,00	-
12291	Unfold Cord - Terracotta (per linear meter)	SEK 26,00	-
12282	Unfold Cord - Yellow (per linear meter) ***	SEK 26,00	-
24050	Ceiling Cap - White	SEK II6,IO	-



#### UNDER THE BELL PENDANT LAMP

"Under The Bell is more than just a lampshade—when situated over a table or in an open space, the bell-shaped light creates its own space within the environment. As such, the design embraces and shelters the people underneath, both in a physical and abstract manner, for an intimate atmosphere. The design is made using fibers from recycled plastic bottles that, along with its unique shape, enables Under The Bell to absorb sound and improve the acoustics of any room."

#### - Iskos-Berlin



Design by Iskos-Berlin

**Environment** Indoor

Country of Production Germany

**Cord Length** 500 cm / 197"

Light Source Included No

**Dimmable Function** Yes - if dimmable bulb is used

Socket Size E27
Ceiling Cap Included Yes

Description Designed in a material that uses up to 41% fibers from recycled plastic bottles, the Under The

Bell Pendant Lamp not only brings a tactile and modern expression to any space but also impacts the acoustics of a room through its soft shade, paired with its graphic lines and subtle

color palette.

Material Shade made using up to 41% fibers from recycled plastic bottles. Rubber cord.

 $\hbox{\bf Cleaning $\delta$ Care } \\ \hbox{\bf Vacuum to remove dust. Clean off any marks with a clean moist cloth. Always switch off the } \\$ 

electricity supply before cleaning.

#### UNDER THE BELL PENDANT LAMP

#### TESTS & CERTIFICATIONS

EU:

IEC 6O598-1 and IEC 6O598-2-1 Low Voltage Directive (LVD) - 2O14/35/EU ECO Design Directive - 245/2OO9/EC

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

REACH Directive - EC/I9O7/20O6 WEEE Directive - 2OI2/I9/EU

UK:

BS EN 60598-I and BS 4533-I02.I, EN 60598-2-I Electrical Equipment (Safety) Regulations 20I6 Electromagnetic Compatibility Regulations 20I6

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

USA/Canada:

UL STD. 1598 / CSA STD. C22.2 NO.25O.O

Australia/New Zealand: AS/NZS 6O598.1 and AS/NZS 6O598.2.1

The Eurasian Economic Union: TP TC OO4 and TP TC O2O


China:

GB 7000.201 and GB 7000.1



# UNDER THE BELL PENDANT LAMP / Ø 55 CM / 21.7"





Shipper Colli I
Gross Weight (kg) 2.35
Net Weight (kg) I.15


**Bulb included** 

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
21361	Black	SEK 4.639,7O	-
21364	Dark Green	SEK 4.639,7O	-
21362	Grey	SEK 4.639,7O	-
21363	White Mélange	SEK 4.639,7O	-
Extras			
60362	Under the Bell Cord - Black (per linear meter)	SEK 27,00	-
60364	Under the Bell Cord - Dark Green (per linear meter)	SEK 27,00	-
60363	Under the Bell Cord - Grey (per linear meter)	SEK 27,00	-
60361	Under the Bell Cord - White Mélange (per linear meter)	SEK 27,00	-
24050	Ceiling Cap - White	SEK II6,IO	-

# UNDER THE BELL PENDANT LAMP / Ø 82 CM / 32.25"





Shipper Colli

Gross Weight (kg) 4.95

2.35

Net Weight (kg)

**Bulb included** 

Warranty Period 5 years

Item No.	Color	Contract Price	Lead Time
Ready-To-Ship			
21351	Black	SEK 5.8O4,IO	-
21354	Dark Green	SEK 5.8O4,IO	-
21352	Grey	SEK 5.8O4,IO	-
21353	White Mélange	SEK 5.8O4,IO	-
Extras			
60362	Under the Bell Cord - Black (per linear meter)	SEK 27,00	-
60364	Under the Bell Cord - Dark Green (per linear meter)	SEK 27,00	-
60363	Under the Bell Cord - Grey (per linear meter)	SEK 27,00	-
60361	Under the Bell Cord - White Mélange (per linear meter)	SEK 27,00	-
24050	Ceiling Cap - White	SEK II6,IO	-

# **COLOR CODE INDEX**

PRODUCT Ambit Pendant Øl6,5 - Black	COLOR CODES EXTERIOR: Black (RAL 7021), INTERIOR: White (RAL 9016)	NEAREST MATCH EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S
Ambit Pendant Ø16,5 - Dusty Green	EXTERIOR: Dusty Green (RAL 140 60 10), INTERIOR: White	O3OO-N EXTERIOR: Pantone 5635 C, NCS S 4OIO-GIOY, INTERIOR:
Ambit Pendant Ø16,5 - Grey	(RAL 9016) EXTERIOR: Grey (RAL 7040), INTERIOR: White (RAL 9016)	NCS S 0300-N EXTERIOR: Pantone Cool Grey 7C, NCS 4005-R80B,
Ambit Pendant Ø16,5 - Light Blue	EXTERIOR: Light Blue (NCS 1515-R8OB). INTERIOR (RAL 9016)	INTERIOR: NCS S 0300-N EXTERIOR: Pantone 537 C, RAL Design 260 80 IO. INTERIOR:
Ambit Pendant Ø16,5 - Taupe	EXTERIOR: Taupe (NCS S 6005-Y50R), INTERIOR: White (RAL	NCS S 0300-N EXTERIOR: Pantone Warm grey IO, RAL Classic 7006
Ambit Pendant Ø16,5 - White	9016) EXTERIOR: White (RAL 9016), INTERIOR: White (RAL 9016)	EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S
Ambit Pendant Ø25 - Black	EXTERIOR: Black (RAL 7021), INTERIOR: White (RAL 9016)	O3OO-N EXTERIOR: Pantone 426 C, NCS 85O5-R8OB, INTERIOR: NCS S
Ambit Pendant Ø25 - Dusty Green	EXTERIOR: Dusty Green (RAL 140 60 10), INTERIOR: White	0300-N EXTERIOR: Pantone 5635 C, NCS S 4010-GIOY, INTERIOR:
Ambit Pendant Ø25 - Grey	(RAL 9016) EXTERIOR: Grey (RAL 7040), INTERIOR: White (RAL 9016)	NCS S 0300-N EXTERIOR: Pantone Cool Grey 7C, NCS 4005-R80B,
Ambit Pendant Ø25 - Light Blue	EXTERIOR: Light Blue (NCS 1515-R8OB). INTERIOR (RAL 9016)	INTERIOR: NCS S 0300-N EXTERIOR: Pantone 537 C, RAL Design 260 80 IO. INTERIOR:
Ambit Pendant Ø25 - Taupe	EXTERIOR: Taupe (NCS S 6005-Y50R), INTERIOR: White (RAL	NCS S 0300-N EXTERIOR: Pantone Warm grey IO, RAL Classic 7006
Ambit Pendant Ø25 - White	9016) EXTERIOR: White (RAL 9016), INTERIOR: White (RAL 9016)	EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S 0300-N
Ambit Pendant Ø4O - Black Ambit Pendant Ø4O - Dusty Green	Black (RAL 7021) EXTERIOR: Pantone 5635 C, NCS S 4010-GIOY, INTERIOR:	Pantone 426 C, NCS 8505-R80B EXTERIOR: Dusty Green (RAL I40 60 IO), INTERIOR: White
Ambit Pendant Ø4O - Grey	NCS S 0300-N EXTERIOR: Grey (RAL 7040), INTERIOR: White (RAL 9016)	(RAL 9016) EXTERIOR: Pantone Cool Grey 7C, NCS 4005-R80B,
·		INTERIOR: NCS S 0300-N
Ambit Pendant Ø40 - Light Blue  Ambit Pendant Ø40 - Rose - DISC, WHEN OOS	EXTERIOR: Light Blue (NCS 1515-R8OB). INTERIOR (RAL 9016)	EXTERIOR: Pantone 537 C, RAL Design 260 80 IO. INTERIOR: NCS S 0300-N
Ambit Pendant Ø40 - Kose - DISC, WHEN OOS  Ambit Pendant Ø40 - Taupe	EXTERIOR: Rose (RAL 040 80 IO), INTERIOR: White (RAL 90I6) EXTERIOR: Taupe (NCS \$ 6005-Y50R), INTERIOR: White (RAL	EXTERIOR: Pantone 76   C, NCS S   15   O-R, INTERIOR: NCS S   0300-N   EXTERIOR: Pantone Warm grey IO, RAL Classic 7006
Ambit Pendant Ø4O - White	90(6) EXTERIOR: White (RAL 90(6), INTERIOR: White (RAL 90(6))	EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S
Ambit Pendant Ø55 - Black	EXTERIOR: Write (RAL 7016), INTERIOR: Write (RAL 7016)  EXTERIOR: Black (RAL 7021), INTERIOR: White (RAL 9016)	O300-N EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S
Ambit Pendant Ø55 - Black  Ambit Pendant Ø55 - Dusty Green	EXTERIOR: Bluck (RAL 702), INTERIOR: White (RAL 9010)	0300-N EXTERIOR: Pantone 5635 C, NCS S 4010-GIOY, INTERIOR:
Ambit Pendant Ø55 - Brey	(RAL 9016)	NCS \$ 0300-N
, and the second	EXTERIOR: Grey (RAL 7040), INTERIOR: White (RAL 9016)	EXTERIOR: Pantone Cool Grey 7C, NCS 4005-R80B, INTERIOR: NCS S 0300-N
Ambit Pendant Ø55 - Light Blue	EXTERIOR: Light Blue (NCS 1515-R8OB). INTERIOR (RAL 9016)	EXTERIOR: Pantone 537 C, RAL Design 260 80 IO. INTERIOR: NCS S 0300-N
Ambit Pendant Ø55 - Taupe  Ambit Pendant Ø55 - White	EXTERIOR: Taupe (NCS \$ 6005-Y50R), INTERIOR: White (RAL 9016)	EXTERIOR: Pantone Warm grey IO, RAL Classic 7006  EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S
Ambit Rail - Black	EXTERIOR: White (RAL 9016), INTERIOR: White (RAL 9016)  EXTERIOR: Black (RAL 7021), INTERIOR: White (RAL 9016)	O3OO-N EXTERIOR: Pantone 426 C, NCS 85O5-R8OB, INTERIOR: NCS S EXTERIOR: Pantone 426 C, NCS 85O5-R8OB, INTERIOR: NCS S
Ambit Rail - Bidck  Ambit Rail - Dusty Green	EXTERIOR: Bluck (RAL 702), INTERIOR: White (RAL 9010)	O3OO-N EXTERIOR: Pantone 5635 C, NCS S 4010-GIOY, INTERIOR:
Ambit Rail - Grey	(RAL 9016) EXTERIOR: Grey (RAL 7040), INTERIOR: White (RAL 9016)	NCS S 0300-N EXTERIOR: Pantone Cool Grey 7C, NCS 4005-R80B,
Ambit Rail - Taupe	EXTERIOR: Taupe (NCS S 6005-Y50R), INTERIOR: White (RAL	INTERIOR: NCS S 0300-N EXTERIOR: Pantone Warm grey IO, RAL Classic 7006
Ambit Rail - White	9016) RAL 9016	EXTERIOR: Pantone 426 C, NCS 8505-R80B, INTERIOR: NCS S
Ambit Wall Lamp L37 - Black	EXTERIOR: Black (RAL 7021), INTERIOR: White (RAL 9016)	O3OO-N EXTERIOR: Pantone 426 C, NCS 85O5-R8OB, INTERIOR: NCS S
Ambit Wall Lamp L37 - Grey	EXTERIOR: Grey (RAL 7040), INTERIOR: White (RAL 9016)	O3OO-N EXTERIOR: Pantone Cool Grey 7C, NCS 4005-R80B,
Ambit Wall Lamp L37 - Taupe	EXTERIOR: Taupe (NCS S 6005-Y50R), INTERIOR: White (RAL	INTERIOR: NCS S 0300-N EXTERIOR: Taupe (NCS S 6005-Y50R), INTERIOR: White (RAL
Ambit Wall Lamp L37 - White Calm Wall Lamp Ø5O/19.6" - Touch Dim - Black	90(6) EXTERIOR: White (RAL 90(6), INTERIOR: White (RAL 90(6))	9016) EXTERIOR: White (RAL 9016), INTERIOR: White (RAL 9016)
	PROFILE: RAL 9016, SILICONE BAND: RAL 9017, CABLE W. PLUG: RAL 9016 PROFILE: RAL 9016, SILICONE BAND: RAL 7044, CABLE W.	-
Calm Wall Lamp Ø50/19.6" - Touch Dim - Grey	PLUG: RAL 9016	-
Calm Wall Lamp Ø50/19.6" - Touch Dim - Orange  Calm Wall Lamp Ø50/19.6" - Wall Dim - Black	PROFILE: RAL 9016, SILICONE BAND: RAL 2000, CABLE W. PLUG: RAL 9016 PROFILE: RAL 9016, SILICONE BAND: 9017	·
Calm Wall Lamp Ø50/19.6" - Wall Dim - Grey Calm Wall Lamp Ø50/19.6" - Wall Dim - Grey Calm Wall Lamp Ø50/19.6" - Wall Dim - Orange	PROFILE: 9016, SILICONE BAND: 7044	
Calm Wall Lamp Ø68/26.8'' - Wall Dim - Black	PROFILE: 9016, SILICONE BAND: 2000 PROFILE: RAL 9016, SILICONE BAND: 9017	
Calm Wall Lamp Ø68/26.8" - Wall Dim - Grey Calm Wall Lamp Ø68/26.8" - Wall Dim - Orange	PROFILE: 9016, SILICONE BAND: 7044 PROFILE: 9016, SILICONE BAND: 2000	-
Calm Wall Lamp Ø90/35.4" - Wall Dim - Black Calm Wall Lamp Ø90/35.4" - Wall Dim - Grey	PROFILE: RAL 9016, SILICONE BAND: 9017 PROFILE: 9016, SILICONE BAND: 7044	-
Calm Wall Lamp Ø90/35.4" - Wall Dim - Orange Control Lamp - Black	PROFILE: 9016, SILICONE BAND: 2000 Black	- (close to RAL 702I)
Control Lamp - Grey Control Lamp - Red	Grey (Pantone 7534 C) Red (Pantone 7619 C)	RAL Design 090 80 10, NCS S 1505-G90Y RAL Design 040 50 60
Control Lamp - White Dedicate Table Lamp L2 - Black	White (RAL 9016) RAL 9011	NCS S 0300-N -
Dedicate Table Lamp L2 - Brown Green Dedicate Table Lamp L2 w. Clamp - Black	NCS S 6030-G90Y RAL 9011	
Dedicate Table Lamp L2 w. Clamp - Brown Green Dedicate Table Lamp L9 w. Pin - Black	NCS \$ 6030-G90Y RAL 9011	:
Dedicate Table Lamp L2 w. Pin - Brown Green	NCS S 6030-G90Y	
Dedicate Table Lamp SI - Black Dedicate Table Lamp SI - Brown Green	RAL 9011 NCS S 6030-G90Y	
Dedicate Table Lamp SI w. Clamp - Black Dedicate Table Lamp SI w. Clamp - Brown Green	RAL 9011 NCS S 6030-G90Y	•
Dedicate Table Lamp SI w. Pin - Black Dedicate Table Lamp SI w. Pin - Brown Green	RAL 9011 NCS S 6030-G90Y	•
Dedicate Table Lamp S2 - Black Dedicate Table Lamp S2 - Brown Green	RAL 9011 NCS S 6030-G90Y	
•		



PRODUCT	COLOR CODES	NEAREST MATCH
Dedicate Table Lamp S2 w. Clamp - Black	RAL 90II	•
Dedicate Table Lamp S2 w. Clamp - Brown Green Dedicate Table Lamp S2 w. Pin - Black	NCS \$ 6030-G90Y RAL 90II	
Dedicate Table Lamp S2 w. Pin - Brown Green	NCS S 6030-G90Y	-
Dedicate Wall Lamp L2 - Black	RAL 90II	-
Dedicate Wall Lamp L2 - Brown Green Dedicate Wall Lamp SI - Black	NCS S 6030-G90Y RAL 90II	-
Dedicate Wall Lamp SI - Black  Dedicate Wall Lamp SI - Brown Green	NCS S 6030-G90Y	· -
Dedicate Wall Lamp S2 - Black	RAL 90II	-
Dedicate Wall Lamp S2 - Brown Green E27 - Black - LED	NCS S 6030-G90Y	PAL Profess COOLE CO. NICS S COOL N
E27 - Biack - LED E27 - Burgundy - LED	Pantone 426 C Pantone 504 C	RAL Design 000 I5 00, NCS S 9000-N NCS S 6030-RIOB, RAL Design 360 30 20
E27 - Dark Green - LED	RAL 6009	Pantone 5535 U
E27 - Dark Grey - LED - DISC WHEN OOS	Pantone Cool Grey II U	RAL Classic 7037, NCS S 5005-R80 B
E27 - Deep Red - LED E27 - Dusty Lilac - LED	RAL 8015 RAL 4009	Pantone 1815 U Pantone 5215 U
E27 - Light Blue - LED	NCS S 1515-R8OB	Pantone 65I U
E27 - Light Green - LED	Pantone 5645 C	RAL Design 140 70 10, NCS S 3010-G20Y
E27 - Light Grey - LED E27 - Light Orange - LED	Pantone Cool Grey 4 C RAL 2000	RAL Design 000 75 00, NCS S 2500-N Pantone I30 U
E27 - Midnight Blue - LED	RAL 50II	Pantone 289 U
E27 - Mustard - LED - DISC WHEN OOS	Pantone I245 C	RAL Classic 1005, NCS S 2070-YIOR
E27 - Olive - LED E27 - Pale blue - LED	RAL 7002 Pantone 2137 C	Pantone 7497 C, NCS S 5010-G90Y NCS S 4030-R80B, RAL Design 260 50 25
E27 - White - LED	RAL 9016	NCS S 0300-N
Ease Portable Lamp - Black	RAL 90II	NCS S 8500-N, Pantone 426 C
Ease Portable Lamp - Grey Ease Portable Lamp - Light Blue	RAL 7044 NCS S 2020-R90B	NCS S 2502-Y, Pantone 401 U RAL 250 70 15, Pantone 2155 C
Ease Portable Lamp - Taupe	RAL 7006	NCS S 6005-Y20R, Pantone 404 C
Fine Suspension Lamp - LI2Ocm - Black - EU	RAL 90II	NCS S 9000-N, Pantone 426 C
Fine Suspension Lamp - LI2Ocm - Deep Red - EU	RAL 8015	NCS S 7020-Y80R, Pantone 4695 C
Fine Suspension Lamp - LI2Ocm - Grey - EU Fine Suspension Lamp - L6Ocm - Black - EU	RAL 7044 RAL 90II	NCS S 2502-Y, Pantone 413 C NCS S 9000-N, Pantone 426 C
Fine Suspension Lamp - L6Ocm - Deep Red - EU	RAL 8015	NCS S 7020-Y80R, Pantone 4695 C
Fine Suspension Lamp - L6Ocm - Grey - EU	RAL 7044	NCS S 25O2-Y, Pantone 4I3 C
Fine Suspension Lamp - L9Ocm - Black - EU Fine Suspension Lamp - L9Ocm - Deep Red - EU	RAL 90II RAL 80I5	NCS S 9000-N, Pantone 426 C NCS S 7020-Y80R, Pantone 4695 C
Fine Suspension Lamp - L9Ocm - Grey - EU	RAL 7044	NCS S 2502-Y, Pantone 413 C
Focus Table Lamp - Black	Black (RAL 9017)	Pantone Black C, NCS S 9000-N
Grain Pendant - Black Grain Pendant - Blue Grey	Pantone Black 6 C NCS S 6010-R90B	RAL Design 000 70 00, NCS S 3502-B, Pantone Black 6 C
Grain Pendant - Blue Grey Grain Pendant - Dark Green ***	RAL 6012	•
Grain Pendant - Dusty Green	Pantone 5555 C	RAL Design 16O 5O 15, NCS S 5O2O-B9OG, Pantone 5555 C
Grain Pendant - Grey	Pantone cool gry 7 C	RAL Classic 7004, NCS S 4000-N, Pantone cool gry 7 C
Grain Pendant - Nature Leaf Lamp - Large - Black	Pantone 7575 C RAL 9011	RAL Design 070 40 30, NCS 6030-Y20R, Pantone 7575 C NCS S 9000-N, Pantone 426 C
Leaf Lamp - Large - Copper Brown	Copper Brown (RAL 8004)	Pantone I685 C, NCS S 5040-Y60R
Leaf Lamp - Large - Dark Green	Dark Green (RAL 6012)	·
Leaf Lamp - Large - Grey Leaf Lamp - Large - White	RAL 7040 RAL 9016	NCS S 4005-R80B, Pantone Cool Grey 7C NCS S 0300-N
Leaf Lamp - Small - Black	Black (RAL 90II)	NCS S 9000-N, Pantone 426 C
Leaf Lamp - Small - Copper Brown	Copper Brown (RAL 8004)	Pantone I685 C, NCS S 5040-Y60R
Leaf Lamp - Small - Dark Green	Dark Green (RAL 6012)	NICS S 400E BROB Bantona Coal Gray 7C
Leaf Lamp - Small - Grey Leaf Lamp - Small - White	RAL 7040 White (RAL 9016)	NCS S 4005-R80B, Pantone Cool Grey 7C NCS S 0300-N
Linear - Mounted Lamp - 209,2 cm - Black - EU	RAL 90II	-
Linear - Mounted Lamp - 209,2 cm - Grey - EU	RAL 7044	-
Linear - Mounted Lamp - 23,2 cm - Black - EU Linear - Mounted Lamp - 23,2 cm - Grey - EU	RAL 90II RAL 7044	•
Linear - Pendant Lamp - 169,2 cm - Black - EU	RAL 90II	-
Linear - Pendant Lamp - 169,2 cm - Grey - EU	RAL 7044	-
Linear - Pendant Lamp - 87,2 cm - Black - EU Linear - Pendant Lamp - 87,2 cm - Grey - EU	RAL 90II RAL 7044	
Linear - Table Lamp - Black - EU	RAL 90II	
Linear - Table Lamp - Grey - EU	RAL 7044	-
Portable Charging Station - Black - EU Post - Floor Lamp - Black	RAL 90II RAL 90II	NCS S 8500-N, Pantone 426 C NCS S 9000-N, Pantone 426 C
Post - Wall Lamp - Black	RAL 90II	NCS S 9000-N, Pantone 426 C
Rime Pendant - Ø12 - Black	TOP & CORD: Black (RAL 9011), LAMPSHADE: Etched Glass	-
Rime Pendant - Ø12 - Deep Red Rime Pendant - Ø12 - Grey	RAL 8015 TOP & CORD: Grey (RAL 7044), LAMPSHADE: Etched Glass	NCS S 7020-Y80R, Pantone 4695 C
Rime Pendant - Ø12 - Grey	TOP & CORD: Orange (RAL 2000), LAMPSHADE: Etched	-
<u> </u>	Glass	
Rime Pendant - Ø12 - White	TOP & CORD: White (RAL 9016), LAMPSHADE: Etched Glass	- NGS S 0000 NL Bantono 404 C
Rime Pendant - Ø18 - Black Rime Pendant - Ø18 - Deep Red	RAL 9011 RAL 8015	NCS S 9000-N, Pantone 426 C NCS S 7020-Y80R, Pantone 4695 C
Rime Pendant - Ø18 - Grey	RAL 7044	NCS S 25O2-Y, Pantone 4I3 C
Rime Pendant - Ø18 - Orange Rime Pendant - Ø18 - White	RAL 2000 RAL 9016	Pantone 2019 C NCS S 0300-N
Rime Pendant - Ø25 - Black	TOP & CORD: Black (RAL 9011), LAMPSHADE: Etched Glass	-
Rime Pendant - Ø25 - Deep Red	RAL 8015	NCS S 7020-Y80R, Pantone 4695 C
Rime Pendant - Ø25 - Grey	TOP & CORD: Grey (RAL 7044), LAMPSHADE: Etched Glass	•
Rime Pendant - Ø25 - Orange	TOP & CORD: Orange (RAL 2000), LAMPSHADE: Etched Glass	•
Rime Pendant - Ø25 - White	TOP & CORD: White (RAL 9016), LAMPSHADE: Etched Glass	-
Rime Pendant - Ø37 - Black	TOP & CORD: Black (RAL 9011), LAMPSHADE: Etched Glass	-
Rime Pendant - Ø37 - Deep Red Rime Pendant - Ø37 - Grey	RAL 8015 TOP & CORD: Grey (RAL 7044), LAMPSHADE: Etched Glass	NCS S 7020-Y80R, Pantone 4695 C
Rime Pendant - Ø37 - Grey	TOP & CORD: Orange (RAL 2000), LAMPSHADE: Etched	•
	Glass	
Rime Pendant - Ø37 - White	TOP & CORD: White (RAL 9016), LAMPSHADE: Etched Glass	•
Rime Pendant - Ø45 - Black Rime Pendant - Ø45 - Deep Red	TOP & CORD: Black (RAL 9011), LAMPSHADE: Etched Glass RAL 8015	- NCS S 7020-Y80R, Pantone 4695 C
Rime Pendant - Ø45 - Grey	TOP & CORD: Grey (RAL 7044), LAMPSHADE: Etched Glass	*
Rime Pendant - Ø45 - Orange	TOP & CORD: Orange (RAL 2000), LAMPSHADE: Etched	•
Rime Pendant - Ø45 - White	Glass TOP & CORD: White (RAL 9016), LAMPSHADE: Etched Glass	
Rime Wall - Black	RAL 90II	
Rime Wall - Grey ***	RAL 7044	•
Rime Wall - Orange Rime Wall - White ***	RAL 2000 RAL 9016	
Tip Floor Lamp - Black	RAL 90II	Pantone 426 C, RAL Design 000 I5 00
Tip Floor Lamp - Grey	RAL 7044	NCS-S 2502-Y, Pantone 413 C
Tip Floor Lamp - White Tip Table Lamp - Black	RAL 9016 Black (RAL 9011)	NCS S 0500-N Pantone 426 C, RAL Design 000 15 00
, management	4 · · · · · · · · · · · · · · · · · · ·	,



### **PRODUCT**

Tip Table Lamp - Copper Brown Tip Table Lamp - Grey Tip Table Lamp - White Tip Wall Lamp - Black Tip Wall Lamp - Copper Brown Tip Wall Lamp - Grey

Tip Wall Lamp - White
Top Pendant Lamp - ØgI - Dark Green - EU
Top Pendant Lamp - ØgI - Deep Red - EU
Top Pendant Lamp - ØgI - Grey - EU
Top Pendant Lamp - ØgI - Sand - EU
Top Pendant Lamp - Øg8 - Dark Green - EU
Top Pendant Lamp - Øg8 - Deep Red - EU
Top Pendant Lamp - Øg8 - Grey - EU
Top Pendant Lamp - Øg8 - Grey - EU
Top Pendant Lamp - Øg8 - Sand - EU
Top Pendant Lamp - Øg8 - Deep Red - EU
Top Pendant Lamp - Ø36 - Deep Red - EU
Top Pendant Lamp - Ø36 - Sand - EU
Top Pendant Lamp - Ø36 - Sand - EU
Top Pendant Lamp - Ø38 - Dark Green - EU
Top Pendant Lamp - Ø38 - Dark Green - EU
Top Pendant Lamp - Ø38 - Deep Red - EU
Top Pendant Lamp - Ø38 - Sand - EU
Top Pendant Lamp - Ø38 - Sand - EU
Top Pendant Lamp - Ø38 - Sand - EU

Unfold - Beige-Rose Unfold - Black Unfold - Dark Grey Unfold - Dusty Red Unfold - Green Unfold - Light Grey Unfold - Mustard Unfold - Olive Unfold - Terracotta Unfold - Terracotta Unfold - White

### **COLOR CODES**

Copper Brown (RAL 8004)
RAL 7044
White (RAL 9016)
RAL 8001
RAL 8001
RAL 8004
RAL 7044
RAL 7044
RAL 7044
NCS \$ 8505-G20Y
RAL 8015
RAL 7044
NCS \$ 8505-G20Y
RAL 8015
RAL 7044
NCS \$ 2010-Y30R
NCS \$ 8505-G20Y
RAL 8015
RAL 7044
NCS \$ 2010-Y30R
NCS \$ 8505-G20Y
RAL 8015
RAL 7044
NCS \$ 2010-Y30R
NCS \$ 8505-G20Y
RAL 8015
RAL 7044
NCS \$ 2010-Y30R
NCS \$ 8505-G20Y
RAL 8015
RAL 7044
NCS \$ 2010-Y30R
NCS \$ 8505-G20Y
RAL 8015
RAL 7044
NCS \$ 2010-Y30R
Pontone 7690 C
Pontone 426 U
Pantone 7691 C
Pontone 5695 C

Pantone Cool Grey 4 C Pantone 1245 C RAL 7002

Pantone 1655 Pantone 7607C

RAL 9016

### **NEAREST MATCH**

Pantone 1685 C, NCS S 5040-Y60R

NICS S OSOO-N

Pantone 426 C, RAL Design 000 I5 00 Pantone I685 C, NCS S 5040-Y60R

NCS S 0500-N

RAL JAO 20 OS, Pantone Black 3 C
NCS S 7020-Y80R, Pantone 4695 C
NCS S 2502-Y, Pantone 413 C
RAL JO75 80 20, Pantone 2310 C
RAL IAO 90 OS, Pantone Black 3 C
NCS S 7020-Y80R, Pantone 435 C
RAL O75 80 20, Pantone Black 3 C
NCS S 7020-Y80R, Pantone 4495 C
NCS S 2502-Y, Pantone 413 C
RAL JO75 80 20, Pantone Black 3 C
NCS S 7020-Y80R, Pantone 4695 C
NCS S 2502-Y, Pantone 413 C
RAL JO75 80 20, Pantone 2310 C
RAL IAO 20 OS, Pantone 2310 C
RAL O75 80 20, Pantone 2310 C
RAL O75 80 20, Pantone 2310 C
RAL O75 80 20, Pantone 2310 C
RAL Design O00 15 OO, NCS S 2000-N
RAL Classic 7037, NCS S 5005-R80 B
RAL Design 150 50 IO, NCS S 5010-GIOY
RAL Design 150 50 IO, NCS S 5010-GIOY
RAL Classic 2004, NCS S 0585-Y70R
NCS S 3040-Y80R
NCS S 3040-Y80R
NCS S 3040-Y80R

RAL Design 090 80 90, NCS S 0570-G90Y



# **TEXTILE OPTIONS**

Striving to work with the best suppliers, the textiles used for Muuto products are by four different companies: Danish Kvadrat and Swedish Nevotex along with both Arve from Italy and Rohlede from Germany'—all suppliers that have been selected on the basis of their extensive knowledge within the field and state-of-the-art material qualities.

\*Upholstered Muuto products that have the Declare Living Building Challenge Compliant certification only have the certification when upholstered with the following Kvadrat textiles: Canvas, Clara, Divina, Divina MD, Divina Mélange, Fiord, Hallingdal, Remix, Steelcut, Steelcut Trio and Vidar.



### ACCA BY KVADRAT


Designer: Sahco Upholstery.

Composition: 35% viscose, 33% recycled cotton, 25% recycled polyester, 7% recycled polyacrylic. Durability: 50.000 Martindale / Lightfastness 5-6 (ISO I-8).

Sustainability: Recycled content. Complies with Greenguard Gold Certification.








### BALDER BY KVADRAT

Designer: Fanny Aronsen. Composition: 68% new wool, 26% cotton, 6% nylon. Durability: IOO.OOO Martindale / Lightfastness 6.

Sustainability: Natural fibres / Sustainable resource. Complies with Greenguard Gold Certification.








# BECK BY MAHARAM

Composition: 788 wool, 228 nylon. Durability: IOO.000 Martindale / Lightfastness AATCC 16.3, 40+ hours. Sustainability: Complies with Greenguard Gold Certification.







984

996

# CANVAS BY KVADRAT

Designer: Giulio Ridolfo.
Composition: 90% new wool worsted, IO% nylon.
Durability: IOO.000 Martindale / Lightfastness 5-7 (ISO I-8).



124 134 154 174 216 224 244 254 264 356 364 374 414	
127 137 137 137 210 221 244 234 204 330 304 374 414	424
446 454 546 556 566 576 614 644 654 666 674 684 694	716
726 734 746 764 786 794 836 854 926 936 946 954 964	974

983

987




CLARA BY KVADRAT

Designer: Anne Birgitte Hansen. Composition: 928 new wool worsted. Durability: 80.000 Martindale.

888



Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.



937



793

647

### CLAY BY KVADRAT

884

797

Designer: Vincent Van Duysen for Kvadrat. Composition: 768 Linen, 218 Cotton, 38 Polyester. Durability: 45.000 Martindale / Lightfastness 4-6. Sustainability: Complies with Greenquard Certification.

933



13





# COLLINE BY KVADRAT

Designer: Frans Dijkmeijer Composition: 75% New Wool, Worsted, I7% polyacrylic, 8% Nylon Durability: IOO,OOO Martindale / Lightfastness 7 Sustainability: Greenguard Gold, HPD, EPD







227 347 397 657 677 737 787 797 987




# DIVINA BY KVADRAT

Designer: Finn Sködt. Composition: IOO8 new wool. Durability: 45,000 Martindale / Lightfastness 5-6.

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.







# DIVINA MD BY KVADRAT

Designer: Finn Sködt. Composition: IOO% new wool.

Durability: 45.000 Martindale / Lightfastness 5-6 (ISO I-8).



	193												
			177		72 5					N/23 E	L XX		
203	213	293	343	353	363	413	433	453	613	633	653	673	683
	11.79		31. E					5			55 PK		
713	733	743	753	773	783	813	843	873	913	943	973		




# DIVINA MELANGE BY KVADRAT

Designer: Finn Sködt. Composition: IOO% new wool. Durability: 45.000 Martindale / Lightfastness 6-7.

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.







### **ECRITURE BY KVADRAT**

Composition: 40% polyacrylic, 27% polyester, 18% viscose, 9% linen, 6% cotton. Durability: 70,000 Martindale / Lightfastness 6. Sustainability: Complies with Greenguard Gold Certification.





		No.					1.54		P	4, 1			
0130	0150	0170	0180	0200	0210	0240	0270	0380	0410	0470	0570	0580	0640



### FIORD BY KVADRAT

Designer: Tone Barnung & Louise Sigvardt. Composition: 92% new wool worsted, 8% nylon. Durability: 60.000 Martindale / Lightfastness 5-6.








# HALLINGDAL 65 BY KVADRAT

Designer: Nanna Ditzel. Composition: 70% new wool, 30% viscose. Durability: IOO.OOO Martindale / Lightfastness 6-7.

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.







# HEARTH BY MAHARAM

Composition: 32% wool, 31% acrylic, 30% cotton, 7% polyester Durability: 60.000 Martindale / Lightfastness AATCC 16.3, 40+ hours. Sustainability: Complies with Greenguard Gold Certification.






002	003	004	005	006	007	008	009	010	OII	012	013	014	O15



HERO BY KVADRAT Designer: Patricia Urquiola. Composition: 96% new wool, 4% nylon. Durability: 45.000 Martindale / Lightfastness 5-6. Sustainability: Complies with EU ecolabel "The Flower".



102





## OCEAN BY ROHLEDER

Designer: Rohleder. Composition: 74 & Polyacrylic / 26 & Polyester. Durability: 30.000 Martindale / Lightfastness 5-7 (ISO I-8).







### PLANUM BY KVADRAT

Designer: Raw Color. Composition: 44% new wool, 42% polyester, I4% nylon. Durability: IOO.OOO Martindale / Lightfastness 5-6 (ISO I-8). Sustainability: Complies with Greenguard Certification.



										1.15			
141	201	241	271	351	411	441	521	551	571	681	711	741	751
791	991	941	961	971									




# **RE-WOOL BY KVADRAT**

Designer: Margrethe Odgaard. Composition: 45% new wool worsted, 45% recycled wool, IO% nylon. Durability: IOO.OOO Martindale / Lightfastness 5-7 (ISO I-8).

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.








# REMIX BY KVADRAT

Designer: Giulio Ridolfo. Composition: 90% new wool worsted, IO% nylon. Durability: IOO.OOO Martindale / Lightfastness 5-7 (ISO I-8).








SABI BY KVADRAT

Designer: Louise Sigvardt Composition: 65% New Wool, Worsted, 23% Recycled Wool, I2% Nylon Durability: 80,000 Martindale / Lightfastness 5-7 Sustainability: Greenguard Gold, HPD, EPD






IIO

#### STEELCUT BY KVADRAT

Designer: Dijkmeijer & Ridolfo. Composition: 90% new wool worsted, IO% nylon. Durability: 80.000 Martindale / Lightfastness 5-7 (ISO I-8).

Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.







### STEELCUT TRIO BY KVADRAT

Designer: Dijkmeijer  $\delta$  Ridolfo. Composition: 90% new wool worsted, 10% nylon.

Durability: IOO.OOO martindale / Lightfastness 5-7 (ISO I-8).
Sustainability: Complies with both EU ecolabel "The Flower" and Greenguard Gold Certification.






# STILL BY KVADRAT

Designer: Georgina Wright. Composition: IOO% Trevira CS.

Durability: 50.000 Martindale / Lightfastness: 6








# TWILL WEAVE BY KVADRAT

Designer: Jonathan Olivares. Composition: 90% new wool (worsted), IO% nylon. Durability: 60.000 Martindale / Lightfastness 5-7 (ISO I-8).





# VANCOUVER BY ROSSINI DELLA QUERCIA

Designer: Gabriella Zecca Composition: 52% cotton, 48% acrylic. Durability: 40.000 Martindale / Lightfastness 4-5.



\_\_\_\_4





### VIDAR BY KVADRAT

Designer: Raf Simons  $\delta$  Fanny Aronsen for Kvadrat. Composition: 948 new wool,  $\delta$ 8 nylon. Durability: IOO.000 Martindale / Lightfastness  $\delta$ -7. Sustainability: Natural fibres / Sustainable resource. Complies with Greenguard Gold Certification.

106

	- 3							FI W		11114			
123	133	143	146	152	182	222	323	333	353	363	386	443	456
							1110						VI 8
472	526	542	554	556	582	622	633	653	656	676	693	723	733
						- 7							
743	772	786	872	913	932	943	956	972	1062	1511	1880		



#### WOOLY BY NEVOTEX

Designer: Nevotex Composition: 70% wool, 25% polyamide, 5% other fibres. Durability: I5O.000 Martindale / Lightfastness 6-8.



0091

Wooly is woven in 70% recycled wool, sourced from leftover materials of clothing production and other wool products. One kilo of pure new wool generates 9 kilograms of carbon dioxide when produced while processing one kilo of recycled wool only generates 0.5 kilograms of carbon dioxide. Furthermore, recycled wool has a positive environmental impact due to lessened water consumption and lower energy consumption.



# **LEATHER OPTIONS**

At Muuto, we work with some of the leading European leather suppliers to ensure that the leather used for our designs is always of the highest possible standard. Our leather options range from the Refine Leather, a modern and sleek full-grain leather with a soft touch, over Easy Leather, a lightly buffed natural grain leather with a soft and waxy feel along with a matte look, to our Endure Leather, a pliable and extremely durable semi-aniline leather ideal for hard contract environments.



### ALLURE - ANILINE LEATHER

Soft nubuck aniline leather from European raw hides, known for its exclusive appeal and soft, velvety feel. The leather is dyed through, chrome tanned and produced without the use of PCP and CFC which can be damaging to the environment.

CHAL






### EASY LEATHER

Lightly Buffed Natural Grain Leather Raw material: Designed and processed in Italy. The leather is dyed through, chrome tanned and finishing is with resins and pigments.

ZINC





# ENDURE LEATHER

Semi-aniline leather with high durability, making it ideal for contract environments.

Raw material: Leather from Scandinavian raw hides.

The leather is dyed through a chrome free

tanning process. Also available in custom colors in a minimum of I hide.

CWIT





# GRACE — ANILINE LEATHER

Aniline leather from European raw hides with a natural look and velvety feel, characterized by the natural markings and imperfections that give it a distinct beauty. The leather is dyed through, tanned without chrome and produced without the use of PCP and CFC which can be damaging to the environment.

ANTH





# ILLUSION

Imitation leather from PU (Polyethan) is hard-wearing and easy to maintain which makes it particularly well suited to public spaces, such as restaurants, cafés and lounges. Imitation leather is also a good option for healthcare settings and public spaces where furniture and fittings require frequent and thorough cleaning.

CUST





## REFINE LEATHER

Aniline Leather.

Raw material: Grain leather from European raw hides. The leather is dyed through, chrome tanned and produced without the use of PCP and CFC which can be damaging to the environment.

CREM



# **MATERIAL TEXTURES**

At Muuto, we use an expanded breadth of materials to express our ideas of new perspectives on Scandinavian design. Working with leading suppliers across the world, we strive to use materials that embody our quality standards to provide designs that'll pass the test of time and bring a modern touch to any space at one and the same time. Explore the various textures of materials that are used throughout the Muuto universe.

### WOOD







Ash

Full Colored Lacquered Oak

Lacquered MDF








Oak Veneer

Solid Oak, Natural Oil

Solid Oak White Pigmented Oil







Oregon Pine

Stained Dark Brown Oak Veneer

## PLASTIC & WOOD COMPOSITE







Bamboo Wood  $\delta$  Plastic Composite

Wood δ Plastic Composite





Anodized Aluminum



Lacquered Steel



Solid Brass Aluminum



Lacquered Aluminum











CERAMICS





