

Statligt Ramavtal - Möbler och inredning

Delområde – Arbetsplats och Förvaring



Vitra

Produktlista nr 2



31% Rabatt skall dras av angivna priser

ABEvertLindelöfInredningsservice


556071-3462

Avtalsnummer 23.3-8004-18:051

ABEvertLindelöf.

Dancing Wall

Wall module



Steel frame with solid wood base board and with die-cast aluminium legs or castors.

Optional: cable tray with electrification, contains triple power outlet including feed cable and cable guide

Dancing Wall	Article no.	without VAT in SEK*
H 1970 x W 1650 x D 480 mm	860 900 01	
Frame		
basic dark	OF30	
soft light	OF52	
Base board		
natural spruce	BP72	22.224,00
natural oak	BP70	27.368,00
Magnetic whiteboard		
not provided	0000	
1 piece	MW01	7.984,00
2 pieces	MW02	15.968,00
3 pieces	MW03	23.952,00
4 pieces	MW04	31.936,00
Panel		
not provided	0000	
1 piece	SP01	9.480,00
2 pieces	SP02	18.960,00
3 pieces	SP03	28.440,00
4 pieces	SP04	37.920,00
Cover fabric		
Fabric F30		

Note: asymmetrical shelves can be combined with a maximum of 2 whiteboards / fabric panels on the opposite side. Symmetrical shelves cannot be combined with whiteboards / fabric panels. Cable tray with power module optionally possible in position 1 and 2. Monitor mount must be in position 3 or 4. Whiteboards are not magnetic.

Fabric F30

Plano

Dancing Wall

Wall module

vitra.

Dancing Wall	Article no.	without VAT in SEK*
Single elements (position 1, bottom)		
not provided	0000	
tray	KW11	1.704,00
tray with triple electric socket	KW12	3.720,00
shelf symmetrical	TS11	3.344,00
shelf asymmetrical, long	TA11	3.344,00
shelf asymmetrical, short	TA12	2.856,00
Single elements (position 2)		
not provided	0000	
workshelf	WS21	6.136,00
workshelf with Punto High power/USB	WS22	10.224,00
tray	KW21	1.704,00
tray with triple electric socket	KW22	3.720,00
shelf symmetrical	TS21	3.344,00
shelf asymmetrical, long	TA21	3.344,00
shelf asymmetrical, short	TA22	2.856,00
Single elements (position 3)		
not provided	0000	
workshelf	WS31	6.136,00
workshelf with Punto High power/USB	WS32	10.224,00
tray	KW31	1.704,00
monitor mount	MA31	6.632,00
shelf symmetrical	TS31	3.344,00
shelf asymmetrical, short	TA32	2.856,00
Single elements (position 4, top)		
not provided	0000	
tray	KW41	1.704,00
monitor mount	MA41	6.632,00
shelf symmetrical	TS41	3.344,00
shelf asymmetrical, short	TA42	2.856,00
coat rail	GS41	1.472,00
Surface Workshelf		
MDF powder-coated in soft light	B1S52	0,00
MDF powder-coated in basic dark	B1S30	0,00
solid natural oak, oiled finish	G1S70	3.800,00
Electrification		
not provided	00000	
DE, AT, NL, ES norm	ELE01	
Basic price:		20.616,00

Note: asymmetrical shelves can be combined with a maximum of 2 whiteboards / fabric panels on the opposite side. Symmetrical shelves cannot be combined with whiteboards / fabric panels. Cable tray with power module optionally possible in position 1 and 2. Monitor mount must be in position 3 or 4. Whiteboards are not magnetic.

Dancing Wall

Additional elements



Enamelled, magnetic

Magnetic whiteboard

		Article no.	without VAT in SEK*
H 1700 x W 820 x D 30 mm	basic dark	860 918 11	7.984,00
H 1700 x W 820 x D 30 mm	soft light	860 918 12	7.984,00

Ordering: max. 4 units per Dancing Wall.

Note: for optimal cleaning and product longevity, we recommend the use of marking pens specifically developed for whiteboards, e.g. Edding markers (250 or 360). Please do not use permanent markers.



fabric-covered on both sides; incl. mount for Dancing Wall and rail for wall installation

Fabric panel

		Article no.	without VAT in SEK*
H 1700 x W 820 x D 30 mm		860 906 01	
Fitting			
basic dark		OFH30	
soft light		OFH52	
Fabric			
Fabric F30			9.480,00

Ordering: max. 4 units per Dancing Wall.



Can be fitted with fabric panel and whiteboard

Dancing Trolley

		Article no.	without VAT in SEK*
H 488 x W 607 x D 532 mm	basic dark	860 916 11	7.056,00
H 488 x W 607 x D 532 mm	soft light	860 916 12	7.056,00

Supplied without panel or whiteboard

Fabric F30

Plano

Dancing Wall

Additional elements



vitra.



Recycled polypropylene

Accessories tray


		Article no.	without VAT in SEK*
H 109 x W 105 x D 54 mm	high, grey	860 919 11	592,00
H 56 x W 105 x D 54 mm	low, grey	860 920 11	504,00



Sheet steel, powder-coated with textured finish

Flipchart holder

		Article no.	without VAT in SEK*
H 101 x W 690 x D 35 mm	basic dark	860 914 11	776,00
H 101 x W 690 x D 35 mm	soft light	860 914 12	776,00




Mounting: for attachment to wall.

Tubular steel, powder-coated with textured finish

Wall rail

		Article no.	without VAT in SEK*
850 mm	basic dark	860 903 11	1.136,00
850 mm	soft light	860 903 12	1.136,00
1700 mm	basic dark	860 904 11	1.368,00
1700 mm	soft light	860 904 12	1.368,00



Supplied without assembly materials.

Dancing Wall

Additional elements



To be hooked into Dancing Wall for meetings

Workshelf

	Article no.	without VAT in SEK*
	860 922 01	
Table top		
MDF powder-coated in soft light	B1S52	6.136,00
MDF powder-coated in basic dark	B1S30	6.136,00
solid natural oak, oiled finish	G1S70	10.224,00
Table top version		
without cut-out	00000	
1 cut-out on right for Punto High power / USB	PSR01	4.104,00
Cable variant		
connecting cable	KV01	
feed cable	KV02	
Electrification		
DE, AT, NL, ES norm	EL01	
Crossbar		
powder-coated in basic dark	OF30	
powder-coated in soft light	OF52	
	Basic price:	6.136,00

Ordering: please order feed and connecting cables separately.

Dancing Wall

Additional elements



Sheet steel, powder-coated with textured finish

Long shelf with incremental holes for book holders

		Article no.	without VAT in SEK*
H 20 x W 1570 x T 330 mm	asymmetrical, long, basic dark	860 908 11	3.344,00
H 20 x W 1570 x T 330 mm	asymmetrical, long, soft light	860 908 12	3.344,00
H 20 x W 1570 x T 330 mm	symmetrical, long, basic dark	860 907 11	3.344,00
H 20 x W 1570 x T 330 mm	symmetrical, long, soft light	860 907 12	3.344,00

Ordering: max. 4 units per Dancing Wall.




Sheet steel, powder-coated with textured finish

Short shelf with incremental holes for book holder

		Article no.	without VAT in SEK*
H 20 x W 1570 x D 230 mm	basic dark	860 909 21	2.864,00
H 20 x W 1570 x D 230 mm	soft light	860 909 22	2.864,00

Ordering: max. 4 units per Dancing Wall.



Sheet steel, powder-coated with textured finish

Book holder

		Article no.	without VAT in SEK*
H 150 x W 322 x D 210 mm	basic dark	860 915 11	1.136,00
H 150 x W 322 x D 210 mm	soft light	860 915 12	1.136,00
H 320 x W 300 x D 275 mm	basic dark	860 901 21	1.240,00
H 320 x W 300 x D 275 mm	soft light	860 901 22	1.240,00
H 480 x W 320 x D 275 mm	basic dark	860 902 21	1.368,00
H 480 x W 320 x D 275 mm	soft light	860 902 22	1.368,00

Ordering: for insertion in shelf with incremental holes, max. 2 book holders per shelf

Dancing Wall


Additional elements



Including felt cover, for VESA 200-600; screws for attachment of monitor are not included.

Monitor mount

	Article no.	without VAT in SEK*
basic dark	860 910 11	6.632,00
soft light	860 910 12	6.632,00



Note: designed for monitors with a maximum diagonal screen size of 65 inches and a maximum weight of 50 kg.



Tubular steel, powder-coated with textured finish

Coat rail


	Article no.	without VAT in SEK*
W 1570 mm basic dark	860 911 11	1.472,00
W 1570 mm soft light	860 911 12	1.472,00



For mounting on side frame

Coat hook

	Article no.	without VAT in SEK*
H 200 x W 70 x D 30 mm powder-coated sheet steel, basic dark	860 921 11	760,00
H 200 x W 70 x D 30 mm powder-coated sheet steel, soft light	860 921 12	760,00



Ordering: max. 2 units per Dancing Wall.

Dancing Wall

Additional elements



vitra.



Sheet steel, powder-coated with textured finish

Tray


		Article no.	without VAT in SEK*
H 135 x W 1570 x D 130 mm	basic dark	860 912 21	1.704,00
H 135 x W 1570 x D 130 mm	soft light	860 912 22	1.704,00



2 pieces, for cable tray

Cover panel

		Article no.	without VAT in SEK*
H 10 x W 781 x D 130 mm	thermo-pressed fleece, anthracite	860 917 11	872,00
H 10 x W 781 x D 130 mm	thermo-pressed fleece, silver grey	860 917 12	872,00



Note: set of 2 pieces

Dancing Wall

Additional elements



Set with 3x power and 300-cm feed cable, black plastic; incl. 6 mounting bolts and 3 elastic bands for cable routing

Current DWA electrification	Article no.	without VAT in SEK*
	860 913 01	
Electrification		
DE, AT, NL, ES norm	ELE01	
Equipment		
3x power w.300cm feed cable	EL	2040,00



USB-A & USB-C and power socket

Punto High Power / USB	Article no.	without VAT in SEK*
	833 441 01	
Electrification		
DE, AT, NL, ES norm	ELO1	
Equipment		
1x power + 1x USB A + 1x USB C	AS08	4.104,00

Dancing Wall

Technical product description

Frame

Frame

Description: base frame consisting of two tubular steel side elements and two steel crossbars, assembled with screws. Eight shelf holes at height increments of 190 mm.

Dimensions: H 1970 x W 1650 x D 480 mm.

Weight: 87 kg (incl. castors and base board).

Leg bases and castors

Description: two die-cast aluminium leg bases, each attached to bottom crossbar with two screws. Each leg base is fitted with two castors: one with a locking device and one without. Hardness of castor tread 80 Shore A (authorised surface load).

Dimensions: wheel diameter 75 mm.

Base board

Description: solid wood with oiled finish, spruce or natural oak.

Dimensions: H 220 x W 1650 x D 30 mm.

Accessories

Monitor mount

Description: powder-coated tubular steel, vertical tubes adaptable to VESA holders 200-600. Fleece covers on the back and sides conceal cabling for the monitor.

Safety: screen weight max. 50 kg, screen depth max. 9 cm (fabric panels and whiteboards can be fitted from the front), screen diagonal max. 65 inches.

Dimensions: H 600 x W 1568 x D 50 mm.

Symmetrical or asymmetrical shelf, long

Description: shelf made of sheet steel, powder-coated, fastened with two screws (mushroom head M6) at each end. Standard design with holes at increments of 160 mm for book holders.

Safety: maximum load capacity 30 kg.

Dimensions: H 20 x W 1586 x D 330 mm.

Note: the long asymmetrical shelf may only be fitted at the bottom four levels (otherwise risk of tipping).

Asymmetrical shelf, short

Description: shelf made of sheet metal, powder-coated, without incremental holes for book holders.

Safety: maximum load capacity 10 kg.

Dimensions: H 20 x W 1586 x D 230 mm.

Whiteboard

Description: whiteboard with HPL surface, fitted on honeycomb board with MDF frame. Plastic suspension rail on top edge, solid wood bar made of beech, with magnets and glides on bottom edge.

Weight: 7.5 kg.

Dimensions: H 1700 x W 824 x D 30 mm.

Fabric panel

Description: fabric panel on honeycomb board; fabric with lining and elasticated edge. Plastic suspension rail on top edge, solid wood bar made of beech, with magnets and glides on bottom edge.

Weight: 8 kg.

Dimensions: H 1700 x W 824 x D 30 mm.

Dancing Wall

Technical product description

Wall rail

Description: wall rail made of sheet metal, powder-coated in basic dark or soft light. Length adapted to fabric panel/whiteboard. Fitted with spacers for optimum use of fabric panels/whiteboards.

Attachment: only with hardware fittings suited for mounting surface.

Safety: wall rail only for use with fabric panels and whiteboards.

Dimensions: 1700 mm (long) or 850 mm (short).

Book holder

Description: book holder made of sheet steel, powder-coated, with 4 legs.

Attachment: to be inserted into holes on shelf, no fixation necessary.

Dimensions: high version H 300 x W 322 x D 275 mm (max. 2 book holders per shelf); wide version H 150 x W 482 x D 275 mm (max. 3 book holders per shelf).

Coat rail

Description: made of powder-coated sheet steel; welded sheet metal mount.

Attachment: fastened with two screws (mushroom head M6) at each end.

Safety: maximum load capacity 40 kg.

Dimensions: Ø 30 mm.

Cable tray

Description: cable tray made of bent sheet metal, for holding power sockets (mounting holes available) and storing accessories.

Attachment: fastened with two screws (mushroom head M6) at each end.

Dimensions: H 100 x W 1570 x D 130 mm.

Electrification

General note

VDE regulations specify that electrical work may only be performed by qualified technicians. Special training is not required for the routing and attachment of cables with plug connections. It is advisable to assess the number and type of devices requiring power connections before ordering electrical components. Our sales team will be happy to provide assistance.

Description: set of 3x power with 300-cm feed cable, black plastic. The power socket is attached to the cable tray with screws. The set includes 3 rubber bands and 6 mounting bolts for cable routing.

Colour reference

Please refer to the 'Cover materials, Surfaces and Colours' annex for an overview of all available colours.

Certificates

GS Seal

BIFMA

Additional information

Dimensional drawings and additional product declarations can be found in the product data sheet at www.vitra.com

AB Event Lindelöf.



Stockholm

Hornsgatan 29
118 49 Stockholm

Tel. 08-442 70 00
info.avtal@lindelof.se

Östersund

Hornsgatan 29
118 49 Stockholm

Tel. 08-442 70 00
info.avtal@lindelof.se



31% Rabatt skall dras av angivna priser